

OptiGrid

Energy Intelligence Platform

Brand Style Guide

Version 1.0

July 30, 2026

Team Coreflow



COS 301 Capstone Project

University of Pretoria

Contents

Document Revision History	3
1 Introduction	4
1.1 What is OptiGrid?	4
1.2 Our Vision	4
1.3 Our Mission	4
2 Logo and Iconography	4
2.1 Main Logo	4
2.2 Secondary Logo	4
2.3 Logo Usage Rules	5
2.3.1 Minimum Size	5
2.3.2 Incorrect Usage	5
3 Typography	5
3.1 Font Families	5
3.1.1 Space Grotesk	5
3.1.2 Inter	5
3.1.3 JetBrains Mono	6
3.2 Typographic Scale	6
3.3 Font Weight	6
4 Colour Palette	7
4.1 Primary Colours	7
4.1.1 Grid Teal	7
4.1.2 Meter Mint	7
4.1.3 Conductor Ink	7
4.2 Supporting Colours	7
4.2.1 Daylight	7
4.2.2 Surface Frost	8
4.2.3 Night Primary	8
4.3 Functional Colours	8
5 Design Tokens	8
5.1 Spacing Scale	8
5.2 Radius Tokens	9
6 Component	9
6.1 Buttons	9
6.1.1 Button States	9
6.2 Input	9
6.2.1 Input States	9

6.3	Badges	10
6.4	badge states	10
6.5	Cards	10
6.6	card states	10
7	Design Principles	10
7.1	Clarity over Decoration	10
7.2	Consistency	10
7.3	Responsive	10
7.4	Accessible First	11
7.5	Quiet by Default	11
8	Accessibility Standards	11
9	Voice and Tone	11
9.1	Use Active Voice	11
9.2	UI Copy Guidelines	11
9.2.1	Button Labels	11
9.2.2	Error Messages	11
9.2.3	Empty States	11
9.3	Examples	12
9.4	changelog	12

Document Revision History

Version	Date	Description of Change	Author
1.0	July 30, 2026	Initial release of the OptiGrid Brand Style Guide.	Team Coreflow

1 Introduction

1.1 What is OptiGrid?

OptiGrid is a centralised energy intelligence platform for the built environment. It ingests meter readings from offices, hospitals, schools, shopping centres, and industrial sites, then surfaces what is consuming energy, where it is wasted, and what to do about it.

The platform combines real-time monitoring, anomaly detection, demand forecasting, and optimisation recommendations into a single dashboard-first experience. Operators stop reacting to bills after the fact and start making decisions on live data.

1.2 Our Vision

Make every building's energy usage visible, predictable, and improvable. A future where operators have the same instrumentation for energy as they do for finance: real-time, granular, and acted on daily rather than quarterly.

1.3 Our Mission

Deliver a scalable, multi-tenant platform that ingests data from any meter or feed, detects inefficiencies, forecasts demand, and recommends cost-saving actions. Built on open standards so any building, large or small, can participate.

2 Logo and Iconography

2.1 Main Logo



Figure 1: OptiGrid Main Logo

The main logo is the OptiGrid wordmark set in Space Grotesk Bold. Two variants exist:

- **Dark Variant:** Ink colour on light surfaces
- **Light Variant:** Soft primary on dark surfaces

Use the variant that produces the higher contrast against its background.

2.2 Secondary Logo



Figure 2: OptiGrid Secondary Logo

The secondary logo is a square "OG" monogram with the wordmark stacked below. It is built for compact placements: app icons, favicons, social avatars, and any context where the horizontal wordmark would be illegible.

2.3 Logo Usage Rules

2.3.1 Minimum Size

- Full logo: Minimum height of 24px
- Monogram: Minimum size of 32px x 32px

2.3.2 Incorrect Usage

- Stretching or distorting the logo
- Recolouring the logo outside approved variants
- Placing the logo on low-contrast backgrounds
- Rotating the logo

3 Typography

3.1 Font Families

3.1.1 Space Grotesk




Figure 3: Space Grotesk

Usage: Headings, dashboard titles

Source: Google Fonts

Weights: 500 (Medium), 700 (Bold)

Space Grotesk is used for all headings, dashboard titles, the wordmark, and prominent CTAs. Its geometric letterforms and warm rounded curves communicate a technical product without feeling cold or generic.

3.1.2 Inter




Figure 4: Inter

Usage: Body text, paragraphs, form labels, button copy, table cells

Source: Google Fonts

Weights: 400 (Regular), 500 (Medium), 600 (Semi-bold), 700 (Bold)

Inter holds up at 12px and below, which matters for dense dashboards and metric tables.

3.1.3 JetBrains Mono




Figure 5: JetBrains Mono

Usage: Numeric values, kWh, costs, timestamps

Source: Google Fonts

Weights: 400 (Regular), 500 (Medium)

Tabular-nums lining keeps columns aligned in tables.

3.2 Typographic Scale

Table 1: Typography Scale

Style Name	CSS Variable	Font Size	Usage
Display	<code>-fs-hero</code>	3.25rem	Hero titles, landing pages
H1	<code>-fs-h1</code>	2.25rem	Page titles, section headers
H2	<code>-fs-h2</code>	1.75rem	Section headings
H3	<code>-fs-h3</code>	1.125rem	Card headers, subheadings
Body	<code>-fs-body</code>	1rem	Default body text
Small	<code>-fs-small</code>	0.8125rem	Labels, captions, metadata

3.3 Font Weight

Table 2: Font Weight Usage

Weight	Value	Usage
Regular	400	Body text, paragraphs
Medium	500	Labels, subheadings, emphasis
Semi-bold	600	Buttons, important text
Bold	700	Headings, wordmark

4 Colour Palette

4.1 Primary Colours

4.1.1 Grid Teal



HEX #4D869C
RGB (77, 134, 156)
HSL (196, 36%, 46%)
Usage Primary brand colour, main actions, headers

Figure 6: Grid Teal

4.1.2 Meter Mint



HEX #7AB2B2
RGB (122, 178, 178)
HSL (180, 28%, 59%)
Usage Secondary brand colour

Figure 7: Meter Mint

4.1.3 Conductor Ink




HEX #0B1120
RGB (11, 17, 32)
HSL (226, 49%, 8%)
Usage Dark mode primary

Figure 8: Conductor Ink

4.2 Supporting Colours

4.2.1 Daylight



HEX #EEF7FF
RGB (238, 247, 255)
HSL (208, 100%, 97%)
Usage Light mode backgrounds

Figure 9: Daylight

4.2.2 Surface Frost



HEX #CDE8E5
RGB (205, 232, 229)
HSL (173, 34%, 86%)
Usage Cards, surfaces, borders

Figure 10: Surface Frost

4.2.3 Night Primary



HEX #8BB8E8
RGB (139, 184, 232)
HSL (211, 68%, 73%)
Usage Dark mode accents

Figure 11: Night Primary

4.3 Functional Colours

Table 3: Functional Colour Palette

Name	HEX	RGB	Usage
Success	#2F7D5D	(16, 185, 129)	Positive actions
Warning	#B26B00	(245, 158, 11)	Caution, pending actions
Error	#B23B3B	(239, 68, 68)	Destructive actions, errors

5 Design Tokens

5.1 Spacing Scale

Table 4: Spacing Scale

Token	Value	Usage
–space-1	0.25rem	Compact spacing
–space-2	0.5rem	Tight spacing, icons
–space-3	0.75rem	Small gaps
–space-4	1rem	Standard spacing
–space-5	1.5rem	Medium spacing
–space-6	2rem	Large spacing
–space-7	3rem	Section spacing
–space-8	4rem	Page spacing

5.2 Radius Tokens

Table 5: Radius Tokens

Token	Value	Usage
–radius-sm	0.375rem	Inputs, small buttons
–radius-md	0.625rem	Cards, modals
–radius-lg	1rem	Large cards, containers
–radius-pill	62.44rem	Badges, pills

6 Component

6.1 Buttons



Figure 12: Buttons

6.1.1 Button States

- **Default:** Base styling
- **Hover:** Darker background and overlay
- **Active:** Pressed state
- **Disabled:** no hover

6.2 Input




Figure 13: Input Field

6.2.1 Input States

- **Default:** Border colour
- **Focus:** Border colour Grid Teal
- **Error:** Border colour Error, error message
- **Success:** Border colour Success
- **Disabled:** 50% opacity

6.3 Badges




Figure 14: Badges

6.4 badge states

- **Default:** Grid Teal
- **Success:** #2F7D5D
- **Warning:** #B26B00
- **Error:** #B23B3B

6.5 Cards




Figure 15: Card Component

6.6 card states

- Background: White (light mode) or Night Primary (dark mode)
- Border radius: -radius-md
- Shadow: -shadow-md
- Padding: -space-5

7 Design Principles

7.1 Clarity over Decoration

A user should read the most important number on a screen without scanning. Metrics are large, mono, and unambiguous.

7.2 Consistency

A button, badge, or card looks the same on every screen. Tokens, not bespoke styles.

7.3 Responsive

Every screen works from 360px upward. The sidebar collapses to a top nav below 768px.

7.4 Accessible First

Visible focus rings, labelled inputs, colour never the only signal. WCAG 2.2 AA minimum.

7.5 Quiet by Default

No carousels, no parallax, no modal-on-load. Motion limited to 150ms transitions.

8 Accessibility Standards

- OptiGrid targets WCAG 2.2 AA as the minimum compliance level. AAA is encouraged for body text where possible.
- All interactive elements are keyboard accessible.
- Form inputs have associated labels.
- The colour palette was chosen specifically to ensure accessibility.

9 Voice and Tone

9.1 Use Active Voice

- **Good:** "Add a new building"
- **Avoid:** "A new building can be added"

9.2 UI Copy Guidelines

9.2.1 Button Labels

- Use action verbs: "Edit", "Delete", "Register", "Compare"
- Be specific: "Add Building" not "Submit"

9.2.2 Error Messages

- Explain the problem clearly
- Provide a solution or next step

9.2.3 Empty States

- Explain what should be there
- Provide a call to action

9.3 Examples

Table 6: Voice and Tone Examples

Context	Preferred Copy
Empty building list	"No buildings yet. Add your first building to start monitoring energy usage."
Error saving	"Could not save changes. Please check all fields and try again."
Success action	"Building added successfully."
Confirmation	"Are you sure you want to delete this building? This action cannot be undone."

9.4 changelog

Section added:

- Accessibility Standards
- Voice and tone
- Design Tokens