



Use Case Scope & Diagrams

Last Revision: 25 June 2026

David van Rooijen

Dandré Nel

Daniel Cohen

Stephan Kritzinger

Michael Koch



TABLE OF CONTENTS

[Acronyms Used..... 2](#)

[Subsystem 1: Authentication..... 2](#)

[Subsystem 2: Ingestion..... 4](#)

[Subsystem 3: Risk..... 6](#)

[Subsystem 4: Field Reports and Routes..... 7](#)

[Subsystem 5: Tip-off..... 9](#)

[Subsystem 6: Dashboard..... 10](#)

[Changelog..... 11](#)

Acronyms Used

- **TUCBW** - This Use Case Begins With
- **TUCEW** - This Use Case Ends With

Subsystem 1: Authentication

NOTE: This subsystem is included for completeness, even if they do not count towards the total use case count

Image




Figure 1 - Authentication Subsystem

Use Case Scope

Use Case Number	Starts With/Ends With
UC1.1 Login Account	• TUCBW the user is shown the login screen upon entering the website. • TUCEW the user being shown a confirmation message and being redirected to the dashboard.
UC1.2 Register Account	• TUCBW the user clicking the "Register Account" button on the login screen. • TUCEW the user being shown a confirmation message and being told to initiate UC1.1.
UC 1.3 Logout Account	• TUCBW the user clicking the Logout button on the navigation burger menu. • TUCEW the user being shown the login screen.
UC 1.4 Update Account Details	• TUCBW the user entering the submission details and clicking the submit button • TUCEW the user being informed their details have been updated. • ALT TUCEW the user being redirected to the login screen, only if their password has changed.
UC 1.5 Reset password	• TUCBW the user clicking the reset password button on the login screen • TUCEW the user entering their new password on the magic link and being redirected to login
UC 1.6 Activate User	• TUCBW the admin clicking the activate button next to the corresponding pending user • TUCEW the admin being shown a confirmation message, and the user being sent a welcome email.
UC 1.7 Deactivate User	• TUCBW the admin clicking the

	deactivate button next to the corresponding active user • TUCEW the admin being shown a confirmation message, and the user being sent a deactivation email. Important to note the account is not removed from the DB, just access to the service is revoked.
UC 1.8 Delete Pending User	• TUCBW the admin clicking the reject button next to the corresponding pending user. • TUCEW with the admin being shown a confirmation message, and the user being sent a rejection email.

Subsystem 2: Ingestion

Image




Figure 2 - Ingestion Subsystem

Use Case Scope

Use Case Number	Starts With/Ends With
UC2.1 Upload CSV Historical File	• TUCBW the user clicking the upload file button and choosing a csv file to upload. • TUCEW the system displaying the parsed CSV file and any errors that it could not remedy.
UC2.2 Modify Uploaded CSV File	• TUCBW the user selecting a malformed record from the uploaded file. • TUCEW the system confirming the new details are parseable and in a valid format.
UC2.3 Clear Uploaded CSV File	• TUCBW the user clicking the clear button, after uploading a CSV file. • TUCEW the user being redirected to the beginning of UC2.1.
UC2.4 Finalise Uploaded CSV File	• TUCBW the user clicking the Upload button. • TUCEW the system confirming the file has been uploaded to the database to be analysed by the risk engine, and the user being redirected to the beginning of UC2.1.

Subsystem 3: Risk

Image




Figure 3 - Risk Subsystem

Use Case Scope

Use Case Number	Starts With/Ends With
UC3.1 View Generated Risk Heatmap	• TUCBW the user entering the map screen. • TUCEW the user being presented the most recent heatmap their role permits generated by the AI risk engine
UC 3.2 View Risk cell risk score & reasoning	• TUCBW the user clicking a cell on the map. • TUCEW with the user being presented information generated by the AI risk engine on the selected cell.

Subsystem 4: Field Reports and Routes

Image




Figure 4 - Field Report Subsystem

Use Case Scope

Use Case Number	Starts With/End With
UC4.1 Submit Field Report	• TUCBW the user clicking the submit report button. • TUCEW the field report being submitted to the system or being queued for upload

UC4.2 Edit Field Report	• TUCBW the user selecting a pending, unuploaded, submitted field report. • TUCEW the pending field report being updated and the user being notified.
UC4.3 Delete Field Report	• TUCBW the user selecting a pending, unuploaded, submitted field report and clicking the delete button. • TUCEW the user being notified the field report is no longer queued for upload.
UC4.4 Generate Field Patrol	• TUCBW the user clicking the generate patrol on the risk heatmap. • TUCEW the user being shown potential routes for the patrol.
UC4.5 View Historical Patrols	• TUCBW the user**UNKNOWN FILL IN** • TUCEW the user being shown their previous generated patrol routes.
UC4.6 Sync Field Reports	• TUCBW automatically, or the user pressing the sync button. • TUCEW the user being notified that all pending field reports have been uploaded.

Subsystem 5: Tip-off

Image




Figure 5 - Tip-off Subsystem

Use Case Scope

Use Case Number	Starts With/End With
UC5.1 Submit Tipoff	• TUCBW the user entering tip off details and clicks the submit button. • TUCEW the user being informed that a tip off has been made, and that it will be processed by the risk engine.

Subsystem 6: Dashboard

Image




Figure 6 - Dashboard Subsystem

Use Case Scope

Use Case Number	Starts With/End With
UC6.1 View Dashboard	• TUCBW the user viewing the dashboard page. • TUCEW the user being presented their respective role's dashboard.
UC6.2 View Model Metrics	• TUCBW with the user expanding the model section on the dashboard. • TUCEW the user being shown the risk engines performance.

Changelog

V2 (Demo 1 -> V2)

- Refactored entire diagram to match feedback
- Introduced use case scope
- Separated use cases into more distinct subsystems
- Partitioned actors into roles to make the diagram cleaner
- Removed the following use cases
 - **Refresh Session** - No Actor is involved with this use case, it is an automated action that the user is unaware of.
 - **View Role Filtered Map Data** - Was merged into View Map Data
 - **Edit Any Report / Delete Any Report** - Merged into Edit and Delete Own Report
- Updated the following use cases
 - **Reset Password via Email -> Reset Password** - Simpler name that does not restrict the method as much, details can be added in other documentation.
 - **Activate / Deactive User -> Split into 2 use cases** - These have different outcomes internally
 - Split US2 into various use cases to make them more granular, and added scope to help detail the process, as requested from feedback
- Minor Improvements