

COS 301 Main Project

Requirements and Design Specifications

ThinkTech

Group Members:

Goodness Adegbenro 13046412 Tshepiso Magagula 12274195 Hlavutelo Maluleke 12318109 Xoliswa Ntshingila 13410378 Lelethu Zazaza 13028023

Git repository link:

https://github.com/COS301-ThinkTech/Flowchart-planning-and-simulation-tool

Version 0.1

September 25, 2015

Contents

1 Vision and scope

1.1 Project background

The flowchart planning and simulation tool is a visual tool which aims to introduce programming logic to students by providing a platform to construct and execute flowcharts which depict basic programming structures whilst validating whether the flowchart components are valid .

1.2 Project vision

Most first year computer science students come from a backgroud void of programming to a programming backgroud and they struggle to grasp the logical programming concepts quickly and easily. Therefore, this project sets out to create an application with a simplified and easy-to-use interface for the planning and simulation of flowcharts, which can be used in an education setting for an introductory program logic course. The objective is to develop an application that can feasibly be used in such a practical setting. The application must be visual in nature, due to the visual nature of flowcharts. The application must facilitate exploration and experimentation, while providing clear feedback to the user as to how the program executes.

1.3 Project scope

The project consists of the following two components:

- A planning canvas, in which a flowchart can be built using an intuitive drag-and-drop
 editor. Flowchart components will be selected and dropped into the canvas, and connected
 into complete flowcharts. The system will also have to do error checking on the constructed
 flowcharts, so that (for example) multiple entry points into a program or certain flowchart
 components are not allowed.
- An execution system, in which a flowchart can be run from start to finish. The system should allow for one-click execution of the entire program, as well as step-by-step execution. At all stages during execution, the currently executing component should be highlighted, as well as the connection path being followed. The program's execution should be very visually apparent and appealing. The output of the flowchart's execution should also be apparent.

The following components are specifically excluded from the scope of the project:

- No executable program code generation will be required for this project.
- No complex design elements (such as user-defined component assemblies) are required. Only the basic components of standard flowcharts are necessary.



High level system modules and their responsibilities.

2 Use case prioritization

Table 1: Use case prioritization

Table 1. Obe case promization		
Critical	Important	Nice-To-Have
createFlowchartProject deleteFlowchart	addFlowchartComponent editFlowchartComponent deleteFlowchartComponent saveFlowchart loadFlowchart executeFlowchart	drag-and-drop flowchart into bin enchanceExecutionWithColours

3 Use cases

3.1 createFlowchartProject

Creates an environment to enable users to start building flowcharts.

Pre Condition: Planning canvas must be blank.

Post Condition: New canvas with Start and Return component created.

Post Condition: Flowchart tools ready for use




Figure 1: createFlowchartProject Use Case Diagram




Figure 2: createFlowchartProject Activity Diagram

3.2 addFlowchartComponent

Provides users with functionality to select the flowchart components they want to add and place it on the planning canvas.

Pre Condition: Canvas is available and flowchart exist.

Post Condition: Component has been added to flowchart and appers on canvas with the necessary connections, if any.




Figure 3: addFlowchartComponent Use Case Diagram




Figure 4: addFlowchartComponent Activity Diagram

3.3 editFlowchartComponent

The editFlowchartComponent use case provides functionality for the user to edit each component of the flowchart on the canvas

Pre Condition: Component must have been added to the canvas

Post Condition: Component has been edited and saved Post Condition: Edited component has been saved




Figure 5: editFlowchartComponent Use Case Diagram




Figure 6: editFlowchartComponent Activity Diagram

3.4 deleteFlowchart

The deleteFlowchartProject use case serves the purpose of removing a flowchart project.

Pre Condition: The flowchart to be deleted must exist **Pre Condition:** The flowchart to be deleted must be active

Post Condition: The flowchart must be removed from the workspace and a new flowchart must be active




Figure 7: deleteFlowchart Use Case Diagram




Figure 8: deleteFlowchart Activity Diagram

3.5 saveFlowchart

The saveFlowchart use case provides functionality for the user to save a flowchart.

Pre Condition: Canvas is open

Post Condition: Flowchart has been saved to file




Figure 9: saveFlowchart Use Case Diagram




Figure 10: saveFlowchart Activity Diagram

3.6 loadFlowchart

loadFlowchart: users load flowcharts from existing files. The file is editable, can be modified by the user.

Pre Condition: File with correct extension already exists.

Post Condition: Open the file and make it editable in the canvas element.




Figure 11: loadFlowchart Use Case Diagram




Figure 12: loadFlowchart Activity Diagram

3.7 deleteFlowchartComponent

The deleteFlowchartComponent use case enables the functionality to delete individual components from the canvas.

Pre Condition: The canvas has to be available. Component exists in the canvas space and is in the components list.

Post Condition: The canvas is clear of any components that were selected for removal.




Figure 13: deleteFlowchartComponent Use Case Diagram




Figure 14: deleteFlowchartComponent Activity Diagram

3.8 executeFlowchart

The executeFlowchart use case enables the functionality to execute the flowchart step-by-step or from start-to-end.

Pre Condition: Canvas has to be available.

Post Condition: Flowchart will return feedback of any errors, warnings or successful execution along with the results of any calculations.




Figure 15: executeFlowchart Use Case Diagram




Figure 16: executeFlowchart Activity Diagram

4 The Domain Model - High-level




Figure 17: Domain Model Diagram