
Software Requirements Specification

for

BetterDay

Version 1.0.0 approved

Prepared by,

Team F Fudge

Pub 3.13.26

Table of Contents

1. Introduction	3
1.1 Purpose	3
1.2 Document Conventions	3
1.3 Intended Audience and Reading Suggestions	3
1.4 Product Scope	3
1.5 References	4
2. Overall Description	4
2.1 Product Perspective	4
2.2 Product Functions	4
2.3 Assumptions and Dependencies	5
3. External Interface Requirements	5
3.1 User Interfaces	5
3.2 Hardware Interfaces	17
3.3 Software Interfaces	17
4. Description and Priority	18
4.1 Description	18
4.2 High Priority	18
5. Requirements	18
5.1 Functional Requirements	18
5.2 Nonfunctional Requirements	19
5.3 Ethical and Legal Requirements	20
6. Appendices	20

Revision History

Name	Date	Reason for Change	Version
Ben, Tom, Gavin, Will and Daniel	3/6/26	Initial setup	1.0
Ben, Tom, Gavin, Will and Daniel	3/13/26	Enhancements	1.01

Gavin	4/6/26	Revisions to Wireframes	1.02
Gavin	4/17/26	New link to Miro Updating functional/nonfunctional requirements Product Scope Hardware interface Software Interface	1.03
Gavin	4/26	UI Mockups	1.04

1. Introduction

1.1 Purpose

The application betterDays is a web application that intakes Firebase stored data and reorganizes it into an easily readable UI. BetterDays can make updates to the data, delete fields of the data, read the data and create new fields with the data. The application comes with a FAQ and has several views. The application has the following views: Tasks, Calendar, FAQ and potentially more.

1.2 Document Conventions

This document used a unique convention described in the read me. The document also uses Pascal case nomenclature.

1.3 Intended Audience and Reading Suggestions

This document is intended to be viewed stake holders, developers, project managers designers and developers. An overall description of the product, External Interface Requirements, and additional requirements are discussed below.

1.4 Product Scope

The software simply distributes the integration with database required. It's purpose is intended for users of all age groups in an effort to organize the target user's life. The software is designed to appeal to these groups by gamifying tasks

and so much more.

1.5 References

Github Repo: <https://github.com/COS420-S2025/TeamF.git>

Figma Link:

<https://www.figma.com/design/3LXr2ylJCKvBXUsQ8148ZF/Untitled?node-id=9-2&p=f&t=B6XjF0g88Qznymcl-0>

Miro Link: <https://miro.com/app/board/uXjVGngxkmk=/>

2. Overall Description

2.1 Product Perspective

Betterdays is being developed for everybody who needs a calendar. This app combines calendar functionality with habit tracking.

2.2 Product Functions

Tasks

- Create tasks
- Read tasks
- Update tasks
- Delete tasks

Tags

- Create tags
- Assign tags to tasks
- Filter by tags
- View tags

Viewing habits

- View how many task you are completing on a day

Database use

- Import from Firebase
- Export to Firebase

Calendar views


- Monthly view
- Weekly view
- Daily view

2.3 Assumptions and Dependencies


Betterdays is developed in React using Typescript. We are assuming users are not blocking Java Script, if they are, our application will not work on their device.

3. External Interface Requirements

3.1 User Interfaces



This is an example of the menu page allowing users to shift between the pages and tools without having clutter on the main pages. Clicking on any of the buttons will send you to a page or the respective tool.




The image shows a login form with a light gray background. At the top, the text "Log In" is centered. Below it are three rectangular boxes stacked vertically. The first box is labeled "Name", the second "Password", and the third "Submit". The "Submit" box has a light blue background, while the others are white with black borders.

Log In	
Name	
Password	
Submit	

Here is the login page. Where you sign into your account on BetterDays that holds your user-specific data.

< Jan 30 - Feb 6 >							
	S	M	T	W	T	F	S
	30	1	2	3	4	5	6
8 AM							
9 AM							
10 AM							
11 AM							
12 PM							
1 PM							
2 PM							


This is an example of the calendar in the weekly view. Clicking on the different views at the top will send you to different views, clicking add will send you to the create event page, clicking menu will send you to the menu, and clicking on the habit button on the bottom will send you to the habit view.




This is an example of the calendar in the daily view. Clicking on the different views at the top will send you to different views, clicking add will send you to the create event page, clicking menu will send you to the menu, and clicking on the habit button on the bottom will send you to the habit view.

February						
Day Week Month +						
S	M	T	W	T	F	S
27	28	29	30	31	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	1	2
3	4	5	6	7	8	9

This is an example of the calendar in the monthly view. Clicking on the different views at the top will send you to different views, clicking add will send you to the create event page, clicking menu will send you to the menu, and clicking on the habit button on the bottom will send you to the habit view.



This is an example of the habit view. This view shows how many of your events and task you are completing in a day, giving the user a reason to continue using the app. The buttons at the bottom will switch between the 2 main pages of the app (calendar and habits), the buttons at the top will send you to the respective views for habit, the menu button will send you to the menu, and the add button will send you to the add event button. If you select the day you will be taken to the habit data recorded for that day.



This is an example of the month view on the habit tracker it allows you to keep track of your habits on a large scale from month to month. On top of that you may select each day individually from this view. You can switch between views at the top, switch pages at the bottom, create a task at the top, or enter the menu at the top.

The screenshot shows the BetterDay app interface. At the top, there's a navigation bar with a hamburger menu on the left, a date range "Jan 30 - Feb 6" in the center, and a plus icon on the right. Below the navigation bar, there's a tab bar with "Day", "Week", and "Month" options, with "Day" currently selected. The main content area displays a calendar grid for the week of Jan 30 to Feb 6. Below the calendar, there's a "Filter Tool" section. It includes a close button (X), a checkmark button, and three input fields: "Title", "Start Date", and "End Date". At the bottom of the filter tool, there's a row of colored buttons: "COS420" (orange), "Birthdays" (grey), "Homework" (red), and a blue button. Below the filter tool, there's a section titled "Day - Day" which contains a 7x7 grid. The grid has columns labeled S, M, T, W, T, F, S. The grid shows a pattern of dark grey cells, indicating tasks or events. The dark grey cells are located at: (Row 1, Col 2), (Row 1, Col 3), (Row 1, Col 4), (Row 1, Col 5), (Row 1, Col 6), (Row 1, Col 7); (Row 2, Col 1), (Row 2, Col 2), (Row 2, Col 3), (Row 2, Col 4), (Row 2, Col 5), (Row 2, Col 6), (Row 2, Col 7); (Row 3, Col 1), (Row 3, Col 2), (Row 3, Col 3), (Row 3, Col 4), (Row 3, Col 5), (Row 3, Col 6), (Row 3, Col 7); (Row 4, Col 1), (Row 4, Col 2), (Row 4, Col 3), (Row 4, Col 4), (Row 4, Col 5), (Row 4, Col 6), (Row 4, Col 7); (Row 5, Col 1), (Row 5, Col 2), (Row 5, Col 3), (Row 5, Col 4), (Row 5, Col 5), (Row 5, Col 6), (Row 5, Col 7); (Row 6, Col 1), (Row 6, Col 2), (Row 6, Col 3), (Row 6, Col 4), (Row 6, Col 5), (Row 6, Col 6), (Row 6, Col 7); (Row 7, Col 1), (Row 7, Col 2), (Row 7, Col 3), (Row 7, Col 4), (Row 7, Col 5), (Row 7, Col 6), (Row 7, Col 7).

This is the Filter Tool using this will allow the user to only see the task they want to see on their calendar. Filling out the optional information you want to see and submitting the filter will show only the matching task.

The screenshot shows the 'Add To Calendar' form in the BetterDay app. The form is overlaid on a calendar view for Jan 30 - Feb 6. The form includes fields for Title, Description, Start Time, and End Time, and buttons for Event and Task. At the bottom, there are category buttons (COS420, Birthdays, Homework) and an All Day toggle.


g + COS420 Birthdays Homework

All Day

Current Day

S	M	T	W	T	F	S

This is the add tool you can choose to add calendar objects (ex. Events, Tasks, Meetings). You fill out the information needed for this event, and cancel it or submit the details and this will create a Calendar object.



This is the FAQ view. When the user has questions, they will go here to get answers. Clicking on a question will open the answer right under it.

To Do

+

Feb 19, Mon

-

Feb 26, Mon

February 19, Mon

6

▼

☒ Respond to emails

Job

Chores

☒ Feed the cats

Pets

Chores

☒ COS420 Reading

COS420

Homework

☒ COS420 Deliverable 2

COS420

Homework

☒ Calc 2 Exam

Study

Homework

☒ Figma Project

Study

Homework

February 20, Tue

10

>

February 21, Wed

8

>

February 22, Thu

7

>

February 23, Fri

5

>

February 24, Sat

9


>

February 25, Sun

6

>

This is a to-do section. A location for all the events, including those that may not have a time assigned to them and would not be on the calendar. Clicking on a date will drop down all events where you can check them off when done. There is a check off button in each task that will let you quickly confirm you finished the task as well as tags associated to make sorting easier.



This is an example of the settings page where you can view your account and the tags associated with it that you have previously created. You can edit tags from here and sign out from here.

3.2 Hardware Interfaces

The software is designed to work on most browsers, because it is a browser based application it can run on any operating system that can manage running a browser.

3.3 Software Interfaces

The software involved is simply the React basics, Tailwind, and Firebase for backend data.

4. Description and Priority

4.1 Description

The system shall have integrated calendars and dynamic To-Do lists with filterable views to be able to both view high level summaries of their scheduling as well as be able to have a low level detailed task and event management system to handle complexities of any task.

4.2 Priority User Stories

1. As a User I want an FAQ page.
2. As a User I want to be able to hide other answers on the FAQ page.
3. As a user I want to see a month view of the calendar
4. As a user I want to see a daily calendar view
5. As a user I want to read calendar events
6. As a user I want to change the timeframe of the Calendar
7. As a user I want a To-Do page.

5. Requirements

5.1 Functional Requirements

- F1 The system shall have a To-Do section
- F2 The system shall have events that are tasks that appear on the calendar
- F3 The system shall allow the user to create events
- F4 The system shall allow users to delete events
- F5 The system shall allow users to create tasks
- F6 The system shall allow users to delete tasks
- F7 The system shall allow users to edit events
- F8 The system shall allow users to edit tasks
- F9 The system shall have a menu
- F10 The system shall have an interactive calendar
- F11 The system shall have one list that both task and events will edit
- F12 The system shall have tags for events and tasks
- F13 The system shall toggle between views for To-Do and Calendar
- F14 The system shall let the user assign colors to tags
- F15 The system shall have the ability to filter by multiple tags.

- F16 The system shall have a modal menu and search bar to select tags to filter
- F17 The system shall have tasks filter by date
- F18 The system shall display a maximum of 3 events on a day in monthly calendar view
- F19 The system shall notify the user if task creation fails.
- F20 The system shall have a daily calendar view
- F21 The system shall have a weekly calendar view
- F22 The system shall have a monthly calendar view
- F23 The system shall have a FAQ page.
- F24 The system shall have a daily habit tracker section
- F25 The system shall have a monthly habit tracker section
- F26 The system shall have Firebase integration
- F27 The system shall be able to hide FAQ answers

5.2 Non-functional Requirements:

- NF1 The system shall pull from firebase and fully populate the app within 45 seconds at least 90% of the time.
- NF2 The system shall display newly created tasks in the UI within 5 second for at least 90% of operations.
- NF3 The system shall notify the user if their task takes longer than 2 seconds to create after pressing submit.
- NF4 The system shall save 2 years of calendar information to preserve efficiency
- NF5 The system shall comply with [WCAG 2.1 level AA](#).
- NF6 The system shall provide visual confirmation for creating, editing, or removing a task/event within 2 seconds of event completion at least 90% of the time.
- NF7 The system shall switch between page views in 3 seconds at least 95% of the time.
- NF8 The system shall update habit tracker within 30 seconds based on new calendar events added at least 90% of the time.
- NF9 The system shall swap component states within 1 second at least 90% of the time.
- NF10 The system shall send and receive data from the external database within 5 seconds at least 90% of the time

5.3 Ethical and Legal Requirements

EL1 The system shall comply with UMaine academic honesty standards.

6. Appendices