

# COSIMA Cookbook: a community-driven resource for ocean and sea-ice modelling science

Navid C. Constantinou<sup>1,14\*</sup>, Julia Neme<sup>2\*</sup>, Wilton Aguiar<sup>2</sup>, Matthis Auger<sup>13</sup>, Ashley J. Barnes<sup>4,10</sup>, Romain Beucher<sup>3</sup>, Dhruv Bhagtani<sup>11</sup>, Christopher Yit Sen Bull<sup>3</sup>, Hannah Dawson<sup>17</sup>, Noah Day<sup>14</sup>, Fabio Boeira Dias<sup>15</sup>, Edward W. Doddridge<sup>17</sup>, Anupiya Ellepola<sup>2</sup>, Denisse Fierro-Arcos<sup>17</sup>, Angus Gibson<sup>2</sup>, Maurice F. Huguenin<sup>8</sup>, Aidan Heerdegen<sup>3</sup>, Andy McC. Hogg<sup>2,3,4</sup>, Ryan M. Holmes<sup>5</sup>, Wilma Huneke<sup>2,10</sup>, Jemma Jeffree<sup>2,4</sup>, Andrew E. Kiss<sup>2</sup>, Minghang Li<sup>3</sup>, Josué Martínez-Moreno<sup>12</sup>, Jan Jaap Meijer<sup>17</sup>, Thomas Moore<sup>7</sup>, Ruth Moorman<sup>6</sup>, Paige Martin<sup>3</sup>, Adele K. Morrison<sup>2</sup>, James Munroe<sup>1</sup>, Aditya Narayanan<sup>16</sup>, Micael Oliveira<sup>3</sup>, Ellie Q. Y. Ong<sup>4,10</sup>, Madelaine G. Rosevear<sup>4,17</sup>, Christina Schmidt<sup>12</sup>, Taimoor Sohail<sup>14</sup>, Paul Spence<sup>4,17</sup>, Dougal T. Squire<sup>3</sup>, Anton Steketeer<sup>3</sup>, Charles Turner<sup>3</sup>, Felipe Vilela da Silva<sup>9</sup>, Marc White<sup>2,3</sup>, Luwei Yang<sup>2</sup>, Claire Yung<sup>2</sup>, and Jan Zika<sup>15</sup>

<sup>1</sup> Earthdata Associates, Canada <sup>2</sup> Australian National University, Australia <sup>3</sup> Australia's Climate Simulator (ACCESS-NRI), Australian National University, Canberra, Australia <sup>4</sup> Australian Research Council Centre of Excellence for the Weather of the 21st Century, Australia <sup>5</sup> Bureau of Meteorology, Australia <sup>6</sup> California Institute of Technology, USA <sup>7</sup> Commonwealth Scientific and Industrial Research Organisation, Australia <sup>8</sup> GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany <sup>9</sup> IFREMER - French Institute for Ocean Science, France <sup>10</sup> Monash University, Australia <sup>11</sup> Princeton University, USA <sup>12</sup> British Antarctic Survey, UK <sup>13</sup> University of Brest, France <sup>14</sup> University of Melbourne, Australia <sup>15</sup> University of New South Wales Sydney, Australia <sup>16</sup> University of Southampton, UK <sup>17</sup> University of Tasmania, Australia \* These authors contributed equally.

DOI: 10.xxxxxx/draft

## Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

## Summary

The COSIMA Cookbook is an open computational learning module for analysing ocean and sea-ice model output in Jupyter notebooks (Kluyver et al., 2016). It has been developed by the Consortium for Ocean–Sea Ice Modelling in Australia (COSIMA; <https://cosima.org.au>) as a community resource for researchers, students, and practitioners working with large gridded datasets, especially output from the ACCESS ocean–sea ice model configurations (e.g. Kiss et al., 2020). It is developed openly in a GitHub repository and it combines introductory tutorials with worked analysis examples as Python Jupyter notebooks. All tutorials and examples are exposed through a browsable documentation site built with Sphinx, a documentation generator for Python projects (Komiya et al., 2025) (Figure 1). Tagged versions of the repository are uploaded to a citable archived release (Constantinou et al., 2026).

## COSIMA Cookbook

Search  Go

### Navigation

Lessons

Cooking Tutorials

- Basics
- Advanced

Recipes

Easy Recipes

Advanced Recipes

Regional Specialties

Resources

Contributing


- Getting started with git
- Working on your recipe
- Tips for making a good recipe
- Submitting a Pull Request
- Reviewing existing Pull Requests

Notebook Guidelines

- Thumbnails
- Images in notebooks

GitHub Repository

## Easy Recipes



latest

©2025, COSIMA. | Powered by Sphinx 9.1.0 & Alabaster 1.0.0 | [Page source](#)

**Figure 1:** The COSIMA Cookbook documentation website, showing the browsable Sphinx-based landing page used to navigate tutorials and recipes. The documentation website lives at <https://cosima-recipes.readthedocs.io>.

The COSIMA Cookbook is deliberately organized using a gastronomy theme to help users quickly understand and navigate the website. “Cooking Tutorials” refers to tutorials that teach generic, transferable techniques for handling ocean–sea ice model output. Then comes the main part of any cookbook – its recipes. Here, by “recipes” we mean self-contained notebooks showing how to perform concrete diagnostics and analyses on ocean and sea-ice datasets. First come the “Easy Recipes” that provide a good starting point after the tutorials; then the “Advanced Recipes” that are more elaborate and demonstrate advanced analysis techniques, and lastly the “Regional Specialties” contains recipes for regional model configurations (Barnes et al., 2024). Together these sections present the documentation as a browsable collection of lessons and recipes gathered into a single cookbook. The COSIMA Cookbook is one of several examples of using a gastronomy theme for computational workflows, for example Project Pythia Cookbooks for the general geoscience community and the FAIR Cookbook for working with life science data.

Pedagogy and instructional structure are central to the project. The recipes provide the starting point for more elaborate analyses. “Cooking Tutorials” introduces generic skills such as loading model output, working with labelled arrays, plotting, and interacting with shared data catalogues. These tutorials lead into domain-focused recipes giving learners an incremental path from first contact with the data ecosystem to adaptation of full workflows for their own science questions.

Within this structure, the tutorials leverage and demonstrate open source tools for scientific analysis of large data. This includes examples of loading model output through Intake-based

catalogues (Intake developers, 2026), using Xarray (Hoyer & Hamman, 2017) and Dask (Dask Development Team, 2016; Rocklin, 2015) to process very large multi-dimensional datasets in parallel. The recipe collection includes a Lagrangian particle-tracking workflow built with Parcels (Delandmeter & Seville, 2019), as well as analyses that use xgcm (Abernathy et al., 2022) to handle variables defined on staggered finite-volume grids, and xESMF (Zhuang et al., 2025) for regridding model output. Figures are generated using matplotlib (Hunter, 2007) incorporating Cartopy (Elson et al., 2024) for map-based visualisation.

The Cookbook grew from a practical need inside the COSIMA community: the tools used to analyse modern ocean model output are powerful, but the gap between package-level documentation and reproducible end-to-end workflows remains large. Users need to understand not only Python and Jupyter (Kluyver et al., 2016), but also how to navigate high-dimensional model output, shared high-performance computing environments, and domain-specific analysis conventions. The Cookbook addresses this gap by packaging reusable workflows in the same medium in which users actually work.

## Statement of Need

Ocean and climate model analysis has a steep entry cost. New users must learn how to find datasets, load them efficiently, interpret metadata, operate on multi-dimensional arrays, and produce scientifically meaningful diagnostics. General-purpose libraries such as Xarray (Hoyer & Hamman, 2017) provide the foundations for these tasks, but they do not by themselves show a learner how to translate a research question into a robust analysis workflow for a specific model and computing environment.

That gap is not only pedagogical; it directly affects how quickly model output can be turned into science. For a beginner, becoming productive with a model often requires substantial time just to understand the structure of the output, the relevant conventions, and the computational environment in which analysis is expected to run. There is also substantial scientific labour embedded in many common diagnostics. Some calculations, for example computing cross-contour transports, require non-trivial development, understanding of model numerics, and validation before they can be used confidently. If every new user or project had to reconstruct those workflows independently, a large amount of effort would be repeatedly spent on rebuilding analysis code rather than conducting research using the model output.

The COSIMA Cookbook facilitates knowledge sharing and accelerates research with a domain-specific, openly maintained collection of computational lessons and examples. Its contribution is not a new analysis library; rather, it is a reusable scientific and educational resource that exposes complete, well-documented workflows in the same notebook format in which many researchers actually explore data and communicate methods. By choosing notebooks instead of packaging these examples only as a software library, the project makes intermediate reasoning, methodological choices, and practical execution details visible to learners while still giving more experienced users analysis patterns they can adapt directly for research. This aligns well with JOSE's emphasis on open educational resources that enable computational learning through authentic practice.

Several design decisions make the Cookbook particularly useful for adoption by other groups. First, each notebook is intended to be self-contained and well-documented, so learners can read, run, and modify a complete workflow without reconstructing missing context from scattered notes. Second, the repository distinguishes tutorials from recipes. Tutorials teach transferable skills, while recipes demonstrate how those skills combine in realistic analysis tasks. Third, the project includes contributor guidance and notebook review conventions that encourage new analyses to be written in a reusable and pedagogically clear style. A caveat is that some recipes use high-resolution model output with datasets

of order terabytes, so the underlying data are not always practical to distribute or mirror in full. However, beyond the initial data-loading step, which usually occurs early in each recipe, the analysis workflows are generally applicable to most operational ocean-sea ice model outputs that can be loaded with xarray (Hoyer & Hamman, 2017).

Thus, the structure is valuable beyond the immediate COSIMA context. Many research communities maintain model output on shared infrastructure and face the same challenge: turning expert tacit knowledge into examples that newcomers can adapt. The Cookbook offers a model for how a scientific collaboration can capture that knowledge in version-controlled notebooks, publish it as a living resource, and continuously improve it through community contribution.

## Educational Design and Experience of Use

The learning experience is organised as a progression. The documentation points new users first to introductory lessons, including material on loading, slicing, and visualising model output. Learners then move to more advanced tutorials and finally to recipe notebooks that address concrete scientific questions. The categories of “easy” and “advanced” recipes provide a lightweight pedagogical cue about expected complexity and scope, with “regional specialties” specifically covering recipes for regional model configurations (Barnes et al., 2024).

The intended mode of use is also explicit. The repository is designed around Jupyter-based analysis on the Australian National Computational Infrastructure, with guidance on running notebooks through ARE/JupyterLab sessions and on accessing shared data holdings. This makes the Cookbook more than a static collection of examples: it is operational documentation for a real analysis environment. At the same time, the notebooks demonstrate broadly transferable patterns for working with labelled geophysical data, so individual lessons can be reused or adapted outside that environment.

The project also supports community authorship. Contributors are encouraged to submit new notebooks through pull requests, document their methods clearly, and generalise workflows so that they remain useful to others. This is particularly valuable as it is relatively rare for the computer code underlying scientific analyses to be peer reviewed with the same care as the manuscript itself. The COSIMA community provides several examples of the recipe ecosystem being extended into full research projects built on peer-authored software repositories on Github, where analysis workflows, methods, and implementation choices are exposed to community scrutiny and reuse. In that sense, the Cookbook functions both as a learning module for end users and as a framework for teaching reproducible scientific communication through notebook design and peer review. The easy access to data and analysis provided by the COSIMA Cookbook showcases best practices to the broader oceanographic community and has enabled rapid community adoption of the ACCESS ocean and sea-ice model configurations internationally, facilitating to date well over 100 peer-reviewed papers and more than 20 PhD projects to completion to date.

## Author Order

The first two authors contributed equally; authors from the third position onward are listed alphabetically by surname.

## Acknowledgements

This work was supported by computational resources provided by the Australian Government through the National Computational Infrastructure (NCI) under the National Computational Merit Allocation Scheme and the Australian National University Allocation Scheme. We thank the vibrant communities of the Consortium for Ocean–Sea Ice Modelling in Australia (COSIMA; [cosima.org.au](https://cosima.org.au)) and Australia’s climate simulator (ACCESS-NRI; [access-nri.org.au](https://access-nri.org.au)) for making the ACCESS-OM2 and ACCESS-OM3 outputs and analysis tools available through the NCI. We further acknowledge funding from the Australian Research Council under the Centre of Excellence for the Weather of the 21st Century CE230100012, the Linkage Infrastructure, Equipment and Facilities LP160100073 and LP200100406, and the Discovery Project DP240101274.

## References

- Abernathy, R. P., Busecke, J. J. M., Smith, T. A., Deauna, J. D., Banihirwe, A., Nicholas, T., Fernandes, F., James, B., Dussin, R., Cherian, D. A., Caneill, R., Sinha, A., Uieda, L., Rath, W., Balwada, D., Constantinou, N. C., Ponte, A., Zhou, Y., Uchida, T., & Thielen, J. (2022). *xgcm* (Version v0.8.1). Zenodo. <https://doi.org/10.5281/zenodo.7348619>
- Barnes, A. J., Constantinou, N. C., Gibson, A. H., Kiss, A. E., Chapman, C., Reilly, J., Bhagtani, D., & Yang, L. (2024). regional-mom6: A Python package for automatic generation of regional configurations for the Modular Ocean Model 6. *Journal of Open Source Software*, 9(100), 6857. <https://doi.org/10.21105/joss.06857>
- Constantinou, N. C., Hogg, A. McC., Gibson, A., Steketee, A., Beucher, R., Proft, M., Heerdegen, A., Neme, J., Holmes, R. M., Morrison, A., Fierro-Arcos, D., Kiss, A. E., Oliveira, M., Yung, C., Doddridge, E., Huneke, W., Bhagtani, D., Ong, E. Q. Y., Munroe, J., ... Narayanan, A. (2026). *COSIMA Cookbook: A cookbook of recipes for analysing ocean and sea ice model output*. <https://doi.org/10.5281/zenodo.14353852>
- Dask Development Team. (2016). *Dask: Library for dynamic task scheduling*. <http://dask.pydata.org>
- Delandmeter, P., & Seville, E. van. (2019). The parcels v2.0 lagrangian framework: New field interpolation schemes. *Geoscientific Model Development*, 12(8), 3571–3584. <https://doi.org/10.5194/gmd-12-3571-2019>
- Elson, P., Andrade, E. S. de, Lucas, G., May, R., Hattersley, R., Campbell, E., Comer, R., Dawson, A., Little, B., Raynaud, S., scm72, Snow, A. D., Igolston, Blay, B., Killick, P., Ibdreyer, Peglar, P., Wilson, N., Andrew, ... Kirkham, D. (2024). *SciTools/cartopy: v0.24.1* (Version v0.24.1). Zenodo. <https://doi.org/10.5281/zenodo.13905945>
- Hoyer, S., & Hamman, J. J. (2017). xarray: N-D labeled arrays and datasets in Python. *Journal of Open Research Software*, 5(1), 10. <https://doi.org/10.5334/jors.148>
- Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science & Engineering*, 9(3), 90–95. <https://doi.org/10.1109/MCSE.2007.55>
- Intake developers. (2026). *Intake: A lightweight package for finding, investigating, loading and disseminating data*. <https://intake.readthedocs.io/en/reader/>
- Kiss, A. E., Woodward, M. J., Hollings, T., Mu, M., Fiedler, R., Steven, A. D. L., Lenton, A., Matear, R., Chamberlain, M. A., Oke, P. R., Alves, O., Griffies, S. M., Hill, C., Kovach, A., Marsland, S. J., Fiedler, R., Waters, J., Yang, C.-H., Zhou, X., ... Hogg, A. McC. (2020). ACCESS-OM2 v1.0: A global ocean-sea ice model at three resolutions. *Geoscientific Model Development*, 13(2), 401–442. <https://doi.org/10.5194/gmd-13-401-2020>



197 401-2020

- 198 Kluyver, T., Ragan-Kelley, B., Pérez, F., Granger, B., Bussonnier, M., Frederic, J.,  
199 Kelley, K., Hamrick, J., Grout, J., Corlay, S., Ivanov, P., Avila, D., Abdalla, S.,  
200 & Willing, C. (2016). Jupyter notebooks—a publishing format for reproducible  
201 computational workflows. In F. Loizides & B. Schmidt (Eds.), *Positioning and power  
202 in academic publishing: Players, agents and agendas* (pp. 87–90). IOS Press. <https://doi.org/10.3233/978-1-61499-649-1-87>  
203
- 204 Komiya, T., Brandl, G., Turner, A., Bakosi, J.-F., Shimizukawa, T., Andersen, J. L.,  
205 Neuhäuser, D., Finucane, S., Lehmann, R., Mason, J., Kampik, T., Addison, J., Magin,  
206 J., Dufresne, J., Waltman, J., Eades, D., Cano Rodríguez, J. L., Ronacher, A., Geier,  
207 M., ... Freitag, F. (2025). *sphinx-doc/sphinx: Sphinx 9.1.0* (Version v9.1.0). Zenodo.  
208 <https://doi.org/10.5281/zenodo.18109073>
- 209 Rocklin, M. (2015). Dask: Parallel computation with blocked algorithms and task  
210 scheduling. In K. Huff & J. Bergstra (Eds.), *Proceedings of the 14th python in science  
211 conference* (pp. 130–136). <https://doi.org/10.25080/Majora-7b98e3ed-013>
- 212 Zhuang, J., Dussin, R., Bourgault, P., Huard, D., Banihirwe, A., Raynaud, S., Malevich,  
213 B., Schupfner, M., Gauthier, C., Filipe, S., Almansí, M., Jüling, A., Scott,  
214 R., RondeauG, Rasp, S., Smith, T. J., Meyer, A. G., Mares, B., ... Li, X. (2025).  
215 *pangeo-data/xESMF: v0.9.2*. <https://doi.org/10.5281/zenodo.4294774>