

4

3

2

1

Item NO.	Part NO.	Description
1	NNP-DWG-130-007-000	Remote Module, Suture Skirt
2	NNP-DWG-135-010-000	BP2 Module
3	NNP-MAT-150-002-000	MED6-161
4	NNP-MAT-150-001-000	MED-1137

NOTES:



1. PRIME Ti CASE USING ITEM 3 PER MANUFACTURERS SPECIFICATIONS.
2. ATTACH ITEM 2 AS SHOWN USING ITEM 4 PER MANUFACTURERS SPECIFICATIONS.
3. REJECTION CRITERIA-TO BE INSPECTED AT 18" WITH UNAIDED EYE:
 - A. VOIDS GREATER THAN 2MM IN ANY DIMENSION.
 - B. VOIDS AT INTERSECTING EDGE OF SILICONE SKIRT AND Ti CASE.
 - C. ANY VOID WITHIN 2MM OF EDGE OF SILICONE SKIRT AND Ti CASE.
 - E. ADHESIVE NOT EXTENDING TO EDGE OF INTERSECTION OF Ti CASE AND SILICONE SKIRT.
4. REJECTED AREAS CAN BE REWORKED BY PIERCING THE REJECTED AREA WITH SYRINGE & NEEDLE CONTAINING ITEM 4 AND BACKFILLING.
5. THE SUTURE SKIRT SHALL BE VISUALLY CENTERED ON REMOTE MODULE ASSEMBLY.

B

A

B

A



THE INFORMATION CONTAINED IN THIS DRAWING IS PUBLICLY RELEASED BY COSMIC UNDER AN OPEN SOURCE LICENSE. COSMIC IS NOT LIABLE FOR ANY ASPECT OF USE OF THIS DRAWING, INCLUDING EDITS, FABRICATION, AND REPRODUCTION OF THIS DESIGN.

DO NOT SCALE DRAWING	THIRD ANGLE PROJECTION
INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 2018	
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	

MATERIAL	FINISH
----------	--------

DOC. NAME	BP2 Module, Suture Skirt
-----------	--------------------------

PROJECT	DATE	SIZE	DOC. NUMBER	REV
NNP	8/12/2024	B	NNP-DWG-135-010-001	1.0
SHEET	SCALE			
1 OF 1	2:1			

4

3

2

1