



NOTES:
UNLESS OTHERWISE SPECIFIED:

1. MATERIAL: GRADE 1 TITANIUM PER ASTM B265.
2. ALL DIMENSIONS ARE TO OUTSIDE SURFACES.
3. A LEAD IN ANGLE FROM 0.5 TO 1.5 DEGREES IS ACCEPTABLE.
4. VERIFICATION METHODS TO BE DETERMINED BETWEEN CUSTOMER AND SUPPLIER.
5. PARTS ARE TO BE CLEAN AND FREE OF DIRT, GREASE AND OTHER PROCESS CONTAMINATES.
6. VENDOR SHALL SUPPLY MATERIAL CERTIFICATIONS WITH MATERIAL LOT NUMBERS USED IN FABRICATION OF PARTS.
7. DIMENSIONAL INSPECTION PERFORMED USING 4.4 LB [2.0 KG] WEIGHT APPLIED.

<div> Open source implantable devices</div> <div>THE INFORMATION CONTAINED IN THIS DRAWING IS PUBLICLY RELEASED BY COSMIC UNDER THE OPEN SOURCE APACHE 2.0 LICENSE. COSMIC IS NOT LIABLE FOR ANY ASPECT OF USE OF THIS DRAWING, INCLUDING EDITS, FABRICATION, AND REPRODUCTION OF THIS DESIGN.</div>				
DO NOT SCALE DRAWING INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 2018		THIRD ANGLE PROJECTION 		
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		FINISH		
MATERIAL		DOC. NAME		
LIDTHROUGH PLATE				
PROJECT	DATE	SIZE	DOC. NUMBER	REV
SHEET	SCALE	B	CH10003-000	A
1 OF 1	2:1			