Name: Quizon, Nowell Gabriel C.	Date Performed: 10/18/2023
Course/Section: CPE31S5	Date Submitted: 10/18/2023
Instructor: Engr. Roman Richard	Semester and SY: 1st – 2023 - 2024

Activity 7: Managing Files and Creating Roles in Ansible


- 1. Objectives:
- 1.1 Manage files in remote servers
- 1.2 Implement roles in ansible

2. Discussion:

In this activity, we look at the concept of copying a file to a server. We are going to create a file into our git repository and use Ansible to grab that file and put it into a particular place so that we could do things like customize a default website, or maybe install a default configuration file. We will also implement roles to consolidate plays.

Task 1: Create a file and copy it to remote servers

Using the previous directory we created, create a directory, and named it "files."
 Create a file inside that directory and name it "default_site.html." Edit the file and put basic HTML syntax. Any content will do, as long as it will display text later. Save the file and exit.



2. Edit the *site.yml* file and just below the *web_servers* play, create a new file to copy the default html file for site:

- name: copy default html file for site

tags: apache, apache2, httpd


copy:

src: default_site.html

dest: /var/www/html/index.html


owner: root group: root mode: 0644

3. Run the playbook *site.yml*. Describe the changes.



- What it did is copy the default html to a new file and directory. The ownership of the file belongs to root users and also it belongs to the root group. The permission of the file is 0644.

4. Go to the remote servers (web_servers) listed in your inventory. Use cat command to check if the index.html is the same as the local repository file (default_site.html). Do both for Ubuntu and CentOS servers. On the CentOS server, go to the browser and type its IP address. Describe the output.



Task 2: Download a file and extract it to a remote server

1. Edit the site.yml. Just before the web_servers play, create a new play: hosts: workstations become: true tasks: - name: install unzip package: name: unzip - name: install terraform unarchive: src: https://releases.hashicorp.com/terraform/0.12.28/terraform_0.12.28_linux_a md64.zip dest: /usr/local/bin remote_src: yes mode: 0755 owner: root group: root 🐼 DirectX Diagnostic Tool **Activities** System Display Sound 1 Sound 2 Input This tool reports detailed information about the DirectX components and drivers installed on your system. If you know what area is causing the problem, click the appropriate tab above. Otherwise, you can use the "Next Page" button below to System Information Current Date/Time: Thursday, 19 October 2023, 7:28:54 pm Computer Name: DESKTOP-VTDNB2D Operating System: Windows 11 Pro 64-bit (10.0, Build 22621) Language: English (Regional Setting: English) System Manufacturer: Micro-Star International Co., Ltd. System Model: MS-7D22 BIOS: 3.40 Processor: 11th Gen Intel(R) Core(TM) i5-11400 @ 2.60GHz (12 CPUs), ~2.6GHz Memory: 16384MB RAM Page file: 18721MB used, 3872MB available DirectX Version: DirectX 12 Check for WHQL digital signatures DxDiag 10.00.22621.0001 64-bit Unicode Copyright © Microsoft. All rights reserved. Next Page Save All Information...


src: https://releases.hashicorp.com/terraform/0.12.28/terraform_0.12.28_linux_amd64.ze/
dest: /usr/local/bin


name: install terraform

remote src: yes owner: root group: root


unarchive:

2. Edit the inventory file and add workstations group. Add any Ubuntu remote server. Make sure to remember the IP address.





4. On the Ubuntu remote workstation, type terraform to verify installation of terraform. Describe the output.



Task 3: Create roles

1. Edit the site.yml. Configure roles as follows: (make sure to create a copy of the old site.yml file because you will be copying the specific plays for all groups)

```
hosts: all
become: true
pre_tasks:

    name: update repository index (CentOS)

  tags: always
  dnf:
    update_cache: yes
  changed when: false
  when: ansible_distribution == "CentOS"

    name: install updates (Ubuntu)

  tags: always
  apt:
    update_cache: yes
  changed when: false
  when: ansible distribution == "Ubuntu"
hosts: all
become: true
roles:
  - base
hosts: workstations
become: true
roles:

    workstations

hosts: web_servers
become: true
roles:

    web_servers


hosts: db servers
become: true
roles:

    db_servers


hosts: file servers
become: true
roles:
  file_servers
```


Save the file and exit.


Under the same directory, create a new directory and name it roles. Enter the
roles directory and create new directories: base, web_servers, file_servers,
db_servers and workstations. For each directory, create a directory and name it
tasks.




3. Go to tasks for all directory and create a file. Name it main.yml. In each of the tasks for all directories, copy and paste the code from the old site.yml file. Show all contents of main.yml files for all tasks.









Reflections:

Answer the following:

- 1. What is the importance of creating roles?

 The important of creating roles is to lessen the work that is being done because you only call on specific roles, so it will not do unnecessary tasks anymore compared to the previous configuration we made.
- 2. What is the importance of managing files?

 Managing files is vital if you want security and efficiency in organizing important data. It is easier to access and to distinguish if you manage your files properly.