



# PRODUCT GUIDE

Let's Click Together

[www.cpffloors.com](http://www.cpffloors.com)

## Rigid Core Flooring

### DECO54

HEAVY COMMERCIAL



### DECOTILE

GENERAL COMMERCIAL



### QUICK48+

HEAVY RESIDENTIAL



### SPIRIT XL

HEAVY COMMERCIAL




### KEYS

GENERAL COMMERCIAL



### PROJECT

LIGHT COMMERCIAL



SCAN ME

## Waterproof Laminate

### SUPREME

BY FINSA



### EVOLVE

BY FINSA



SCAN ME

## Baseboards & Casing

### SQUARE

BASEBOARD SQUARE 1X3  
(PINE)

THICKNESS: 11/16" "

BASEBOARD SQUARE 1X4  
(PINE)

THICKNESS: 9/16" OR 11/16"

BASEBOARD SQUARE 1X6  
(PINE OR WATERPROOF)  
THICKNESS: 9/16" OR 11/16"

BASEBOARD SQUARE 1X8  
(PINE OR WATERPROOF)  
THICKNESS: 9/16" OR 11/16"

### SPECIAL

BASEBOARD 5180  
(PINE)

BASEBOARD 618  
(PINE)

BASEBOARD 620  
(PINE)

BASEBOARD 810  
(PINE)

BASEBOARD 410  
(PINE)

QUARTER ROUND  
(PINE)

RAISER LAMINATE 7" X 48"

**Core**  
Moldings



SCAN ME

## Accessories



## Steps

REGULAR STEP

FULL STEP

DOUBLE ROUNDED

SQUARE FLUSH

L SHAPE



SCAN ME

# Comparisson

COMPARISON	COLLECTIONS					
	Deco54 22 Mil	Keys 20 Mil	Spirit XL 20 Mil	Project 16 Mil	Quick48+ 12 Mil	Decotile 20 Mil
THICKNESS PAD & CORE	6 MM THICKNESS 1.5 MM PAD 4.5 MM CORE	5.7 MM THICKNESS 1.5 MM PAD 4.2 MM CORE	8 MM THICKNESS 2 MM PAD 6 MM CORE	5.2 MM THICKNESS 1 MM PAD 4.2 MM CORE	5.5 MM THICKNESS 1.5 MM PAD 4 MM CORE	5.7 MM THICKNESS 1.5 MM PAD 4.2 MM CORE
INSTALLATION METHOD						
Unilin Click	✓	✓	✗	✓	✗	✓
Angle-Angle	✓	✓	✓	✓	✓	✓
FEATURES						
Waterproof	✓	✓	✓	✓	✓	✓
Anti Dent	✓	✓	✓	✓	✓	✓
Long Planks	✓	✗	✓	✗	✗	✗
Painted bevel	✗	✓	✗	✗	✗	✗
IDEAL FOR						
Residential	✓	✓	✓	✓	✓	✓
Light Commercial	✓	✓	✓	✓	✗	✓
General Commercial	✓	✓	✓	✗	✗	✓
Heavy Commercial	✓	✗	✓	✗	✗	✗

## Wall panel

### WPC & Acoustic Wood Look Slat Panel



WPC | Desert



WPC | Light Gray




WPC | Dark Gray



WPC | Mocha Oak



WPC | Matte Oak



ACOUSTIC | Sandal Wood

#### Specifications

1" x 6 5/8" x 9'5"

Packing: 10 panels per box

