| | | NC 1991 SURVEY) | Page No. | 1 |
|--------|------|-----------------|--|---|
| QUEST. | VAR. | | VARIABLE CODE | |
| ID1 | 1 | SURVEY | TYPE OF SURVEY 7 - 1991 Follow-up survey | |
| ID2 | 2 | CURRBRGY | CURRENT BARANGAY (See HOUSEHOLD FILE for complete list) | |
| ID3 | 3 | CURRSTRA | CURRENT STRATUM 1 - Urban 2 - Rural | |
| ID4 | 4 | BASEBRGY | BASELINE BARANGAY ID NUMBER (See HOUSEHOLD FILE for complete list) | |
| ID4 | 5 | BASEHHNO | BASELINE HOUSEHOLD ID NUMBER 1 - Household no. one : 1000 - Household no. one thousand : | |
| ID4 | 6 | BASEWMAN | BASELINE SAMPLE WOMAN ID NUMBER 1 - Sample woman no. one : 1000 - Sample woman no. one thousand : | |

| CHILD'S FI | LE (U | NC 1991 SURVEY) | Page No. 2 |
|---------------|-------|-----------------|---|
| QUEST. NO. | | VAR. NAME | VARIABLE CODE |
| | | | |
| ID5 | 7 | LCURBRGY | LAST CURRENT BARANGAY ID NUMBER |
| | | | (SAME CODE AS BASEBRGY) 100 - Non Sample Barangay 134)))), : > Control Barangays 144))))- |
| ID5 | 8 | CURRHHNO | LAST CURRENT HOUSEHOLD ID NUMBER |
| | | | 1 - Household no. one |
| | | | : 1000 - Household no. one thousand : |
| ID5 | 9 | CURRWMAN | LAST CURRENT WOMAN ID NUMBER |
| 103 | 9 | CORRWIAIN | 1 - Sample woman no. one |
| | | | : 1000 - Sample woman no. one |
| | | | thousand : |
| ID6 | 10 | BRGYID91 | BARANGAY ID NUMBER IN 1991/92 |
| | | | (SAME CODE AS CURRBRGY) |
| ID6 | 11 | HHLDID91 | HOUSEHOLD ID NUMBER IN 1991/92 |

1 -: CHILD'S FILE (UNC 1991 SURVEY) Page No. 3 ______ QUEST. VAR. VAR. VARIABLE CODE NO. NO. NAME 12 WMANID91 ID6 WOMAN ID NUMBER IN 1991/92 1 -ID7 13 STAT1991 STATUS OF MOTHER AND CHILD AS O F 1991/92 (See page 9 for mor e detailed definitions) 1 - Mother and index child togethe r in household 2 - Mother in household, index chil elsewhere (located or not) 3 - Mother in household, index chil dead 5 - Index child in household, mothe elsewhere (located or not) 6 - Index child in household, mothe r dead 7 - Index child in household, mother not located

10 - Code used

conditions:

dead

and

located

household

for the ff.

in sam e

a) mother located, index child

c) mother located, index child

d) multiple birth (index), mom

children

b) mother dead, index chil d

stillbirth or miscarriage

| CHILD'S F | | NC 1991 SURVEY) | Page No. 4 |
|-----------|------|-----------------|---|
| QUEST. | VAR. | VAR. | VARIABLE CODE |
| | | | e) multiple birth (index), mom and children livin g separately |
| | | | 11 - Mother and index child livin g together or separately in a new address |
| B14 | 14 | CHILDNO | LINE NUMBER OF INDEX CHILD 1 - One : 10 - Ten : |
| L1 | 15 | SCHOLAGE | AGE OF INDEX CHILD WHEN HE/SHE FIRST ENTERED SCHOOL? 0 - Has not entered school (Code -9 in KINSCHOL to SCHOLNOW) : 4 - Four years old : 8 - Eight years old : -8 - NR/DK -9 - NA |
| L2 | 16 | KINSCHOL | KIND OF SCHOOL INDEX CHILD FIRST ATTENDED 1 - Private, exclusive, Catholic 2 - Private, exclusive, not |

| | , | NC 1991 SURVEY) | Page No. 5 |
|--------|-------------|---------------------|---|
| QUEST. | VAR. NO. | VAR. | VARIABLE CODE |
| NOTE: | | an Hall minle | -8 - DK -9 - NA |
| exc1 | usive - | - an "all girls | " or "all boys" school |
| L3 | 17 | GRADENOW | WHAT GRADE IS THE INDEX CHILD IN NOW? 1 - First grade 2 - Second grade 3 - Stopped schooling), during/after * (Code first grade > -9 in 4 - Stopped schooling * SCHOLNOW during/after * second grade)- 5 - Third grade -8 - NR/DK -9 - Has not entered school yet |
| L4 | 18 | SCHOLNOW | KIND OF SCHOOL INDEX CHILD I S ATTENDING NOW (SAME CODE AS KINSCHOL) |
| L5 | 19 | IQSCORE | <pre>INTELLIGENCE QUOTIENT SCORE OF INDEX CHILD 1 - One : 100 - One hundred -8 - IQ Test discontinued (child couldn't follow instructions o r gave the same response for all items)</pre> |
| | | | -9 - IQ Test not administered [chil d |

| QUEST. | VAR. | | VARIABLE CODE |
|--------|------|----------|---|
| | | | either: migrated (OM) deaf/mute or refused] |
| M1 | 20 | KIDHOSP | HAS INDEX CHILD BEEN HOSPITALIZED SINCE HIS/HER SECOND BIRTHDAY? 1 - Yes |
| | | | 0 - No), (Code -9 -8 - NR/DK > TIMEHOSP to -9 - NA)- DAYHOSP5) |
| | | | |
| м2 | 21 | TIMEHOSP | NUMBER OF TIMES INDEX CHILD WAS HOSPITALIZED? 1 - Once |
| | | | 5 - Five times : -8 - NR/DK -9 - Never been hospitalized |
| м3 | 22 | CAUSE1 | REASON FOR INDEX CHILD'S FIRST HOSPITALIZATION |
| | | | Measles Whooping cough Polio Primary complex Pneumonia (bronchopneumonia) Other pulmonary or respiratory disease e.g., cough, tonsilitis, bronchitis Dengue fever Diarrhea with or without |

QUEST. VAR. VAR. NO. NAME

VARIABLE CODE

vomitting

- 9 Amoebiasis
- 10 Typhoid fever
- 11 Appendicitis
- 12 Parasitic infection
- 13 Malnutrition
- 14 Dislocations/sprains/strains
- 15 Skin infection including skin allergy/burn
- 16 Accident e.g. transport
 accident, accidental poisoning
- 17 Cyst
- 18 Sorcery/witchcraft/evil s pirits
- 19 Disease of the digestive system e.g., ulcer, abdominal pain
- 20 Other skin rashes e.g., chicken pox, reseola
- 21 Fever/Febrile convulsion/Fever of unknown origin
- 22 Asthma
- 23 Tetanus
- 24 Disorder of urinary system e.g. kidney
- 25 Ear infection
- -8 NR/DK
- -9 NA

M4 23 YRHOSP1

YEAR WHEN THE INDEX CHILD WAS FIRST HOSPITALIZED

85- 1985

92 - 1992

-8 - NR/DK

-9 - NA

M5 24 DAYHOSP1

NUMBER OF DAYS INDEX CHILD WAS HOSPITALIZED FOR THE FIRST TIME

| | | NC 1991 SURVEY) | Page No. |
|---------------|----|-----------------|---|
| QUEST. NO. | | VAR. NAME | VARIABLE CODE |
| | | | <pre>0 - Less than one day 1 - One day : 30 - Thirty days : -8 - NR/DK -9 - NA</pre> |
| м3 | 25 | CAUSE2 | REASON FOR INDEX CHILD'S SECOND HOSPITALIZATION (SAME CODE AS CAUSE1) |
| | | | |
| м4 | 26 | YRHOSP2 | YEAR WHEN THE INDEX CHILD WAS HOSPITALIZED FOR THE SECOND TIME 85- 1985 : 92 - 1992 -8 - NR/DK -9 - NA |
| м5 | 27 | DAYHOSP2 | NUMBER OF DAYS INDEX CHILD WAS HOSPITALIZED FOR THE SECOND TIME 0 - Less than one day 1 - One day |

30 - Thirty days

| CHILD'S E | | NC 1991 SURVEY) | Page No. 9 |
|---------------|----|-----------------|---|
| QUEST. NO. | | VAR. NAME | VARIABLE CODE |
| | | | : -8 - NR/DK -9 - NA |
| м3 | 28 | CAUSE3 | REASON FOR INDEX CHILD'S THIR D HOSPITALIZATION (SAME CODE AS CAUSE1) |
| M4 | 29 | YRHOSP3 | YEAR WHEN THE INDEX CHILD WAS HOSPITALIZED FOR THE THIRD TIME 85- 1985 : 92 - 1992 -8 - NR/DK -9 - NA |
| M5 | 30 | DAYHOSP3 | NUMBER OF DAYS INDEX CHILD WAS HOSPITALIZED FOR THE THIRD TIME 0 - Less than one day 1 - One day : 30 - Thirty days : -8 - NR/DK -9 - NA |
| М3 | 31 | CAUSE4 | REASON FOR INDEX CHILD'S FOURTH HOSPITALIZATION (SAME CODE AS CAUSE1) |

| CHILD'S FI | LE (U | NC 1991 SURVEY) | Page No. | 10 |
|---------------|-------|-----------------|--|----|
| QUEST. NO. | | | VARIABLE CODE | |
| M4 | 32 | YRHOSP4 | YEAR WHEN THE INDEX CHILD WAS HOSPITALIZED FOR THE FOURTH TIME 85- 1985 : 92 - 1992 -8 - NR/DK -9 - NA | |
| M5 | 33 | DAYHOSP4 | NUMBER OF DAYS INDEX CHILD WAS HOSPITALIZED FOR THE FOURTH TIME 0 - Less than one day 1 - One day : 30 - Thirty days : -8 - NR/DK -9 - NA | |
| м3 | 34 | CAUSE5 | REASON FOR INDEX CHILD'S FIFTH HOSPITALIZATION (SAME CODE AS CAUSE1) | |
| M4 | 35 | YRHOSP5 | YEAR WHEN THE INDEX CHILD WAS HOSPITALIZED FOR THE FIFTH TIME 85- 1985 : 92 - 1992 -8 - NR/DK -9 - NA | |

| CHILD'S F | 'ILE (U | NC 1991 SURVEY) | Page No. 11 |
|---------------|---------|-----------------|--|
| QUEST. NO. | | | VARIABLE CODE |
| м5 | 36 | DAYHOSP5 | NUMBER OF DAYS INDEX CHILD WAS HOSPITALIZED FOR THE FIFTH TIME 0 - Less than one day 1 - One day : 30 - Thirty days |
| | | | : -8 - NR/DK -9 - NA |
| М6 | 37 | MEASLES | FOR THE PAST SIX YEARS, HAS THE INDEX CHILD BEEN SICK OF MEASLES? 1 - Yes 0 - No - (Code -9 in YEARMEAS) -8 - NR/DK -9 - NA |
| м7 | 38 | YEARMEAS | YEAR OF ONSET OF MEASLES 83 - 1983 : 92 - 1992 -8 - NR/DK -9 - NA |
| | | | |

M6 39 WHOCOUGH <u>FOR THE PAST SIX YEARS, HAS THE INDEX CHILD BEEN SICK OF WHOOPIN G COUGH?</u>

| | | NC 1991 SURVEY) | Page No. 12 |
|--------|------|-----------------|---|
| QUEST. | VAR. | | VARIABLE CODE |
| | | | (SAME CODE AS MEASLES) |
| М7 | 40 | YERCOUGH | YEAR OF ONSET OF WHOOPING COUGH (SAME CODE AS YEARMEAS) |
| Мб | 41 | POLIO | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF POLIO? (SAME CODE AS MEASLES) |
| м7 | 42 | YERPOLIO | YEAR OF ONSET OF POLIO (SAME CODE AS YEARMEAS) |
| м6 | 43 | TB | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF PRIMARY COMPLE X (TB)? (SAME CODE AS MEASLES) |
| м7 | 44 | YEARTB | YEAR OF ONSET OF PRIMARY COMPLE X (TB) (SAME CODE AS YEARMEAS) |
| M6 | 45 | PNUMONIA | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF PNEUMONIA? (SAME CODE AS MEASLES) |

| CHILD'S F | | NC 1991 SURVEY) | Page No. 13 |
|-----------|------|-----------------|--|
| QUEST. | VAR. | VAR. | VARIABLE CODE |
| М7 | 46 | YERMONIA | YEAR OF ONSET OF PNEUMONIA (SAME CODE AS YEARMEAS) |
| М6 | 47 | DENGUE | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF DENGUE FEVER? (SAME CODE AS MEASLES) |
| м7 | 48 | YERDENGE | YEAR OF ONSET OF DENGUE FEVER (SAME CODE AS YEARMEAS) |
| м8 | 49 | ILLNESS1 | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF ILLNESS 1 (OTHER KINDS OF ILLNESS)? (SAME CODE AS MEASLES) |
| м9 | 50 | YRILNES1 | YEAR OF ONSET OF OTHER ILLNESS 1 (SAME CODE AS YEARMEAS) |
| м8 | 51 | ILLNESS2 | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF ILLNESS 2 (OTHER KINDS OF ILLNESS)? (SAME CODE AS MEASLES) |
| м9 | 52 | YRILNES2 | YEAR OF ONSET OF OTHER ILLNESS 2 (SAME CODE AS YEARMEAS) |

| | | NC 1991 SURVEY) | Page No. 14 |
|--------|------|-----------------|--|
| QUEST. | VAR. | | VARIABLE CODE |
| м8 | 53 | ILLNESS3 | FOR THE PAST 6 YEARS, HAS THE CHILD BEEN SICK OF ILLNESS 3 (OTHER KINDS OF ILLNESS)? (SAME CODE AS MEASLES) |
| М9 | 54 | YRILNES3 | YEAR OF ONSET OF OTHER ILLNESS 3 (SAME CODE AS YEARMEAS) |
| М8 | 55 | ILLNESS4 | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF ILLNESS 4 (OTHER KINDS OF ILLNESS)? (SAME CODE AS MEASLES) |
| м9 | 56 | YRILNES4 | YEAR OF ONSET OF OTHER ILLNESS 4 (SAME CODE AS YEARMEAS) |
| м8 | 57 | ILLNESS5 | FOR THE PAST 6 YEARS, HAS THE INDEX CHILD BEEN SICK OF ILLNESS 5 (OTHER KINDS OF ILLNESS)? (SAME CODE AS MEASLES) |
| M9 | 58 | YRILNES5 | YEAR OF ONSET OF OTHER ILLNESS 5 (SAME CODE AS YEARMEAS) |

| | | NC 1991 SURVEY) | Page No. 15 |
|-----|------|-----------------|--|
| | VAR. | VAR. | |
| M10 | 59 | DPT | SINCE CHILD'S 2ND BIRTHDAY, HAS HE/SHE BEEN GIVEN DPT IMMUNIZATION? 1 - Yes 0 - No (Code -9 in NUMDPT) -8 - NR/DK (Code -8 in NUMDPT) |
| M11 | 60 | NUMDPT | NUMBER OF DOSES FOR DPT IMMUNIZATION 1 - First dose : 5 - Fifth dose -8 - NR/DK -9 - NA (Coded 0 in DPT) |
| M12 | 61 | DPTCARD | DO YOU HAVE OFFICIAL IMMUNIZATION CARD FOR DPT? 1 - Yes 0 - No (Code -9 from DPTDOSE to DPTYEAR) -8 - NR/DK -9 - NA |
| M13 | 62 | DPTDOSE | NUMBER OF DOSES RECORDED FOR DPT IMMUNIZATION) 1 - First dose : 5 - Fifth dose -8 - NR/DK -9 - NA (Coded 0 in DPTCARD) |
| M14 | 63 | DPTMONTH | MONTH RECORDED FOR DPT IMMUNIZATION (1ST DOSE) |

| | | NC 1991 SURVEY) | Page No. 16 |
|---------------|------|-----------------|--|
| QUEST. NO. | VAR. | VAR. | VARIABLE CODE |
| | | | 01 - January : 12 - December -8 - NR/DK -9 - NA (Coded 0 in DPTCARD) |
| M14 | 64 | DPTYEAR | YEAR RECORDED FOR DPT IMMUNIZATION (1ST DOSE) 85 - 1985 : 92 - 1992 -8 - NR/DK -9 - NA (Coded 0 in DPTCARD) |
| M10 | 65 | POLIOIMU | SINCE CHILD'S 2ND BIRTHDAY, HAS HE/SHE BEEN GIVEN POLIO IMMUNIZATION? (SAME CODE AS DPT) |
| M11 | 66 | NUMPOLIO | NUMBER OF DOSES FOR POLIO IMMUNIZATION (SAME CODE AS NUMDPT) |
| M12 | 67 | POLIOREC | DO YOU HAVE OFFICIAL IMMUNIZATION RECORD FOR POLIO? (SAME CODE AS NUMDPT) |
| M13 | 68 | POLIODOS | NUMBER OF DOSES RECORDED FOR POLIO IMMUNIZATION |

| | | NC 1991 SURVEY) | .====================================== | Page No. | 17 |
|--------|------|-----------------|--|----------|----|
| QUEST. | VAR. | VAR. | VARIABLE CODE | | |
| | | | (SAME CODE AS DPTCODE) | | |
| M14 | 69 | POLIOMON | MONTH RECORDED FOR POLIO IMMUNIZATION (1ST DOSE) (SAME CODE AS DPTMONTH) | | |
| M14 | 70 | POLIOYER | YEAR RECORDED FOR POLIO IMMUNIZATION (1ST DOSE) (SAME CODE AS DPTYEAR) | | |
| M10 | 71 | MEASLIMU | SINCE CHILD'S 2ND BIRTHDA HE/SHE BEEN GIVEN MEASLES IMMUNIZATION (SAME CODE AS DPT) | | |
| M11 | 72 | NUMMEAS | NUMBER OF DOSES FOR MEASI | LES_ | |
| M12 | | | DO YOU HAVE OFFICIAL IMMURECORD FOR MEASLES? (SAME CODE AS DPTCARD) | | |
| M13 | 74 | MEASDOSE | NUMBER OF DOSES RECORDED MEASLES IMMUNIZATION (SAME CODE AS DPTDOSE) | FOR | |

| | | NC 1991 SURVEY) | Page No |
|---------|------|-----------------|---|
| | VAR. | VAR. | |
| 14 | 75 | MEASMONT | MONTH RECORDED FOR MEASLES IMMUNIZATION (1ST DOSE) (SAME CODE AS DPTMONTH) |
| M14 | 76 | MEASYEAR | · |
| M10 | 77 | IMMU1 | SINCE CHILD'S 2ND BIRTHDAY, HAS HE/SHE BEEN GIVEN OTHER IMMUNIZATION 1? (SAME CODE AS DPT) |
| | 78 | NUMIMMU | NUMBER OF DOSES FOR OTHER IMMUNIZATION 1 (SAME CODE AS NUMDPT) |
| м12 | 79 | IMMUCARD | DO YOU HAVE OFFICIAL IMMUNIZATION RECORD FOR OTHER IMMUNIZATION 1? (SAME CODE AS DPTCARD) |
| м13 | 80 | IMMUDOSE | NUMBER OF DOSES RECORDED FOR OTHE IMMUNIZATION 1 (SAME CODE AS DPTDOSE) |

| CHILD'S | FILE (U ===== | NC 1991 SURVEY) ========= | Page No. 19 |
|---------------|------------------|------------------------------|--|
| QUEST. NO. | | | VARIABLE CODE |
| M14 | 81 | IMUMONT | MONTH RECORDED FOR OTHER IMMUNIZATION 1 (1ST DOSE) (SAME CODE AS DPTMONTH) |
| M14 | 82 | IMUYEAR | YEAR RECORDED FOR OTHER IMMUNIZATION 1 (1ST DOSE) (SAME CODE AS DPTYEAR) |
| M10 | 83 | IMMU2 | SINCE CHILD'S 2ND BIRTHDAY, HAS HE/SHE BEEN GIVEN OTHER IMMUNIZATION 2? (SAME CODE AS DPT) |
| M11 | 84 | NUMIMMU2 | NUMBER OF DOSES FOR OTHER IMMUNIZATION 2 (SAME CODE AS NUMDPT) |
| M12 | 85 | IMUCARD2 | DO YOU HAVE OFFICIAL IMMUNIZATION RECORD FOR OTHER IMMUNIZATION 2? (SAME CODE AS DPTCARD) |
| | 86 | IMUDOSE2 | NUMBER OF DOSES RECORDED FOR OTHER IMMUNIZATION 2 (SAME CODE AS DPTDOSE) |
| м14 | 87 | IMUMONTH | MONTH RECORDED FOR OTHER |

| | | NC 1991 SURVEY) | Page No. 20 |
|-----|------|-----------------|--|
| | VAR. | VAR. | VARIABLE CODE |
| | | | IMMUNIZATION 2 (1ST DOSE) (SAME CODE AS DPTMONTH) |
| M14 | 88 | IMUYEAR2 | YEAR RECORDED FOR OTHER IMMUNIZATION 2 (1ST DOSE) (SAME CODE AS DPTYEAR) |
| M15 | 89 | TAKEWORM | IS CHILD TAKING ANY MEDICATION FOR WORMS? 1 - Yes 0 - No -8 - NR/DK -9 - NA |
| M16 | 90 | BATH | HOW OFTEN DOES THE INDEX CHILD USUALLY BATHE IN ONE WEEK? 1 - Once : 7 - Seven times -8 - NR/DK |
| M17 | 91 | USESOAP | DOES INDEX CHILD USE SOAP WHEN BATHING? 1 - Always 2 - Sometimes 3 - Rarely -8 - NR/DK |

Page No. 21

QUEST. VAR. VAR. NO. NAME

NO. NO. NAME

NOTE:

for N1 to N5:

"usually" is defined as at least 3 - 4 times a week on a regular basis; for meals eaten in school, 2-3 times a week is considered "usual"

VARIABLE CODE

N1 92 NUMMEALS <u>USUALLY, HOW MANY MEALS (EXCLUDIN G</u> SNACKS) DOES THE CHILD CONSUME IN A

DAY?

1 - Once

_

5 - Five

:

-8 - NR/DK

-9 - NA

N2 93 NUMSNACK <u>USUALLY, HOW OFTEN DOES THE CHIL D</u>

EAT SNACKS IN A DAY?

0 - None

1 - Once

:

5 - Five

:

-8 - NR/DK

-9 - NA

N3 94 HOMEMEAL <u>IN A GIVEN WEEK, HOW MANY MEALS</u>,

(EXCLUDING SNACKS) DOES THE CHIL D

USUALLY EAT AT HOME?

0 - None

1 - Once

| | | INC 1991 SURVEY) | Page No. 22 |
|-------|------|-------------------------------|--|
| | VAR. | VAR. NAME | |
| | | | : 5 - Five : -8 - NR/DK -9 - NA |
| NOTE: | | | |
| | | also refers to ex: relative's | places considered as extensions of home |
| N4 | 95 | EATLUNCH | WHERE DOES THE CHILD USUALLY EAT LUNCH? 1 - In School 2 - At home), (Code -9 in 3 - Elsewhere)- PLACEAT) -8 - NR/DK -9 - NA |
| N5 | 96 | PLACEAT | DOES CHILD BUY FOOD FOR LUNCH O R DOES HE/SHE BRING FOOD FROM HOME? |
| | | | 1 - Bought in or around school 2 - Brought from home 3 - School feeding program -8 - NR/DK -9 - NA |
| NOTE: | | |) NA |
| | | _ | at dish) is bought and child brought lunch is considered bought. |
| NOTE: | | | tems bought by the child in or around the home (for those not in school). |
| N6 | 97 | СНОСО | DOES THE CHILD USUALLY BU Y |

| QUEST. | VAR. | VAR. | VARIABLE CODE |
|---------|--------|-----------------|--|
| NO. | NO. | NAME | |
| | | | CHOCOLATES, CANDIES OR OTHER SWEE TO DELICACIES IN OR AROUND SCHOOL? |
| | | | 1 - Yes 0 - No -8 - NR/DK -9 - NA |
| N6 | 98 | BANCUE | DOES THE CHILD USUALLY BU Y BANANACUE, CAMOTECUE OR BINIGNIT IN OR AROUND SCHOOL? |
| | | | (SAME CODE AS CHOCO) |
| NOTE: | | | |
| "ca | motecu | e" - fried swee | ana glazed with sugar et potato glazed with sugar and tubers cooked in coconut milk |
| N6 | 99 | ICECREAM | DOES THE CHILD USUALLY BUY IC FOR CREAM, ICE CANDY OR OTHER FROZE IN DESSERTS IN OR AROUND SCHOOL? |
| | | | (SAME CODE AS CHOCO) |
| NOTE: | | | |
| "io | e cand | y" - frozen ju | lice or flavored milk |
| N6 | 100 | FJUICE | DOES THE CHILD USUALLY BUY FRUI T |

CHOCOLATE OR OTHER BEVERAGES IN O R

AROUND SCHOOL?

(SAME CODE AS CHOCO)

| CHILD'S F | | NC 1991 SURVEY) | Page No. 24 |
|-----------|------|-----------------|--|
| | VAR. | VAR. | VARIABLE CODE |
| N6 | 101 | BAKERYP | DOES THE CHILD USUALLY BU Y BAKERY/NATIVE PRODUCTS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |
| N6 | 102 | CRUNCHY | DOES THE CHILD USUALLY BUY CHEES E CURLS, POTATO CHIPS OR OTHER C RUNCHY PRODUCTS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |
| N6 | 103 | FRUITS | DOES THE CHILD USUALLY BUY FRU ITS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |
| N6 | 104 | PEANUTS | DOES THE CHILD USUALLY BUY PEANUTS, GREEN PEAS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |
| N6 | 105 | CORN | DOES THE CHILD USUALLY BUY CORN O N THE COB IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |
| N6 | 106 | POPCORN | DOES THE CHILD USUALLY BUY POPCOR NOR CRUNCHY CORN SNACKS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) |

CHILD'S FILE (UNC 1991 SURVEY) Page No. 25 ______ QUEST. VAR. VAR. VARIABLE CODE NO. NO. NAME DOES THE CHILD USUALLY BUY POSPAS N6 107 POSPAS BULGUR OR OATMEAL IN OR AROUN D SCHOOL? (SAME CODE AS CHOCO) NOTE: "pospas" - rice gruel with chicken bits or chicken flavoring N6 108 OTHER1 DOES THE CHILD USUALLY BUY COOKE D RICE OR GLUTINOUS NATIVE PRODU CTS IN OR AROUND SCHOOL? (SAME CODE AS CHOCO) NOTE: Includes: "puso" - boiled rice wrapped in coconut leaves commonly sold outside schools

"puto maya" or "bodbod" - native delicacies made of glutinous rice cooked in coconut milk

N6 109 OTHER2 <u>DOES THE CHILD USUALLY BUY READY -</u>

COOKED NOODLES IN OR AROUND SCHOOL?

(SAME CODE AS CHOCO)

| | | NC 1991 SURVEY) | Page No. 26 |
|----|------|------------------------------|--|
| | VAR. | ======== VAR. NAME | VARIABLE CODE |
| N6 | 110 | OTHER3 | DOES THE CHILD USUALLY BUY MEAT O R VEGETABLE DISHES IN OR AROUN D SCHOOL? (SAME CODE AS CHOCO) |
| N7 | 111 | SCHFEED1 | WHAT FOOD (1) IS USUALLY GIVEN TO CHILD IN SCHOOL (SCHOOL FEEDING PROGRAM)? O - Child is not participating - Meat dish - Fish and crustaceans (cooked, dried, salted, etc.) - Cereal products (bread, rolls, cakes, native cakes, etc.) - Rice, corn (boiled or gruel) - Noodles - Vegetables including seaweeds - Dried beans and nuts (peanuts, mongo, etc.) - Starchy roots and tubers - Fruits - Fruits - Beverages (hot or cold) - Milk and milk products - Bulgur - Candies, chocolates - Crunchy snack items - Frozen products (ice cream etc.) - Soup - Sugar |

NOTE:

- * Bulgur porridge is usually provided during school feedings
- ** School has feeding program but index child not participating. Schools may impose income bracket requirements or provide feeding only to malnourished children.

-8 - NR/DK

program)

-9 - NA (School has no feeding

| | | NC 1991 SURVEY) | Page No. 27 |
|----|------|--|---|
| | VAR. | ====================================== | |
| N7 | 112 | SCHFEED2 | WHAT FOOD (2) IS USUALLY GIVEN TO CHILD IN SCHOOL (SCHOOL FEEDING PROGRAM)? (SAME CODE AS SCHFEED1) |
| N7 | 113 | SCHFEED3 | WHAT FOOD (3) IS USUALLY GIVEN TO CHILD IN SCHOOL (SCHOOL FEEDING PROGRAM)? (SAME CODE AS SCHFEED) |
| N8 | 114 | BREKFAS1 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR BREAKFAST? 0 - None (Code -9 in BREKFAS2 to BREKFAS5) 1 - Meat dish 2 - Fish and crustaceans (cooked, dried, salted, etc.) 3 - Cereal products (bread, rolls, cakes, native cakes, etc.) 4 - Rice, corn (boiled or gruel) 5 - Noodles 6 - Vegetables including seaweeds 7 - Dried beans and nuts (peanuts, mongo, etc.) 8 - Starchy roots and tubers 9 - Fruits 10 - Beverages (hot or cold) 11 - Milk and milk products 12 - Bulgur 13 - Candies, chocolates 14 - Crunchy snack items 15 - Frozen products (ice cream etc.) 16 - Soup 17 - Sugar -8 - NR/DK |

| | | NC 1991 SURVEY) | Page No. 28 |
|--------|------|-----------------|---|
| QUEST. | VAR. | VAR. | VARIABLE CODE |
| | | | -9 - NA |
| N8 | 115 | BREKFAS2 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR BREAKFAST? (SAME CODE AS BREKFAS1) |
| N8 | 116 | BREKFAS3 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR BREAKFAST? (SAME CODE AS BREKFAS1) |
| N8 | 117 | BREKFAS4 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR BREAKFAST? (SAME CODE AS BREKFAS1) |
| N8 | 118 | BREKFAS5 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR BREAKFAST? (SAME CODE AS BREKFAS1) |
| N9 | 119 | NOONMEA1 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR NOON MEAL? (SAME CODE AS BREKFAS1) |
| N9 | 120 | NOONMEA2 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR NOON MEAL? (SAME CODE AS BREKFAS1) |

| CHILD'S FI | LE (U | NC 1991 SURVEY) | Page No. 29 |
|------------|-------|-----------------|--|
| QUEST. | | VAR. | VARIABLE CODE |
| N9 | 121 | NOONMEA3 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR NOON MEAL? (SAME CODE AS BREKFAS1) |
| N9 | 122 | NOONMEA4 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR NOON MEAL? (SAME CODE AS BREKFAS1) |
| N9 | 123 | NOONMEA5 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR NOON MEAL? (SAME CODE AS BREKFAS1) |
| n10 | 124 | MEALPM1 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR THE EVENING MEAL? (SAME CODE AS BREKFAS1) |
| n10 | 125 | MEALPM2 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR THE EVENING MEAL? (SAME CODE AS BREKFAS1) |
| N10 | 126 | MEALPM3 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR THE EVENING MEAL? (SAME CODE AS BREKFAS1) |
| N10 | 127 | MEALPM4 | WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR THE EVENING MEAL? |

CHILD'S FILE (UNC 1991 SURVEY)

Page No. 30

QUEST. VAR. VAR. NO.

VARIABLE CODE NO. NAME

(SAME CODE AS BREKFAS1)

N10 128 MEALPM5

WHAT DOES THE CHILD USUALLY EAT AND DRINK FOR THE EVENING MEAL?

(SAME CODE AS BREKFAS1)

NOTE: N11 indicates food items prepared at home or bought by someone else for child's snacks. This excludes food items bought by the child which are reflected in N6.

N11 129 SNACK1 WHAT DOES THE CHILD USUALLY EAT (1) & DRINK (1) FOR A SNACK? (EXCLUDING SNACKS BOUGHT BY CHILD)

- 0 None (Code -9 in SNACK2 to SNACK5)
- 1 Meat dish
- 2 Fish and crustaceans (cooked, dried, salted, etc.)
- 3 Cereal products (bread, rolls, cakes, native cakes, etc.)
- 4 Rice, corn (boiled or gruel)
- 5 Noodles
- 6 Vegetables including seaweeds
- 7 Dried beans and nuts (peanuts, mongo, etc.)
- 8 Starchy roots and tubers
- 9 Fruits
- 10 Beverages (hot or cold)
- 11 Milk and milk products
- 12 Bulgur
- 13 Candies, chocolates
- 14 Crunchy snack items
- 15 Frozen products (ice cream etc.)
- 16 Soup
- 17 Sugar
- -8 NR/DK

| CHILD'S FILE (UNC 1991 SURVEY) Page No. 3 | | | | |
|---|-----|----------|--|--|
| QUEST. | | VAR. | VARIABLE CODE | |
| | | | -9 - NA | |
| N11 | 130 | SNACK2 | WHAT DOES THE CHILD USUALLY EAT (2) DRINK (2) FOR A SNACK? (SAME CODE AS SNACK1) | |
| N11 | 131 | SNACK3 | WHAT DOES THE CHILD USUALLY EAT (3) DRINK (3) FOR A SNACK? (SAME CODE AS SNACK1) | |
| N11 | 132 | SNACK4 | WHAT DOES THE CHILD USUALLY EAT (4) DRINK (4) FOR A SNACK? (SAME CODE AS SNACK1) | |
| N11 | 133 | SNACK5 | WHAT DOES THE CHILD USUALLY EAT (5) DRINK (5) FOR A SNACK? (SAME CODE AS SNACK1) | |
| N12 | 134 | VITAMIN | DOES THE CHILD REGULARLY TAKE A VITAMIN OR MINERAL SUPPLEMENT? 1 - Yes 0 - No (Code -9 from KINDVIT1 to KINDVIT3) -8 - NR/DK (Code -8 from KINDVIT1 to KINDVIT3) | |
| N13 | 135 | KINDVIT1 | KIND OF VITAMIN OR MINERAL SUPPLEMENT (1) TAKEN BY CHILD | |

| CHILD | 'S | ${	t FILE}$ | (UNC | 1991 | SURVEY |) |
|-------|----|-------------|------|------|--------|---|
|-------|----|-------------|------|------|--------|---|

Page No. 32

QUEST. VAR. VAR.

VARIABLE CODE NO. NO. NAME

- 1 Vitamin A, D, E
- 2 Vitamin B1
- 3 Vitamin B12
- 4 Vitamin B complex w/ C
- 5 Vitamin C
- 6 Vitamins & Calcium
- 7 Multi-vitamins w/ minerals
- 8 Appetite stimulants
- 9 Antianaemics
- 10 Others
- -8 NR/DK
- -9 NA

NOTE:

Respondents were asked the brand-name of the vitamins the children were taking. The data editors then checked labels or medicine indices for proper classification. See Appendix 5 for detailed list of vitamin supplements.

| | | . – – – – – – – – – – – – – – – – – – – | |
|-----|-----|---|--|
| N13 | 136 | KINDVIT2 | KIND OF VITAMIN OR MINERAL SUPPLEMENT (2) TAKEN BY CHILD |
| | | | (SAME CODE AS KINDVIT1) |
| N13 | 137 | KINDVIT3 | KIND OF VITAMIN OR MINERAL (3) SUPPLEMENT TAKEN BY CHILD |
| | | | (SAME CODE AS KINDVIT1) |
| | | WHOSEHH | WHOSE HOUSEHOLD - MOTHER'S O R CARETAKER'S?. This is a create d variable |
| | | | 1 - Mother's household 2 - Caretaker's household |