REPRODUCT	IVE FI =====	LE (UNC 199 =======	01 SURVEY)
QUEST.			VARIABLE CODE
ID1	1	SURVEY	TYPE OF SURVEY 7 - 1991 Follow-up survey
ID2	2	CURRBRGY	CURRENT BARANGAY (See HOUSEHOLD FILE for complet e list)
ID3	3	CURRSTRA	<u>CURRENT STRATUM</u> 1 - Urban 2 - Rural
ID4	4	BASEBRGY	BASELINE BARANGAY ID NUMBER (See HOUSEHOLD FILE for complet e list)
ID4	5	BASEHHNO	BASELINE HOUSEHOLD ID NUMBER 1 - Household no. one : 1000 - Household no. one thousand :
ID4	6	BASEWMAN	BASELINE SAMPLE WOMAN ID NUMBER 1 - Sample woman no. one : 1000 - Sample woman no. one thousand :

REPRODUCTI	VE FI	LE (UNC 199	91 SURVEY)
QUEST.			VARIABLE CODE
ID5	7	LCURBRGY	LAST CURRENT BARANGAY ID NUMBER (SAME CODE AS BASEBRGY) 100 - Non Sample Barangay 134))), : > Control Barangays 144)))-
ID5	8	CURRHHNO	LAST CURRENT HOUSEHOLD ID NUMBER 1 - Household no. one : 1000 - Household no. one thousand :
ID5	9	CURRWMAN	LAST CURRENT WOMAN ID NUMBER 1 - Sample woman no. one : 1000 - Sample woman no. one thousand :
ID6	10	BRGYID91	BARANGAY ID NUMBER IN 1991/92 (SAME CODE AS CURRBRGY)
ID6	11	HHLDID91	HOUSEHOLD ID NUMBER IN 1991/92

	VAR.	VAR.	VARIABLE CODE
			:
ID6	12	WMANID91	WOMAN ID NUMBER IN 1991/92 1 - :
ID7	13	STAT1991	STATUS OF MOTHER AND CHILD AS O 1991/92 (See page 9 for mor detailed definitions)
			1 - Mother and index child togethe in household2 - Mother in household, index chil
			elsewhere (located or not) 3 - Mother in household, index chil dead
			5 - Index child in household, mothe elsewhere (located or not)
			6 - Index child in household, mothe dead
			7 - Index child in household mother not located
			10 - Code used for the ff conditions:
			 a) mother located, index child dead b) mother dead, index child located c) mother located, index child stillbirth or miscarriage d) multiple birth (index), mom

QUEST. NO. 			VARIABLE CODE		
			and children in sam household e) multiple birth (index), mom and children livin separately		
			11 - Mother and index child livin together or separately in a new address		
G2	14	PREGTERM	TYPE OF PREGNANCY TERMINATION		
			<pre>1 - Live birth currently alive (Code -9 from MODEATH to CAUSEDTH; MOSTILLB to DOCTOEND)</pre>		
			<pre>2 - Child born alive who died (Code -9 from AGEALIVE to LIVEHERE; MOSTILLB to DOCTOEND; FATHERCH)</pre>		
			3 - Pregnancy that ended in Stillbirth)), (Code -9		
			4 - Pregnancy that * from was lost before > SEXALIVE to full term))- LIVEHERE; MODEATH to CAUSDTH2; BRSTFEED to AGESOLID; FATHERCH)		
			-8 - NR/DK -9 - NA		
G3	15	SEXALIVE	SEX OF CHILD BORN ALIVE		
			1 - Male 2 - Female -8 - NR/DK -9 - NA		

QUEST. NO.			VARIABLE CODE
G4	16	MOBIRTH	MONTH OF BIRTH OF CHILD BORN ALIVE 1 - January : 12 - December -8 - NR/DK -9 - NA
G 5	17	YRBIRTH	VEAD OF DIDITION CUITIN DODN ALTIE
GS	17	YRBIRIH	YEAR OF BIRTH OF CHILD BORN ALIVE : 60 - 1960 : 92 - 1992 -8 - NR/DK -9 - NA
G6	18	AGEALIVE	CURRENT AGE (IN YEARS) OF LIVIN GOTHILD O - Less than one year 1 - One year old : 10 - Ten years old : -8 - NR/DK -9 - NA
 G7	19	LIVEHERE	IS LIVING CHILD STAYING HERE WITH YOU OR ELSEWHERE?

QUEST. NO.			VARIABLE CODE
			1 - Here 2 - Elsewhere -9 - NA
G10	20	MODEATH	MONTH OF DEATH OF LIVE-BORN CHILD WHO DIED
			1 - January : 12 - December -8 - NR/DK -9 - NA
G11	21	YRDEATH	YEAR OF DEATH OF LIVE-BORN CHILD WHO DIED
			: 60 - 1960 : 92 - 1992 -8 - NR/DK -9 - NA
G12	22	AGEDEATH	AGE (IN YEARS) AT DEATH OF LIV E-BORN CHILD WHO DIED 0 - Less than one year 1 - One year old : 10 - Ten years old : -8 - NR/DK -9 - NA

QUEST. VAR. VAR. VARIABLE CODE

NO. NO. NAME

G13 23 CAUSDTH1

<u>CAUSE (1) OF DEATH OF LIVE-BOR N</u> CHILD WHO DIED (MOTHER'S OPINION)

- 1 Diarrhea with or without
 vomiting
- 2 Diphtheria
- 3 Whooping cough
- 4 Tetanus
- 5 Measles and other rashes e.g., roseola, rubella/German measles
- 6 Dengue fever/H-fever
- 7 Thrush
- 8 Leukemia
- 9 Malnutrition/nutritional deficiences e.g., Kwashiorkor, Marasmus, etc.
- 10 Meningitis
- 11 Heart disease e.g., rheumatic,
- 12 Pneumonia and bronchopneumonia
- 13 Disease/di sorder of the digestive system
- 14 Complications related to pregnancy e.g., hemorrhage in early pregnancy, toxaemia, placenta previae
- 15 Congenital anomalies
- 16 Birth asphyxia and other respiratory conditions
- 17 Prematurity
- 18 Complication occuring mainly in the course of labour and delivery e.g., hemolytic disease of the fetus or newborn, relapse
- 19 Fever/Febrile convulsion
- 20 Sudden infant death syndrome, respiratory distress syndrome
- 21 Accident e.g. vehicular accident, accidental

QUEST. NO.	VAR. NO.		VARIABLE CODE
			poisoning, accidental fall 22 - Sorcery/withcraft/evil spirits 23 - Severe cough 24 - Rabies 25 - Typhoid fever 26 - Cancer 27 - Poliomyelitis 28 - Disease/disoder of the reproductive system 29 - Suicide 30 - Renal disorders -8 - NR/DK -9 - NA
G13	24	CAUSDTH2	CAUSE (2) OF DEATH OF LIVE-BOR N CHILD WHO DIED (MOTHER'S OPINION) (SAME CODE AS CAUSDTH1)
G16	25	MOSTILLB	MONTH OF PREGNANCY TERMINATION OF NON-LIVE BIRTH 1 - January : 12 - December -8 - NR/DK -9 NA
G17	26	YRSTILLB	YEAR OF PREGNANCY TERMINATION OF NON-LIVE BIRTH : 60 - 1960

QUEST. NO.		VAR. NAME	VARIABLE CODE
			: 92 - 1992 -8 - NR/DK -9 - NA
G18	27	BORNDEAD	WAS CHILD BORN DEAD (STILLBIRTH) OR LOST BEFORE FULL TERM? 1 - Born dead (Code -9 in DOCTOEND; BRSTFEED to AGESOLID) 2 - Lost before full term -8 - NR/DK -9 - NA
G19	28	DOCTOEND	DID YOU OR A DOCTOR OR ANYONE ELSE DO ANYTHING TO TERMINATE PREGNANCY? 1 - Yes 0 - No -8 - NR/DK -9 - NA
G46	29	FATHERCH	WHICH OF YOUR HUSBAND IS THE FATHER OF THIS LIVING CHILD? 1 - First husband : 5 - Fifth husband -8 - NR/DK -9 - NA (R has been married only once)

REPRODUC		LE (UNC 1991 SU	RVEY)
QUEST.	VAR.	VAR. VAR	IABLE CODE
Coc	ded -9 :	for: illegitim	ate children and non-living children.
G25	30	BRSTFEED	DID MOTHER EVER BREASTFEED THIS CHILD? 1 - Yes 0 - No (Code -9 in DURABRST) -8 - NR/DK -9 - NA
G26	31	DURABRST	DURATION IN DAYS MOTHER BREASTFED THIS CHILD O - Still breastfeeding (Code -9 from NOTBRSTF to STOPBRF2) 1 - One day : 30 - Thirty days : 365 - Three hundred sixty five days : -8 - NR/DK -9 - NA
			5 years verified and found to be true
G27	32	NOTBRSTF	REASON WHY MOTHER NEVER BREASTFED THIS CHILD 1 - Infection of the breast e.g., cyst 2 - Inverted nipples

NO. NAME

NO.

QUEST. VAR. VAR. VARIABLE CODE

3 - Mother had tuberculosis

- 4 Mother had other illness(es) e.g. asthma, high blood pressure
- 5 Mother had emotional problem
- 6 Mother was working or studying
- 7 Mother's milk is not good
- 8 Mother had little/no milk
- 9 Mother had to leave child/
 mother and child were
 separated
- 10 Husband or relative objected /
 was advised by other person s
 including traditional midwif e
 not to breastfeed child
- 11 Child has a physical defect e.g., harelip
- 12 Child stayed in the hospital/ incubator/nursery for some time
- 13 Child won't take breastmilk or won't suck on breast
- 14 Child lived for few minutes or few hours only
- 15 Mother felt tickled/experience d discomfort while breastfeeding
- 16 Mother practised Family Planning
- -8 NR/DK
- -9 NA

G28 33 STOPBRF1 <u>REASON 1 WHY MOTHER STOPPED</u> BREASTFEEDING THIS CHILD

- 1 Quality of breastmilk no longer good (milk was salty, sour, dirty in color)
- 2 Mother did not have enough
 milk to satisfy child

QUEST. NO.	VAR. NAME	VARIABLE CODE
		3 - Infant had diarrhea/watery
		stool
		4 - Infant had other illness(es)
		5 - Mother was pregnant again
		6 - Mother was working or studying
		7 - Husband or relatives wante d
		mother to stop / doctor advise of
		her to stop 8 - Mother and child) had to b e
		separated for some time
		9 - Mother had emotional problem
		10 - Mother was sick
		11 - To wean the child
		12 - Child bites mother's nipple
		13 - Mother practised Family
		Planning
		14 - Child died
		15 - Child won't take breastmilk anymore
		16 - Infection of the breast
		17 - Child is allergic to mother's milk
		18 - Mother gave birth to another child
		19 - Inverted nipples
		-8 - NR/DK
		-9 - NA

G28 34 STOPBRF2 REASON 2 WHY MOTHER STOPPED BREASTFEEDING THIS CHILD (SAME CODE AS STOPBRF2)

QUEST. NO.			VARIABLE CODE
G29	35	AGESUBMI	AGE (IN MONTHS) OF CHILD WHEN MOTHER STARTED GIVING BREASTMILK SUBSTITUTES (e.g., commercial milks, formula) ON A REGULAR BASIS 0 - Less than one month/since birth 1 - One month : 12 - Twelve months : -7 - Commercial milk was not introduced -8 - NR/DK -9 - NA
G30	36	AGESOLID	AGE (IN MONTHS) OF THIS CHILD WHEN MOTHER STARTED FEEDING SEMI-SOLID AND SOLID FOODS ON A REGULAR BASIS 1 - One month : 12 - Twelve months : -7 - Semi-solid/solid food not introduced yet -8 - NR/DK -9 - NA
н5	37	WORKPREG	DID MOTHER WORK DURING THIS PREGNANCY? 0 - No (Code -9 from DUPREGJ1 to JOBDOIN2) 1 - Yes, during the first half 2 - Yes, during the last half 3 - Always -8 - NR/DK

QUEST. NO.			VARIABLE CODE
			-9 - NA
Н6	38	DUPREGJ1	TYPE OF JOB (1) MOTHER HAD DURIN THIS PREGNANCY (See Appendix 3 for occupational codes)
н6	39	DUPREGJ2	TYPE OF JOB (2) MOTHER HAD DURIN THIS PREGNANCY (See Appendix 3 for occupational codes)
н7	40	JOBDOIN1	HOW WAS MOTHER DOING JOB (1) MOST OF THE TIME DURING THIS PREGNANCY? 1 - Sitting down most of the time 2 - Standing up most of the time 3 - Squatting on ground 4 - Standing and bending 5 - Moving around 6 - Combination of codes 1 & 2 7 - Combination of codes 2 & 3 8 - Combination of codes 3 & 4 9 - Combination of codes 1 & 3 -8 - NR/DK -9 - NA
н7	41	JOBDOIN2	HOW WAS MOTHER DOING JOB (2) MOST OF THE TIME DURING THIS PREGNANCY? (SAME CODE AS JOBDOIN1)

	VAR.	VAR.	VARIABLE CODE
Н8	42	WEEKWORK	DID MOTHER WORK AFTER THIS PREGNANCY?
			0 - No (Code -9 from SAMEJOB to DOINJOB2)
			.14 - Yes, one day after pregnancy termination
			1 - Yes, one week after pregnancy termination
			10 - Yes, ten weeks after pregnancy termination
			-7 - Mother still on maternity leave (Code -9 in SAMEJOB) -8 - NR/DK (Code -8 in SAMEJOB) -9 - NA (Code -9 in SAMEJOB)
Н9	43	SAMEJOB	MOTHER HAD THE SAME JOB AS BEFORE?
			1 - Yes (Code -9 from POPREGJ1 to DOINJOB2)0 - No
			-8 - NR/DK (Code -8 in POPREGJ1 to DOINJOB2)
			-9 - NA (No job before)
н10	44	POPREGJ1	TYPE OF JOB (1) MOTHER HAD AFTE R THIS PREGNANCY
			(See Appendix 3 for occupational codes)
н10	45	POPREGJ2	TYPE OF JOB (2) MOTHER HAD AFTE R THIS PREGNANCY

REPRODUCTIVE FILE (UNC 1991 SURVEY)					
QUEST.	VAR.		VARIABLE CODE		
			(See Appendix 3 for occupational codes)		
H11	46	DOINJOB1	HOW WAS MOTHER DOING JOB (1) MOST OF THE TIME AFTER THIS PREGNANCY? 1 - Sitting down most of the time 2 - Standing up most of the time 3 - Squatting on ground 4 - Standing and bending 5 - Moving around 6 - Combination of codes 1 & 2 7 - Combination of codes 2 & 3 8 - Combination of codes 3 & 4 9 - Combination of codes 1 & 3 -8 - NR/DK -9 - NA		
н11	47	DOINJOB2	HOW WAS MOTHER DOING JOB (2) MOST OF THE TIME AFTER THIS PREGNANCY? (SAME CODE AS DOINJOB1)		
H12	48	HWORPREG	WHO DID THE MAIN SHARE OF THE HOUSEWORK DURING THIS PREGNANCY? 1 - Mother herself 2 - Paid helper 3 - Other person -9 - NA		
H12	49	HWORMO1	WHO DID THE MAIN SHARE OF THE HOUSEWORK FIRST MONTH AFTER DELIVERY OF THIS PREGNANCY? 1 - Mother herself 2 - Paid helper		

REPRODUCTIVE FILE (UNC 1991 SURVEY)						
QUEST.			VARIABLE CODE			
			3 - Other person -9 - NA			
		WHOSEHH	WHOSE HOUSEHOLD - MOTHER'S O R CARETAKER'S? This is a create d variable 1 - Mother's household 2 - Caretaker's household			
		TWINS	MULTIPLE BIRTH (refers to inde x children only); this is a create d variable 0 - Single birth 1 - Twins, both coded "34" i n RELNINDX (PERSON FILE) 2 - Twins, one coded "34", the other coded as sibling i n RELNINDX (PERSON FILE) 3 - Twins, one died 4 - Triplets, one died, surviving pair both coded "34" i n RELNINDX (PERSON FILE)			