

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
ID4	1	BASEBRGY	<u>BASELINE BARANGAY ID NUMBER</u>  (SEE BARANGAY LISTING)
ID4	2	BASEHHNO	<u>BASELINE HOUSEHOLD ID NUMBER</u>  1 - Household number one : 1000 - Household number one thousand :
ID4	3	BASEWMAN	<u>BASELINE SAMPLE WOMAN ID NUMBER</u>  1 - Sample woman number one : 500 - Sample woman number five hundred :
ID5	4	BRGAY02	<u>2002 BARANGAY ID NUMBER</u>  (SEE BARANGAY LISTING) -9 - NA
ID5	5	HHNUMB02	<u>2002 HOUSEHOLD ID NUMBER</u>  1 - Household number one : 1000 - Household number one thousand : -9 - NA
ID5	6	WOMAN02	<u>2002 WOMAN ID NUMBER</u>  1 - Sample woman number one : 500 - Sample woman number five hundred : -9 - NA :
ID6	7	UNCCHDID	<u>INDEX CHILD'S ID NUMBER</u>  (SEE 2002 CLHNS FOLLOW-UP STUDY DOCUMENTATION)
ID9	8	MOMCH02	<u>WHOSE HOUSEHOLD WAS INTERVIEWED IN 2002?</u>  1 - Mother and Index child 3 - Index Child living separately from mom 4 - Index Child deceased

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			5 - Index Child moved out of Cebu 6 - Index Child refused/not located 11 - Intravenous drug addict 12 - Index child institutionalized 13 - Mother and Index child ( Mom refused) (Code -9 in LIVewith) 14 - Index child not contacted but did not refused 15 - Index child cannot talk (mute; severe polio)
ID9a	9	UNCMOMID	<u>MOTHER ID NUMBER</u>  (SEE 2002 CLHNS FOLLOW-UP STUDY DOCUMENTATION)
ID13	10	SEXIC	<u>SEX OF INDEX CHILD</u>  1 - Male 2 - Female
ID14	11	AGEIC	<u>AGE OF INDEX CHILD</u>  : 18 - Eighteen years old :
A16	12	ICLNUMB	LINE NUMBER OF INDEX CHILD  : 10 - Line number ten : -9 - IC not identified as member of the household during the mother's interview
A20	13	MARISTAT	MARITAL STATUS OF INDEX CHILD  1 - Never married 2 - Legally married 3 - Not legally married 4 - Widowed 5 - Separated -8 - NR/DK
K1	14	ILL	<u>WAS CHILD EVER BEEN SICK SINCE OUR LAST VISIT            IN 1994?</u>  0 - No (Code -9 from ILLNESS1 to ILLHOSP) 1 - Yes -8 - NR/DK (Code -9 from ILLNESS1 to ILLHOSP)
K2	15	ILLNESS1	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS1)</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			1 - Respiratory ailments ( <i>asthma, bronchitis, bronchitis, bronchopneumonia, cough, pulmonary diseases, sinusitis, tonsillitis, tuberculosis</i> ) 2 - Digestive ailments ( <i>abdominal pain, constipation, diarrhea, gastrointestinal disorders, heartburns, hyperacidity, ulcer, food poisoning</i> ) 3 - Infectious ailments ( <i>chicken pox, dengue, hepatitis, mumps, typhoid fever</i> ) 4 - General body aches and malaise ( <i>fever, flu, headache, toothache, "napasmo"</i> ) 5 - Ear ailment 6 - Eye ailment 7 - Skin ailment (infection / allergies / thrush / boils perceived to be "nabuyagan") 8 - Vitamin Deficiency ( <i>e.g. anemia</i> ) 9 - Excretory ailment ( <i>e.g. kidney trouble</i> ) 10 - Neoplasms- cysts 11 - Cardiovascular ailment (heart problem, hypertension) 12 - Accident 13 - Musculo-skeletal (arthritis, piang, paralysis, scoliosis) 14 - STD (sexually transmitted disease) 15 - Reproductive ailments (irregular menstruation / dysmenorrhea) 16 - Appendicitis & its symptoms code this under 2 17 - Tetanus 18 - Extreme loss of weight (due to pregnancy) 19 - Pain on the breasts (totoy) 20 - Hepatitis B / C (code this under 3) 21 - Diabetes 22 - Frequent nose bleeding 23 - Convulsion (mangurog) 24 - Hypertension code this under 11 25 - Psychological disorders - insomnia 26 - Dengue fever & asthma (3 & 1) 27 - Hernia (un-un) 28 - Malaria 29 - Pain on the left side of lower abdomen 30 - Spit blood -8 - NR/DK -9 - NA
K2	16	ILLNESS2	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS2)</u>  (SAME CODES AS ILLNESS1) -9 - NA (Code -9 from ILLNESS3 to ILLNESS6)
K2	17	ILLNESS3	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS3)</u>  (SAME CODES AS ILLNESS1)

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			-9 - NA (Code -9 from ILLNESS4 to ILLNESS6)
K2	18	ILLNESS4	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS4)</u>  (SAME CODES AS ILLNESS1) -9 - NA (Code -9 from ILLNESS5 to ILLNESS6)
K2	19	ILLNESS5	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS5)</u>  (SAME CODES AS ILLNESS1) -9 - NA (Code -9 in ILLNESS6)
K2	20	ILLNESS6	<u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS6)</u>  (SAME CODES AS ILLNESS1) -9 - NA
K3	21	HOSPITAL	<u>WAS INDEX CHILD HOSPITALIZED BECAUSE OF THIS ILLNESS/ANY OF THESE ILLNESSES?</u>  0 - No (Code -9 in ILLHOSP) 1 - Yes -8 - NR/DK -9 - NA
K3	22	ILLHOSP	<u>SPECIFY WHICH ILLNESS(ES)</u>  1 - Respiratory ailments ( <i>asthma, bronchitis, bronchitis, bronchopneumonia, cough, pulmonary diseases, sinusitis, tonsillitis, tuberculosis</i> ) 2 - Digestive ailments ( <i>abdominal pain, constipation, diarrhea, gastrointestinal disorders, heartburns, hyperacidity, ulcer</i> ) 3 - Infectious ailments ( <i>chicken pox, dengue, hepatitis, mumps, typhoid fever</i> ) 4 - General body aches and malaise ( <i>fever, flu, headache, toothache, "napasmo"</i> ) 5 - Ear ailment 6 - Eye ailment 7 - Convulsion / tremors 8 - Vitamin Deficiency ( <i>e.g. anemia</i> ) 9 - Excretory ailment ( <i>e.g. kidney trouble</i> ) 10 - Neoplasms- cysts 11 - Cardiovascular ailment (heart problem, hypertension) 12 - Accident 13 - Sprain 14 - Frequent nose bleeding 15 - Reproductive ailments (irregular menstruation / dysmenorrhea) 16 - Appendicitis & its 17 - Tetanus

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			18 - Diabetes 19 - Paralysis 20 - Asthma & Dengue fever (1 & 3)
K4	23	ILLDISAB	<u>DOES INDEX CHILD HAVE ANY CHRONIC ILLNESS/ DISABILITY?</u>  0 - No (Code -9 from TYPEILL1 to LIMATSCH) 1 - Yes -8 - NR/DK -9 - NA
K5	24	TYPEILL1	<u>INDEX CHILD'S CHRONIC ILLNESS/DISABILITY(1)</u>  1 - Asthma / weak lungs / respiratory diseases 2 - Ulcer / hyperacidity 3 - Eye ailment (e.g. whitish spot on the eye) 4 - Recurring diarrhea / heartburns 5 - Migraine / Headache 6 - Constant fatigue / backpains 7 - Anemia 8 - Impaired hearing / eardrum defect 9 - Tonsillitis 10 - Irregular menstruation / dysmenorrhea 11 - Sinusitis 12 - Arthritis 13 - Sprain (includes panuhot sa piang) 14 - Tremor / convulsions 15 - Amputated thumb 16 - Heart disease 17 - Skin allergy / skin infection (ugahip) 18 - Toothache 19 - Pain on the breasts 20 - Hepatitis B 21 - Excretory ailment (kidney trouble) 22 - Diabetes 23 - Frequent nose bleeding 24 - Limping / Crippled / Polio victim 25 - Paralysis (due to air embolism) 26 - Goiter 27 - Insomnia 28 - Hernia 29 - Epilepsy 30 - Speech impairment 31 - Scoliosis -8 - NR/DK -9 - NA

Note: Exclude accident (napiang / nabali ang tuhod) except in cases when this has deformed/disabled IC

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K6	25	ONSETIL1	<u>YEAR OF ONSET OF THIS CHRONIC ILLNESS(1) / DISABILITY(1)</u>  1998 - 1998 : 2002 - 2002 -8 - NR/DK -9 - NA s
K5	26	TYPEILL2	<u>INDEX CHILD'S CHRONIC ILLNESS/DISABILITY(2) (VERBATIM)</u>  (SAME CODES AS TYPEILL1)
K6	27	ONSETIL2	<u>YEAR OF ONSET OF THIS CHRONIC ILLNESS(2) / DISABILITY(2)</u>  1998 - 1998 : 2002 - 2002 -8 - NR/DK -9 - NA
K7	28	LIMATSCH	<u>DOES THIS ILLNESS/DISABILITY LIMIT INDEX CHILD'S ABILITY TO ATTEND SCHOOL?</u>  0 - No 1 - Yes, limits both studying & working 2 - Yes, limits studying only -7 - Not currently studying nor working -8 - NR/DK -9 - NA
K8	29	IMMUNIZN	<u>SINCE 1998 (OR 1994), HAS INDEX CHILD RECEIVED IMMUNIZATION?</u>  0 - No (Code -9 from TYPIMMU1 to TYPIMMU2) 1 - Yes -8 - NR/DK -9 - NA
K9	30	TYPIMMU1	<u>TYPE OF IMMUNIZATION(1) IC RECEIVED SINCE 1998 (1994)</u>  1 - Tetanus toxoid 2 - Anti – rabies 3 - Polio vaccine 4 - Anti-measles vaccine 5 - Hepatitis vaccine

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			6 - Anti – flu 7 - Typhoid vaccine -8 - NR/DK -9 - NA
K9	31	TYPIMMU2	<u>TYPE OF IMMUNIZATION(2) IC RECEIVED SINCE 1998 (1994)</u>  (SAME CODES AS TYPIMMU1)
K10	32	LOSSWGHT	<u>HAS INDEX CHILD EXPERIENCED EXTREME LOSS OF WEIGHT IN THE LAST 12 MONTHS?</u>  0 - No (Code -9 from CONLOSS to COSTLOSS) 1 - Yes
K11	33	CONLOSS	<u>DID INDEX CHILD CONSULT SOMEONE FOR EXTREME LOSS OF WEIGHT?</u>  0 - No (Code -9 from LOSSCON to COSTLOSS) 1 - Yes (Code -9 in WHYLOSS) -9 - NA
K12	34	WHYLOSS	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR EXTREME LOSS OF WEIGHT</u>  1 - Illness or condition perceived as not needing medication / consultation 2 - Preferred to self-medication 3 - No money 4 - No time 5 - Ashamed to go for check-up 6 - Afraid to go for a check-up 7 - Against religion 8 - No need; just trust in God 9 - Didn't know where to go for check-up -8 - NR/DK -9 - NA
K13	35	LOSSCON	<u>WHO DID INDEX CHILD CONSULT FOR EXTREME LOSS OF WEIGHT? (CLINIC CODE)</u>  (REFER TO OPS CLINIC LISTING) 1 - No clinic, practices at home 2 - No clinic, does home visits : -6 - non-household member/non-health practitioner -7 - Household member -8 - NR/DK -9 - NA

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K14	36	PERLOSS	<u>IS PERSON CONSULTED FOR EXTREME LOSS OF WEIGHT A:</u>  1 - private doctor 2 - private nurse 3 - private midwife 4 - government doctor 5 - government nurse 6 - government midwife 7 - school doctor 8 - school nurse 9 - mananambal 10 - mother 11 - father 12 - caretaker 13 - other relative 14 - non-relative 15 - barangay health workers (BHW) 16 - both parents 17 - pharmacist 18 - spouse (not a mananambal) -8 - NR/DK -9 - NA
K15	37	PARENTLW	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR EXTREME LOSS OF WEIGHT?</u>  0 - No 1 - Yes, both parents 2 - Yes, mother only 3 - Yes, father only 4 - Yes, spouse only 5 - Yes, mother and spouse (2 & 4) 6 - Yes, caretaker only 7 - Yes, both parents and spouse (1 & 4) 8 - Yes, caretaker & aunt -9 - NA
K16	38	XLOSSWGT	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR EXTREME LOSS OF WEIGHT</u>  1 - Once : 5 - Five times : -8 - NR/DK -9 - NA
K17	39	RECONLOS	<u>WHETHER INDEX CHILD WILL CONSULT THIS PERSON</u>



QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
<u>GAIN FOR EXTREME LOSS OF WEIGHT</u>			
0 - No			
1 - Yes			
-8 - NR/DK			
-9 - NA			
K18	40	COSTLOSS	<u>AMOUNT INDEX CHILD USUALLY PAYS THIS PERSON PER VISIT FOR EXTREME LOSS OF WEIGHT</u>
:			
50 - Fifty pesos			
:			
100 - One hundred pesos			
:			
-7 - Donation only, no specific cost			
-8 - NR/DK			
-9 - NA			
K10	41	HEADACHE	<u>WHETHER INDEX CHILD EXPERIENCED SEVERE HEADACHE IN THE LAST 12 MONTHS</u>
0 - No (Code -9 from CONHEAD to COSTHEAD)			
1 - Yes			
K11	42	CONHEAD	<u>WHETHER INDEX CHILD CONSULTED SOMEONE FOR SEVERE HEADACHE</u>
0 - No (Code -9 from HEADCON to COSTHEAD)			
1 - Yes (Code -9 in WHYHEAD)			
-9 - NA			
K12	43	WHYHEAD	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR SEVERE HEADACHE</u>
(SAME CODES AS WHYLOSS)			
K13	44	HEADCON	<u>PERSON INDEX CHILD CONSULT FOR SEVERE HEADACHE (CLINIC CODE)</u>
(SAME CODES AS LOSSCON)			
K14	45	PERHEAD	<u>IS PERSON CONSULTED FOR SEVERE HEADACHE A:</u>
(SAME CODES AS PERLOSS)			
K15	46	PARENTHA	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR SEVERE HEADACHE?</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
(SAME CODES AS PARENTLW)			
K16	47	XHEADAC	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR SEVERE HEADACHE</u>
(SAME CODES AS XLOSSWGT)			
K17	48	RECONHEA	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR SEVERE HEADACHE?</u>
(SAME CODES AS RECONLOS)			
K18	49	COSTHEAD	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR SEVERE HEADACHE?</u>
(SAME CODES AS COSTLOSS)			
K10	50	VOMITING	<u>HAS INDEX CHILD EXPERIENCED SEVERE NAUSEA/VOMITING OR DIZZINESS IN THE LAST 12 MONTHS?</u>
0 - No (Code -9 from CONVOMIT to COSTVOM) 1 - Yes			
K11	51	CONVOMIT	<u>DID INDEX CHILD CONSULT SOMEONE FOR SEVERE NAUSEA/VOMITING OR DIZZINESS?</u>
0 - No (Code -9 from VOMCON to COSTVOM) 1 - Yes (Code -9 in WHYVOMIT) -9 - NA			
K12	52	WHYVOMIT	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR SEVERE NAUSEA/VOMITING OR DIZZINESS</u>
(SAME CODES AS WHYLOSS)			
K13	53	VOMCON	<u>WHO DID INDEX CHILD CONSULT FOR SEVERE NAUSEA/VOMITING OR DIZZINESS? (CLINIC CODE)</u>
(SAME CODES AS LOSSCON)			
K14	54	PERVOM	<u>IS PERSON CONSULTED FOR SEVERE NAUSEA/ VOMITING OR DIZZINESS A:</u>
(SAME CODES PERLOSS)			
K15	55	PARENTVO	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR SEVERE NAUSEA/VOMITING/ DIZZINESS?</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
(SAME CODES AS PARENTLW)			
K16	56	XVOMIT	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR SEVERE NAUSEA/VOMITING/DIZZINESS</u>
(SAME CODES AS XLOSSWGT)			
K17	57	RECONVOM	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR SEVERE NAUSEA/VOMITING/DIZZINESS?</u>
(SAME CODES AS RECONLOS)			
K18	58	COSTVOM	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR SEVERE NAUSEA/VOMITING?</u>
(SAME CODES AS COSTLOSS)			
K10	59	ALLERGY	<u>HAS INDEX CHILD EXPERIENCED ALLERGY IN THE LAST 12 MONTHS?</u>
0 - No (Code -9 from CONALLER to COSTALER) 1 - Yes			
K11	60	CONALLER	<u>DID INDEX CHILD CONSULT SOMEONE FOR ALLERGY?</u>
0 - No (Code -9 from ALLERCON to COSTALER) 1 - Yes (Code -9 in WHYALLER) -9 - NA			
K12	61	WHYALLER	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR ALLERGY</u>
(SAME CODES AS WHYLOSS)			
K13	62	ALLERCON	<u>WHO DID INDEX CHILD CONSULT FOR ALLERGY? (CLINIC CODE)</u>
(SAME CODES AS LOSSCON)			
K14	63	PERALLER	<u>IS PERSON CONSULTED FOR ALLERGY A:</u>
(SAME CODES PERLOSS)			
K15	64	PARENTAL	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR ALLERGY?</u>
(SAME CODES AS PARENTLW)			
K16	65	XALLER	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
<u>ALLERGY</u>			
(SAME CODES AS XLOSSWGT)			
K17	66	RECONAL	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR ALLERGY?</u>
(SAME CODES AS RECONLOS)			
K18	67	COSTALER	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR ALLERGY?</u>
(SAME CODES AS COSTLOSS)			
K10	68	FATIGUE	<u>HAS INDEX CHILD EXPERIENCED CONSTANT FATIGUE IN THE LAST 12 MONTHS?</u>
0 - No (Code -9 from CONFATIG to COSTFATI)			
1 - Yes			
K11	69	CONFATIG	<u>DID INDEX CHILD CONSULT SOMEONE FOR CONSTANT FATIGUE?</u>
0 - No (Code -9 from FATICON to COSTFATI)			
1 - Yes (Code -9 in WHYFATIG)			
-9 - NA			
K12	70	WHYFATIG	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR CONSTANT FATIGUE</u>
(SAME CODES AS WHYLOSS)			
K13	71	FATICON	<u>WHO DID INDEX CHILD CONSULT FOR CONSTANT FATIGUE? (CLINIC CODE)</u>
(SAME CODES AS LOSSCON)			
K14	72	PERFATIG	<u>IS PERSON CONSULTED FOR CONSTANT FATIGUE A:</u>
(SAME CODES PERLOSS)			
K15	73	PARENTFA	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR CONSTANT FATIGUE?</u>
(SAME CODES AS PARENTLW)			
K16	74	XFATIG	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR CONSTANT FATIGUE</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
(SAME CODES AS XLOSSWGT)			
K17	75	RECONFAT	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR CONSTANT FATIGUE?</u>
(SAME CODES AS RECONLOS)			
K18	76	COSTFATI	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR CONSTANT FATIGUE?</u>
(SAME CODES AS COSTLOSS)			
K10	77	RESPILL	<u>HAS INDEX CHILD EXPERIENCED PERSISTENT COUGH, ASTHMA, OTHER RESPIRATORY PROBLEMS IN THE LAST 12 MONTHS?</u>
0 - No (Code -9 from CONRESP to COSTRESP) 1 - Yes			
K11	78	CONRESP	<u>DID INDEX CHILD CONSULT SOMEONE FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u>
0 - No (Code -9 from RESPCON to COSTRESP) 1 - Yes (Code -9 in WHYRESP) -9 - NA			
K12	79	WHYRESP	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS</u>
(SAME CODES AS WHYLOSS)			
K13	80	RESPCON	<u>WHO DID INDEX CHILD CONSULT FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS? (CLINIC CODE)</u>
(SAME CODES AS LOSSCON)			
K14	81	PERRESP	<u>IS PERSON CONSULTED FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS A:</u>
(SAME CODES AS PERLOSS)			
K15	82	PARENTRP	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u>
(SAME CODES AS PARENTLW)			

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K16	83	XRESP	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS</u>  (SAME CODES AS XLOSSWGT)
K17	84	RECONRES	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u>  (SAME CODES AS RECONLOS)
K18	85	COSTRESP	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u>  (SAME CODES AS COSTLOSS)
K10	86	DIARRHEA	<u>HAS INDEX CHILD EXPERIENCED SEVERE DIARRHEA IN THE LAST 12 MONTHS?</u>  0 - No (Code -9 from CONDIARH to COSTDIAR) 1 - Yes
K11	87	CONDIARH	<u>DID INDEX CHILD CONSULT SOMEONE FOR SEVERE DIARRHEA?</u>  0 - No (Code -9 from DIARCON to COSTDIAR) 1 - Yes (Code -9 in WHYDIAR) -9 - NA
K12	88	WHYDIAR	<u>REASON WHY INDEX CHILD NOT CONSULT SOMEONE FOR SEVERE DIARRHEA</u>  (SAME CODES AS WHYLOSS)
K13	89	DIARCON	<u>WHO DID INDEX CHILD CONSULT FOR SEVERE DIARRHEA? (CLINIC CODE)</u>  (SAME CODES AS LOSSCON)
K14	90	PERDIAR	<u>IS PERSON CONSULTED FOR SEVERE DIARRHEA A:</u>  (SAME CODES PERLOSS)
K15	91	PARENTDI	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR SEVERE DIARRHEA?</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
(SAME CODES AS PARENTLW)			
K16	92	XDIAR	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR SEVERE DIARRHEA</u>
(SAME CODES AS XLOSSWGT)			
K17	93	RECONDIA	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR SEVERE DIARRHEA?</u>
(SAME CODES AS RECONLOS)			
K18	94	COSTDIAR	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR SEVERE DIARRHEA?</u>
(SAME CODES AS COSTLOSS)			
K10	95	STOMACH	<u>HAS INDEX CHILD EXPERIENCED OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS IN THE LAST 12 MONTHS?</u>  0 - No (Code -9 from CONSTOM to COSTSTOM) 1 - Yes
K11	96	CONSTOM	<u>DID INDEX CHILD CONSULT SOMEONE FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS?</u>  0 - No (Code -9 from STOMCON to COSTSTOM) 1 - Yes (Code -9 in WHYSTOM) -9 - NA
K12	97	WHYSTOM	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS</u>  (SAME CODES AS WHYLOSS)
K13	98	STOMCON	<u>WHO DID INDEX CHILD CONSULT FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS? (CLINIC CODE)</u>  (SAME CODES AS LOSSCON)
K14	99	PERSTOM	<u>IS PERSON CONSULTED FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS A:</u>  (SAME CODES PERLOSS)
K15	100	PARENTST	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS?</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
(SAME CODES AS PARENTLW)			
K16	101	XSTOMACH	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS</u>
(SAME CODES AS XLOSSWGT)			
K17	102	RECONSTO	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR OTHER STOMACH OR INTESTINAL PROBLEMS?</u>
(SAME CODES AS RECONLOS)			
K18	103	COSTSTOM	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR OTHER STOMACH OR INTESTINAL PROBLEMS?</u>
(SAME CODES AS COSTLOSS)			
K10	104	SYMPTOMS	<u>HAS INDEX CHILD EXPERIENCED OTHER SEVERE SYMPTOMS/ ILLNESSES IN THE LAST 12 MONTHS?</u>  0 - No (Code -9 from OTHRSYMP to COSTSYMP) 1 - Yes
K10	105	OTHRSYMP	<u>OTHER SEVERE SYMPTOMS/ILLNESSES INDEX CHILD EXPERIENCED IN THE LAST 12 MONTHS</u>  1 - Toothache 2 - Fever 3 - Ovarian cysts 4 - Insomnia 5 - Blurred vision (mohanap ang panan-aw) 6 - Urinary tract infection with left lumbar pain 7 - Hyperacidity 8 - Measles 9 - Skin problems (e.g. boils) 10 - Tonsilitis 11 - Sprained ankle 12 - Ngotngot ang totoy 13 - Goiter 14 - Kidney infection 15 - Sakit sa pus-on 16 - Sore eyes 17 - Pain on the left side of the lower abdomen 18 - Spit out blood 19 - Eyes looked yellowish 20 - Sinusitis 21 - Heart ailment -9 - NA



QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K11	106	CONSYMP	<u>DID INDEX CHILD CONSULT SOMEONE FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u>  0 - No (Code -9 from SYMPCON to COSTSYMP) 1 - Yes (Code -9 in WHYSYMP) -9 - NA
K12	107	WHYSYMP	<u>REASON WHY INDEX CHILD DID NOT CONSULT SOMEONE FOR OTHER SEVERE SYMPTOMS/ILLNESSES</u>  (SAME CODES AS WHYLOSS)
K13	108	SYMPCON	<u>PERSON INDEX CHILD CONSULTED FOR OTHER SEVERE SYMPTOMS/ILLNESSES (CLINIC CODE)</u>  (SAME CODES AS LOSSCON)
K14	109	PERSYMP	<u>IS PERSON CONSULTED FOR OTHER SEVERE SYMPTOMS/ILLNESSES A:</u>  (SAME CODES AS PERLOSS)
K15	110	PARENTSY	<u>WERE INDEX CHILD'S PARENTS/SPOUSE AWARE OF THE CONSULTATION FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u>  (SAME CODES AS PARENTLW)
K16	111	XSYPMTOM	<u>NUMBER OF TIMES INDEX CHILD VISITED THIS PERSON FOR OTHER SEVERE SYMPTOMS/ ILLNESSES</u>  (SAME CODES AS XLOSSWGT)
K17	112	RECONSYM	<u>WILL INDEX CHILD CONSULT THIS PERSON AGAIN FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u>  (SAME CODES AS RECONLOS)
K18	113	COSTSYMP	<u>HOW MUCH DOES INDEX CHILD USUALLY PAY THIS PERSON PER VISIT FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u>  (SAME CODES AS COSTLOSS)
K19	114	GOSICK	<u>IF INDEX CHILD HAS ANY OF THE ILLNESSES JUST MENTIONED, WOULD HE CONSULT SOMEONE?</u>  0 - No (Code -9 from CLINIC1 to PRACTI2)

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			1 - Yes (Code -9 in WHYNOCON) -7 - IC had experienced these problems (Code -9 from WHYNOCON to PRACTI2) -8 - NR/DK (Code -8 from WHYNOCON to PRACTI2)
K20	115	WHYNOCON	<u>REASON WHY INDEX CHILD WILL NOT CONSULT</u>  1 - Illness or condition perceived as not needing medication 2 - Prefers to self-medication 3 - No money 4 - No time 5 - Ashamed to go for check-up 6 - Afraid to go for check-up 7 - Against religion 8 - No need; just trust in God 9 - Just leave/accept s it is, wants to die -8 - NR/DK -9 - NA
K21	116	CLINIC1	<u>WHO WOULD INDEX CHILD CONSULT(1)? (CLINIC CODE)</u>  (REFER TO OPS CLINIC LISTING) 0 - No clinic, practices at home 1 - No clinic, does home visits : -6 - non-household member/non-health practitioner -7 - Household member/ non-health practitioner -8 - NR/DK -9 - NA
K21	117	PRACTI1	<u>WHO WOULD INDEX CHILD CONSULT(1)? (TYPE OF PRACTITIONER)</u>  1 - private doctor 2 - private nurse 3 - private midwife 4 - government doctor 5 - government nurse 6 - government midwife 7 - school doctor 8 - school nurse 9 - mananambal 10 - mother 11 - father 12 - caretaker 13 - other relatives 14 - non-relatives 15 - barangay health workers (BHW) -8 - NR/DK

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			-9 - NA
K21	118	CLINIC2	<u>WHO WOULD INDEX CHILD CONSULT(1)? (CLINIC CODE)</u>  (SAME CODES AS CLINIC1)
K21	119	PRACTI2	<u>WHO WOULD INDEX CHILD CONSULT(2)? (TYPE OF PRACTITIONER)</u>  (SAME CODES AS PRACTI1)
K22	120	SMOKE	<u>HAD INDEX CHILD EVER SMOKED?</u>  0 - No (Code -9 from OLDSMOKE to OFTENSMO) 1 - Yes
K23	121	OLDSMOKE	<u>AGE INDEX CHILD FIRST TRIED SMOKING</u>  5 - Five years old : 20 - Twenty five years old -8 - NR/DK -9 - NA
K24	122	INSMOKNG	<u>PERSON WHO INITIATED INDEX CHILD INTO SMOKING</u>  1 - Oneself 2 - Mother 3 - Father 4 - Brother/Sister 5 - Cousin 6 - Aunt/Uncle 7 - Grandmother/grandfather 8 - Friends/classmates/neighbors 9 - Teacher 10 - Spouse / partner 11 - Sister-in-law/brother-in-law 12 - Both parents -8 - NR/DK -9 - NA
K25	123	OFENSMOK	<u>HOW OFTEN DOES INDEX CHILD SMOKE?</u>  1 - One stick per day 2 - Two sticks per day 3 - Three sticks per day : -6 - Smokes but not daily -7 - Stopped smoking

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			-8 - NR/DK -9 - NA
K22	124	DRINK	<u>HAD INDEX CHILD EVER DRANK ALCOHOLIC BEVERAGES?</u>  0 - No } (Code -9 from OLDDRINK to OFTENDRI) } (Code -9 from KINDALC1 to CONSALC2) 1 - Yes
K23	125	OLDDRINK	<u>AGE INDEX CHILD FIRST TRIED DRINKING ALCOHOLIC BEVERAGES</u>  5 - Five years old : 20 - Twenty years old -8 - NR/DK -9 - NA
K24	126	INDRINK	<u>PERSON WHO INITIATED INDEX CHILD INTO DRINKING ALCOHOLIC BEVERAGES</u>  (SAME CODES AS INSMOKING) -8 - NR/DK -9 - NA
K25	127	OFTENDRI	<u>HOW OFTEN DOES INDEX CHILD DRINK ALCOHOLIC BEVERAGES?</u>  1 - Only occasionally 2 - Every week 3 - Every day -7 - Stopped drinking -8 - NR/DK -9 - NA
K22	128	DRUGS	<u>HAD INDEX CHILD EVER TAKEN DRUGS?</u>  0 - No (Code -9 from DRUG1 to OFTENDRU) 1 - Yes
K22	129	DRUG1	<u>TYPE OF DRUG(1) INDEX CHILD EVER TAKEN</u>  1 - Shabu 2 - Marijuana 3 - Medicinal Syrup 4 - Rugby -8 - NR/DK
K22	130	DRUG2	<u>TYPE OF DRUG(2) INDEX CHILD EVER TAKEN</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			(SAME CODES AS DRUG1)
K22	131	DRUG3	<u>TYPE OF DRUG(3) INDEX CHILD EVER TAKEN</u>
			(SAME CODES AS DRUG1)
K23	132	OLDDRUGS	<u>AGE INDEX CHILD FIRST TRIED TAKING DRUGS</u>
			5 - Five years old : 20 - Twenty five years old -8 - NR/DK -9 - NA
K24	133	INDRUGS	<u>PERSON WHO INITIATED INDEX CHILD INTO TAKING DRUGS</u>
			(SAME CODES AS INSMOKING) -8 - NR/DK -9 - NA
K25	134	FREQDRUG	<u>FREQUENCY OF CURRENTLY USED DRUG</u>
			11 - Only occasionally - shabu 12 - “ - marijuana 13 - “ - medicinal syrup 14 - “ - rugby 15 - “ - marijuana and shabu 16 - “ - shabu, marijuana & medicinal syrup 17 - “ - marijuana and rugby 18 - “ - shabu, marijuana & rugby 21 - Every week - shabu 22 - “ - marijuana 23 - “ - medicinal syrup 24 - “ - rugby 25 - “ - marijuana & rugby 26 - “ - shabu & marijuana 27 - “ - shabu, marijuana & rugby 31 - Every day - shabu 32 - “ - marijuana 33 - “ - medicinal 34 - “ - rugby 41 - Occasionally - shabu and everyday - rugby -7 - Stopped taking drugs -8 - NR/DK -9 - NA
K26	135	OTHSMOKE	<u>DO OTHER HOUSEHOLD MEMBERS SMOKE? IF YES, HOW MANY MEMBERS DO SMOKE INSIDE THE HOUSE?</u>

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			0 - No/None 1 - One : -8 - NR/DK -9 - NA
K27	136	KINDALC1	<u>ALCOHOLIC DRINK (1) INDEX CHILD USUALLY CONSUMES</u>  1 - Tuba 2 - Beer 3 - Gin 4 - Red wine 5 - Rhum 6 - Other : -8 - NR/DK -9 - NA
K28	137	CONSALC1	<u>HOW MUCH DOES INDEX CHILD USUALLY CONSUME ON ALCOHOLIC DRINK (1) (IN MILLILITER)</u>  : 240 - 240 ml. : -8 - NR/DK -9 - NA
K27	138	KINDALC2	<u>ALCOHOLIC DRINK (2) INDEX CHILD USUALLY CONSUMES</u>  (SAME CODES AS KINDALC2)
K28	139	CONSALC2	<u>HOW MUCH DOES INDEX CHILD USUALLY CONSUME ON ALCOHOLIC DRINK (2) (IN MILLILITER)</u>  (SAME CODES AS CONSALC1)
K29	140	HAPPY	<u>HOW FREQUENTLY INDEX CHILD BEEN HAPPY FOR THE PAST 4 WEEKS?</u>  1 - None of the time 2 - Occasionally 3 - Most or all of the time -8 - NR/DK -9 - NA
K29	141	HEADACHE	<u>HOW FREQUENTLY INDEX CHILD HAD HEADACHES FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K29	142	DIGESTN	<u>HOW FREQUENTLY INDEX CHILD HAD POOR DIGESTION FOR THE PAST 4 WEEKS?</u> (SAME CODES AS HAPPY)
K29	143	DIFFSLEP	<u>HOW FREQUENTLY INDEX CHILD HAD DIFFICULTY IN FALLING ASLEEP FOR THE PAST 4 WEEKS?</u> (SAME CODES AS HAPPY)
K29	144	LONELY	<u>HOW FREQUENTLY INDEX CHILD FELT LONELINESS FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	145	FUTURE	<u>HOW FREQUENTLY INDEX CHILD WERE HOPEFUL ABOUT THE FUTURE FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	146	UNFRNDLY	<u>HOW FREQUENTLY INDEX CHILD FELT PEOPLE WERE UNFRIENDLY FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	147	WORRIED	<u>HOW FREQUENTLY INDEX CHILD BEEN WORRIED FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	148	OVERDIFF	<u>HOW FREQUENTLY INDEX CHILD FELT COULDN'T OVERCOME DIFFICULTIES FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	149	FACEPROB	<u>HOW FREQUENTLY INDEX CHILD BEEN ABLE TO FACE PROBLEMS FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	150	DISLIKED	<u>HOW FREQUENTLY INDEX CHILD FELT THAT PEOPLE DISLIKED HER FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	151	NORMAL	<u>HOW FREQUENTLY INDEX CHILD ENJOYED NORMAL DAILY ACTIVITIES FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)

QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
K29	152	WORTHLES	<u>HOW FREQUENTLY INDEX CHILD THOUGHT OF HERSELF AS WORTHLESS FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	153	LIVING	<u>HOW FREQUENTLY INDEX CHILD FELT LIFE ISN'T WORTH LIVING FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	154	WISHDEAD	<u>HOW FREQUENTLY INDEX CHILD WISHED BEEN DEAD FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K29	155	TAKELIFE	<u>HOW FREQUENTLY INDEX CHILD HAD THE IDEA OF TAKING OWN LIFE FOR THE PAST 4 WEEKS?</u>  (SAME CODES AS HAPPY)
K30	156	GENHEALT	<u>HOW WOULD INDEX CHILD RATE HER GENERAL HEALTH?</u>  1 - Poor 2 - Good 3 - Excellent -8 - NR/DK -9 - NA
K31	157	EYEGLOSS	<u>IS INDEX CHILD WEARING EYEGLASSES NOW?</u>  0 - No 1 - Yes (Code -9 in NEEDONE)
K32	158	NEEDONE	<u>DOES INDEX CHILD NEED ONE?</u>  0 - No 1 - Yes -9 - NA
K33	159	CAVITIES	<u>DOES INDEX CHILD HAVE ANY CAVITIES OR DECAYED TEETH?</u>  0 - NO 1 - Yes -8 - NR/DK -9 - NA
K34	160	TEETH	<u>ARE INDEX CHILD'S TEETH STILL COMPLETE? IF NO, HOW MANY TEETH ARE LOST OR MISSING?</u>



QUESTION NUMBER	VAR. NO.	VARIABLE NAME	VARIABLE DESCRIPTION/CODE
			0 - None 1 - One : -8 - NR/DK -9 - NA
K35	161	FILLED	<u>HAS INDEX CHILD'S TEETH BEEN FILLED? HOW MANY TEETH HAVE BEEN FILLED?</u>  0 - None 1 - One : -8 - NR/DK -9 - NA
K36	162	BATHEWK	<u>NUMBER OF TIMES THE INDEX CHILD USUALLY BATHE IN A WEEK</u>  1 - Once : 7 - Seven times : -8 - NR/DK