

## MORBIDITY OF CHILD (CLHNS 1998 FOLLOW-UP SURVEY: CHILD Q)

1

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
| ID4                | 1           | BASEBRGY         | <u>BASELINE BARANGAY ID NUMBER</u>   |
| ID4                | 2           | BASEHHNO         | <u>BASELINE HOUSEHOLD ID NUMBER</u><br><br>1 - Household number one<br>:<br>1000 - Household number one thousand<br>:                |
| ID4                | 3           | BASEWMAN         | <u>BASELINE SAMPLE WOMAN ID NUMBER</u><br><br>1 - Sample woman number one<br>:<br>500 - Sample woman number five hundred<br>:        |
| ID5                | 4           | MOBRGY94         | <u>MOM'S 1994 BARANGAY ID NUMBER</u><br><br>-9 - NA  |
| ID5                | 5           | MOHHNO94         | <u>MOM'S 1994 HOUSEHOLD ID NUMBER</u><br><br>1 - Household number one<br>:<br>1000 - Household number one thousand<br>:<br>-9 - NA   |
| ID5                | 6           | MOWMAN94         | <u>MOM'S 1994 WOMAN ID NUMBER</u><br><br>1 - Sample woman number one<br>:<br>500 - Sample woman number five hundred<br>:<br>-9 - NA  |
| ID5                | 7           | CHBRGY94         | <u>CHILD'S 1994 BARANGAY ID NUMBER</u><br><br>()<br>-9 - NA  |
| ID5                | 8           | CHHHNO94         | <u>CHILD'S 1994 HOUSEHOLD ID NUMBER</u><br><br>1 - Household number one<br>:<br>1000 - Household number one thousand<br>:<br>-9 - NA |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
| ID5                | 9           | CHWMAN94         | <u>CHILD'S 1994 WOMAN ID NUMBER</u><br><br>1 - Sample woman number one<br>:<br>500 - Sample woman number five hundred<br>:<br>-9 - NA   |
| ID7                | 10          | BRGAY98          | <u>1998 BARANGAY ID NUMBER</u><br><br>()  |
| ID7                | 11          | HHNUMB98         | <u>1998 HOUSEHOLD ID NUMBER</u><br><br>1 - Household number one<br>:<br>1000 - Household number one thousand  |
| ID7                | 12          | WOMAN98          | <u>1998 WOMAN ID NUMBER</u><br><br>1 - Sample woman number one<br>:<br>500 - Sample woman number five hundred<br>:  |
| ID8                | 13          | UNCCHDID         | <u>1998 CHILD ID NUMBER</u><br><br>(SEE 1998 CLHNS FOLLOW-UP STUDY DOCUMENTATION)   |
| ID9                | 14          | MOMCH98          | <u>WHOSE HOUSEHOLD WAS INTERVIEWED IN 1999?</u><br><br>1 - MOM and INDEX CHILD<br>3 - INDEX CHILD and caretaker<br>4 - INDEX CHILD with employer<br>5 - INDEX CHILD cohabiting with partner (living as one nuclear family)<br>6 - INDEX CHILD cohabiting with partner and living with in-laws<br>7 - MOM and INDEX CHILD, IC cohabiting with partner and living with mother<br>8 - INDEX CHILD and caretaker, IC cohabiting with partner and living with caretaker<br>-1 -MOM and INDEX CHILD, IC interviewed , mom in household but refused to be interviewed<br>-2 - INDEX CHILD and caretaker, IC interviewed but no questionnaire for caretaker<br>-3 - INDEX CHILD with caretaker, MOM in household but refused<br>-4 - INDEX CHILD with caretaker, MOM in household but |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
|                    |             |                  | mentally ill<br>-5 -MOM and INDEX CHILD; IC interviewed at later date,<br>IC not in household roster<br>-6 - MOM and INDEX CHILD; IC with employer but goes home<br>to mom's household at least once a month   |
| G1                 | 15          | ILL              | <u>WAS CHILD EVER BEEN SICK SINCE OUR LAST VISIT<br/>IN 1994?</u><br><br>1 - Yes<br>0 - No (Code -9 from ILLNESS1 to ILLHOSP)<br>-8 - NR/DK (Code -9 from ILLNESS1 to ILLHOSP)   |
| G2                 | 16          | ILLNESS1         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS1)</u><br><br>1 - Respiratory ailments: asthma, cough, sinusitis, tonsilitis<br>2 - Digestive ailments: ulcer, diarrhea, abdominal pain<br>3 - Infectious ailments: chicken pox, typhoid fever, dengue<br>4 - General body aches and malaise: fever, flu, headache,<br>sakit sa ngipon/napasmo<br>5 - Ear ailment<br>6 - Eye ailment<br>7 - Skin infection/allergies/lu-as<br>8 - Vitamin deficiency e.g. anemia<br>9 - Excretory ailment e.g. kidney trouble<br>10 - Neoplasms-cysts<br>11 - Cardiovascular ailment<br>12 - Accident<br>13 - Bluish patches all over the body<br>14 - Gikusgan sa dugo (related sa regla)<br>15 - Musculo skeletal (arthritis)<br>16 - Epilepsy<br>-8 - NR/DK<br>-9 - NA |
| G2                 | 17          | ILLNESS2         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS2)</u><br><br>(SAME CODES AS ILLNESS1)  |
| G2                 | 18          | ILLNESS3         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS3)</u><br><br>(SAME CODES AS ILLNESS1)  |
| G2                 | 19          | ILLNESS4         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS4)</u><br><br>(SAME CODES AS ILLNESS1)  |
| G2                 | 20          | ILLNESS5         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS5)</u>  |

| QUESTION<br>NUMBER       | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------------|-------------|------------------|--|
| (SAME CODES AS ILLNESS1) |             |                  |  |
| G2                       | 21          | ILLNESS6         | <u>WHAT WAS INDEX CHILD SICK OF? (ILLNESS6)</u>  |
| (SAME CODES AS ILLNESS1) |             |                  |  |
| G3                       | 22          | HOSPITAL         | <u>WAS INDEX CHILD HOSPITALIZED BECAUSE OF THIS ILLNESS/ANY OF THESE ILLNESSES?</u>  |
|                          |             |                  | 1 - Yes<br>0 - No (Code -9 in ILLHOSP)<br>-8 - NR/DK<br>-9 - NA  |
| G3                       | 23          | ILLHOSP          | <u>SPECIFY WHICH ILLNESS(ES)</u>   |
|                          |             |                  | 1 - Respiratory ailments: asthma, cough, sinusitis, tonsilitis<br>2 - Digestive ailments: ulcer, diarrhea, abdominal pain<br>3 - Infectious ailments: chicken pox<br>4 - General body aches and malaise: fever, flu, headache/napasmo<br>5 - Ear ailment<br>6 - Eye ailment<br>7 - Skin infection/allergies/lu-as<br>8 - Vitamin deficiency e.g. anemia<br>9 - Excretory ailment e.g. kidney trouble<br>10 - Neoplasms-cysts<br>11 - Cardiovascular ailment<br>12 - Accident<br>13 - Bluish patches all over the body<br>14 - Gikusgan sa dugo (related sa regla)<br>15 - Musculo skeletal (arthritis)<br>16 - Epilepsy<br>-8 - NR/DK<br>-9 - NA |
| G4                       | 24          | ILLDISAB         | <u>DOES INDEX CHILD HAVE ANY CHRONIC ILLNESS/DISABILITY?</u>   |
|                          |             |                  | 1 - Yes<br>0 - No (Code -9 from TYPEILL1 to LIMSchAT)<br>-8 - NR/DK<br>-9 - NA   |
| G5                       | 25          | TYPEILL1         | <u>WHAT IS HIS CHRONIC ILLNESS/DISABILITY(1)? (VERBATIM)</u>   |
|                          |             |                  | 1 - "Buogon" (Ear infection/Hollow eardrum)<br>2 - "Hap" (Poor eyesight/Eye defect)/Libat<br>3 - "Kimpang" (Limping/Crippled/Polio victim)   |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
|                    |             |                  | 4 - "Yungit/Nguho" (Speech impaired)<br>5 - Asthmatic/Weak lungs/Respiratory diseases<br>6 - "Bungi" (Harelip)<br>7 - "Nuka-nuka" (Skin sores all over the body)<br>8 - Arthritis<br>9 - Deformed face (Fell); Accident (nabali ang bukog)<br>10 - Spina Bifida<br>11 - Tonsilitis<br>12 - Ulcer/Hyperacidity<br>13 - Deaf-mute<br>14 - Chronically inflamed lymph nodes<br>15 - Nose bleeding<br>16 - Neoplasms - cysts<br>17 - Anemic<br>18 - Epilepsy<br>19 - Heart disease<br>20 - Extremities suddenly become weak<br>21 - Abnormal<br>22 - Allergy<br>23 - Disease of the excretory system - kidney trouble,<br>hemorrhoids<br>24 - Hepatitis B<br>25 - Migraine<br>26 - Sinusitis<br>27 - Bluish patches all over the body<br>-8 - NR/DK<br>-9 - NA |
| G5                 | 26          | TYPEILL2         | <u>WHAT IS HIS/HER CHRONIC ILLNESS/DISABILITY(2)?</u><br><u>(VERBATIM)</u><br><br>(SAME CODES AS TYPEILL1)   |
| G6                 | 27          | LIMCHAT          | <u>DOES THIS ILLNESS/DISABILITY LIMIT INDEX CHILD'S</u><br><u>ABILITY TO ATTEND SCHOOL?</u><br><br>1 - Yes<br>0 - No<br>-8 - NR/DK<br>-9 - NA  |
| G7                 | 28          | IMMUNIZN         | <u>SINCE 1994, HAS INDEX CHILD RECEIVED</u><br><u>IMMUNIZATION?</u><br><br>1 - Yes<br>0 - No (Code -9 from TYPIMMU1 to TYPIMMU2)   |
| G8                 | 29          | TYPIMMU1         | <u>WHAT TYPE OF IMMUNIZATION(1)?</u>   |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
|                    |             |                  | 1 - BCG (TB)<br>2 - Polio<br>3 - DPT<br>4 - Measles<br>5 - Hepatitis B<br>6 - Chicken pox<br>7 - Smallpox<br>8 - Cholera<br>9 - Tetanus Toxoid<br>10 - Hepatitis A<br>11 - Typhoid<br>12 - Anti-rabies<br>-8 - NR/DK<br>-9 - NA  |
| G8                 | 30          | TYPIMMU2         | <u>WHAT TYPE OF IMMUNIZATION(2)?</u><br><br>(SAME CODES AS TYPIMMU1)   |
| G9                 | 31          | LOSSWGHT         | <u>HAS INDEX CHILD EXPERIENCED EXTREME LOSS OF WEIGHT IN THE LAST 12 MONTHS?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONLOSS to COSTLOSS)   |
| G10                | 32          | CONLOSS          | <u>DID INDEX CHILD CONSULT SOMEONE FOR EXTREME LOSS OF WEIGHT?</u><br><br>1 - Yes (Code -9 in WHYLOSS)<br>0 - No (Code -9 from LOSSCON to COSTLOSS)<br>-9 - NA   |
| G11                | 33          | WHYLOSS          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR EXTREME LOSS WEIGHT? (VERBATIM)</u><br><br>1 - Illness or condition perceived as not needing medication<br>2 - Self-medication<br>3 - No money<br>4 - No time<br>5 - Ashamed to go for check-up<br>6 - Afraid to go for a check-up<br>-9 - NA |
| G12                | 34          | LOSSCON          | <u>WHO DID INDEX CHILD CONSULT FOR EXTREME LOSS OF WEIGHT? (CLINIC CODE)</u><br><br>(REFER TO OPS CLINIC LISTING)<br>-6 - non-household member/non-health practitioner<br>-7 - Household member  |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
|                    |             |                  | -8 - NR/DK<br>-9 - NA   |
| G13                | 35          | PERLOSS          | <u>IS PERSON CONSULTED FOR EXTREME LOSS OF WEIGHT A:</u><br><br>1 - private doctor<br>2 - private nurse<br>3 - private midwife<br>4 - government doctor<br>5 - government nurse<br>6 - government midwife<br>7 - school doctor<br>8 - school nurse<br>9 - mananambal<br>10 - mother (Code -9 from PARENTLW to COSTLOSS)<br>11 - father (Code -9 from PARENTLW to COSTLOSS)<br>12 - caretaker (Code -9 from PARENTLW to COSTLOSS)<br>13 - other relative<br>14 - non-relative<br>-8 - NR/DK<br>-9 - NA |
| G14                | 36          | PARENTLW         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR EXTREME LOSS OF WEIGHT?</u><br><br>1 - Yes<br>0 - No<br>-9 - NA  |
| G15                | 37          | XLOSSWGT         | <u>NUMBER OF VISITS FOR EXTREME LOSS OF WEIGHT</u><br><br>1 - Once<br>:<br>5 - Five times<br>:<br>-8 - NR/DK<br>-9 - NA   |
| G16                | 38          | RECONLOS         | <u>WILL INDEX CHILD CONSULT AGAIN FOR EXTREME LOSS OF WEIGHT?</u><br><br>1 - Yes<br>0 - No<br>-8 - NR/DK<br>-9 - NA   |
| G17                | 39          | COSTLOSS         | <u>USUAL COST PER CONSULTATION FOR EXTREME LOSS OF WEIGHT</u>   |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
|                    |             |                  | :<br>50 - Fifty pesos<br>:<br>100 - One hundred pesos<br>:<br>- 7 - Donation only, no specific cost<br>- 8 - NR/DK<br>- 9 - NA                          |
| G9                 | 40          | HEADACHE         | <u>HAS INDEX CHILD EXPERIENCED SEVERE HEADACHE?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONHEAD to COSTHEAD)   |
| G10                | 41          | CONHEAD          | <u>DID INDEX CHILD CONSULT SOMEONE FOR SEVERE HEADACHE?</u><br><br>1 - Yes (Code -9 in WHYHEAD)<br>0 - No (Code -9 from HEADCON to COSTHEAD)<br>-9 - NA |
| G11                | 42          | WHYHEAD          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR SEVERE HEADACHE? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)   |
| G12                | 43          | HEADCON          | <u>WHO DID INDEX CHILD CONSULT FOR SEVERE HEADACHE? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)  |
| G13                | 44          | PERHEAD          | <u>IS PERSON CONSULTED FOR SEVERE HEADACHE A:</u><br><br>(SAME CODES AS PERLOSS)  |
| G14                | 45          | PARENTHA         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR SEVERE HEADACHE?</u><br><br>(SAME CODES AS PARENTLW)                               |
| G15                | 46          | XHEADAC          | <u>NUMBER OF VISITS FOR SEVERE HEADACHE</u><br><br>(SAME CODES AS XLOSSWGT)   |
| G16                | 47          | RECONHEA         | <u>WILL INDEX CHILD CONSULT AGAIN FOR SEVERE HEADACHE?</u><br><br>(SAME CODES AS RECONLOS)  |



| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
| G17                | 48          | COSTHEAD         | <u>USUAL COST PER CONSULTATION FOR SEVERE HEADACHE</u><br><br>(SAME CODES AS COSTLOSS)   |
| G9                 | 49          | VOMITING         | <u>HAS INDEX CHILD EXPERIENCED SEVERE NAUSEA/VOMITING OR DIZZINESS IN THE LAST 12 MONTHS?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONVOMIT to COSTVOM)                  |
| G10                | 50          | CONVOMIT         | <u>DID INDEX CHILD CONSULT SOMEONE FOR SEVERE NAUSEA/VOMITING OR DIZZINESS?</u><br><br>1 - Yes (Code -9 in WHYVOMIT)<br>0 - No (Code -9 from VOMCON to COSTVOM)<br>-9 - NA |
| G11                | 51          | WHYVOMIT         | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR SEVERE NAUSEA/VOMITING OR DIZZINESS? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)  |
| G12                | 52          | VOMCON           | <u>WHO DID INDEX CHILD CONSULT FOR SEVERE NAUSEA/VOMITING OR DIZZINESS? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)   |
| G13                | 53          | PERVOM           | <u>IS PERSON CONSULTED FOR SEVERE NAUSEA/VOMITING OR DIZZINESS?</u><br><br>(SAME CODES PERLOSS)  |
| G14                | 54          | PARENTVO         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR SEVERE NAUSEA/VOMITING/DIZZINESS?</u><br><br>(SAME CODES AS PARENTLW)                                 |
| G15                | 55          | XVOMIT           | <u>NUMBER OF VISITS FOR SEVERE NAUSEA/VOMITING/DIZZINESS?</u><br><br>(SAME CODES AS XLOSSWGT)  |
| G16                | 56          | RECONVOM         | <u>WILL INDEX CHILD CONSULT AGAIN FOR SEVERE NAUSEA/VOMITING/DIZZINESS?</u>  |

| QUESTION<br>NUMBER       | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------------|-------------|------------------|---|
| (SAME CODES AS RECONLOS) |             |                  |   |
| G17                      | 57          | COSTVOM          | <u>USUAL COST PER CONSULTATION FOR SEVERE<br/>NAUSEA/VOMITING</u>   |
| (SAME CODES AS COSTLOSS) |             |                  |   |
| G9                       | 58          | ALLERGY          | <u>HAS INDEX CHILD EXPERIENCED ALLERGY IN THE<br/>LAST 12 MONTHS?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONALLER to COSTALER)                |
| G10                      | 59          | CONALLER         | <u>DID INDEX CHILD CONSULT SOMEONE FOR ALLERGY?</u><br><br>1 - Yes (Code -9 in WHYALLER)<br>0 - No (Code -9 from ALLERCON to COSTALER)<br>-9 - NA |
| G11                      | 60          | WHYALLER         | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE<br/>FOR ALLERGY? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)   |
| G12                      | 61          | ALLERCON         | <u>WHO DID INDEX CHILD CONSULT FOR ALLERGY?<br/>(CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)  |
| G13                      | 62          | PERALLER         | <u>IS PERSON CONSULTED FOR ALLERGY:</u><br><br>(SAME CODES PERLOSS)   |
| G14                      | 63          | PARENTAL         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF<br/>HIS CONSULTATION FOR ALLERGY?</u><br><br>(SAME CODES AS PARENTLW)                             |
| G15                      | 64          | XALLER           | <u>NUMBER OF VISITS FOR ALLERGY</u><br><br>(SAME CODES AS XLOSSWGT)   |
| G16                      | 65          | RECONAL          | <u>WILL INDEX CHILD CONSULT AGAIN FOR ALLERGY?</u><br><br>(SAME CODES AS RECONLOS)  |
| G17                      | 66          | COSTALER         | <u>USUAL COST PER CONSULTATION FOR ALLERGY</u><br><br>(SAME CODES AS COSTLOSS)  |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
| G9                 | 67          | FATIGUE          | <u>HAS INDEX CHILD EXPERIENCED CONSTANT<br/>FATIGUE IN THE LAST 12 MONTHS?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONFATIG to COSTFATI)                   |
| G10                | 68          | CONFATIG         | <u>DID INDEX CHILD CONSULT SOMEONE FOR CONSTANT<br/>FATIGUE?</u><br><br>1 - Yes (Code -9 in WHYFATIG)<br>0 - No (Code -9 from FATICON to COSTFATI)<br>-9 - NA |
| G11                | 69          | WHYFATIG         | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE<br/>FOR CONSTANT FATIGUE? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)  |
| G12                | 70          | FATICON          | <u>WHO DID INDEX CHILD CONSULT FOR CONSTANT<br/>FATIGUE? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)   |
| G13                | 71          | PERFATIG         | <u>IS PERSON CONSULTED FOR CONSTANT FATIGUE:</u><br>(SAME CODES PERLOSS)  |
| G14                | 72          | PARENTFA         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF<br/>HIS CONSULTATION FOR CONSTANT FATIGUE?</u><br><br>(SAME CODES AS PARENTLW)                                |
| G15                | 73          | XFATIG           | <u>NUMBER OF VISITS FOR CONSTANT FATIGUE</u><br><br>(SAME CODES AS XLOSSWGT)  |
| G16                | 74          | RECONFAT         | <u>WILL INDEX CHILD CONSULT AGAIN FOR CONSTANT<br/>FATIGUE?</u><br><br>(SAME CODES AS RECONLOS)   |
| G17                | 75          | COSTFATI         | <u>USUAL COST PER CONSULTATION FOR CONSTANT<br/>FATIGUE</u><br><br>(SAME CODES AS COSTLOSS)   |
| G9                 | 76          | RESPILL          | <u>HAS INDEX CHILD EXPERIENCED PERSISTENT COUGH,<br/>ASTHMA, OTHER RESPIRATORY PROBLEMS IN THE<br/>LAST 12 MONTHS?</u>  |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
|                    |             |                  | 1 - Yes<br>0 - No (Code -9 from CONRESP to COSTRESP)  |
| G10                | 77          | CONRESP          | <u>DID INDEX CHILD CONSULT SOMEONE FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u>   |
|                    |             |                  | 1 - Yes (Code -9 in WHYRESP)<br>0 - No (Code -9 from RESPCON to COSTRESP)<br>-9 - NA  |
| G11                | 78          | WHYRESP          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)             |
| G12                | 79          | RESPCON          | <u>WHO DID INDEX CHILD CONSULT FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)                      |
| G13                | 80          | PERRESP          | <u>IS PERSON CONSULTED FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u><br><br>(SAME CODES PERLOSS)   |
| G14                | 81          | PARENTRP         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u><br><br>(SAME CODES AS PARENTLW) |
| G15                | 82          | XRESP            | <u>NUMBER OF VISITS FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS</u><br><br>(SAME CODES AS XLOSSWGT)   |
| G16                | 83          | RECONRES         | <u>WILL INDEX CHILD CONSULT AGAIN FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS?</u><br><br>(SAME CODES AS RECONLOS)                                |
| G17                | 84          | COSTRESP         | <u>USUAL COST PER CONSULTATION FOR PERSISTENT COUGH, ASTHMA, OTHER SEVERE RESPIRATORY PROBLEMS</u>  |

| QUESTION<br>NUMBER       | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------------|-------------|------------------|---|
| (SAME CODES AS COSTLOSS) |             |                  |   |
| G9                       | 85          | DIARRHEA         | <u>HAS INDEX CHILD EXPERIENCED SEVERE DIARRHEA?</u><br><br>1 - Yes<br>0 - No (Code -9 from CONDIARH to COSTDIAR)                                    |
| G10                      | 86          | CONDIARH         | <u>DID INDEX CHILD CONSULT SOMEONE FOR SEVERE DIARRHEA?</u><br>1 - Yes (Code -9 in WHYDIAR)<br>0 - No (Code -9 from DIARCON to COSTDIAR)<br>-9 - NA |
| G11                      | 87          | WHYDIAR          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR SEVERE DIARRHEA?</u><br><br>(SAME CODES AS WHYLOSS)  |
| G12                      | 88          | DIARCON          | <u>WHO DID INDEX CHILD CONSULT FOR SEVERE DIARRHEA? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)  |
| G13                      | 89          | PERDIAR          | <u>IS PERSON CONSULTED FOR SEVERE DIARRHEA:</u><br><br>(SAME CODES PERLOSS)   |
| G14                      | 90          | PARENTDI         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR SEVERE DIARRHEA?</u><br><br>(SAME CODES AS PARENTLW)                           |
| G15                      | 91          | XDIAR            | <u>NUMBER OF VISITS FOR SEVERE DIARRHEA</u><br><br>(SAME CODES AS XLOSSWGT)   |
| G16                      | 92          | RECONDIA         | <u>WILL INDEX CHILD CONSULT AGAIN FOR SEVERE DIARRHEA?</u><br><br>(SAME CODES AS RECONLOS)  |
| G17                      | 93          | COSTDIAR         | <u>USUAL COST PER CONSULTATION FOR SEVERE DIARRHEA</u><br><br>(SAME CODES AS COSTLOSS)  |
| G9                       | 94          | STOMACH          | <u>HAS INDEX CHILD EXPERIENCED OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS IN THE LAST</u>  |

| QUESTION<br>NUMBER                                   | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--|-------------|------------------|---|
| <u>12 MONTHS?</u>                                    |             |                  |   |
| 1 - Yes<br>0 - No (Code -9 from CONSTOM to COSTSTOM) |             |                  |   |
| G10  | 95          | CONSTOM          | <u>DID INDEX CHILD CONSULT SOMEONE FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS?</u><br><br>1 - Yes (Code -9 in WHYSTOM)<br>0 - No (Code -9 from STOMCON to COSTSTOM)<br>-9 - NA |
| G11  | 96          | WHYSTOM          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)   |
| G12  | 97          | STOMCON          | <u>WHO DID INDEX CHILD CONSULT FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)  |
| G13  | 98          | PERSTOM          | <u>IS PERSON CONSULTED FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS?</u><br><br>(SAME CODES PERLOSS)   |
| G14  | 99          | PARENTST         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS?</u><br><br>(SAME CODES AS PARENTLW)                               |
| G15  | 100         | XSTOMACH         | <u>NUMBER OF VISITS FOR OTHER SEVERE STOMACH OR INTESTINAL PROBLEMS</u><br><br>(SAME CODES AS XLOSSWGT)   |
| G16  | 101         | RECONSTO         | <u>WILL INDEX CHILD CONSULT AGAIN FOR OTHER STOMACH OR INTESTINAL PROBLEMS?</u><br><br>(SAME CODES AS RECONLOS)   |
| G17  | 102         | COSTSTOM         | <u>USUAL COST PER CONSULTATION FOR OTHER STOMACH OR INTESTINAL PROBLEMS</u><br><br>(SAME CODES AS COSTLOSS)   |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
| G9                 | 103         | SYMPTOMS         | <u>HAS INDEX CHILD EXPERIENCED OTHER SEVERE SYMPTOMS/ILLNESSES IN THE LAST 12 MONTHS?</u><br><br>1 - Yes<br>0 - No (Code -9 from OTHRSYMP to COSTSYMP)   |
| G9                 | 104         | OTHSYMP          | <u>OTHER SEVERE SYMPTOMS/ILLNESSES INDEX CHILD EXPERIENCED IN THE LAST 12 MONTHS</u><br><br>1 - mumps<br>2 - inflamed eardrum<br>3 - severe toothache<br>4 - neoplasms-cyst<br>5 - sore eyes/eye disease<br>6 - tonsilitis<br>7 - fever<br>8 - gikusgan sa dugo (related sa pagregla)<br>9 - Hepa B<br>10 -Musculo skeletal (arthritis)<br>11 -Nagngutngut ang tutoy kay nasumbagan/animal bites/accident<br>12 -Bluish patches all over the body<br>13 -chicken pox<br>14 -hubag-hubag sa panit<br>15 -sakit sa pagpangihi/kidney infection<br>16 -nosebleeding/vomitting blood (dengue)<br>-9 - NA |
| G10                | 105         | CONSYMP          | <u>DID INDEX CHILD CONSULT SOMEONE FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u><br><br>1 - Yes (Code -9 in WHYSYMP)<br>0 - No (Code -9 from SYMPCON to COSTSYMP)<br>-9 - NA  |
| G11                | 106         | WHYSYMP          | <u>WHY DID INDEX CHILD NOT CONSULT SOMEONE FOR OTHER SEVERE SYMPTOMS/ILLNESSES? (VERBATIM)</u><br><br>(SAME CODES AS WHYLOSS)  |
| G12                | 107         | SYMPCON          | <u>WHO DID INDEX CHILD CONSULT FOR OTHER SEVERE SYMPTOMS/ILLNESSES? (CLINIC CODE)</u><br><br>(SAME CODES AS LOSSCON)   |
| G13                | 108         | PERSYMP          | <u>IS PERSON CONSULTED FOR OTHER SEVERE SYMPTOMS/ILLNESSES:</u>  |

| QUESTION<br>NUMBER   | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--|-------------|------------------|---|
| (SAME CODES PERLOSS)   |             |                  |   |
| G14  | 109         | PARENTSY         | <u>ARE INDEX CHILD'S PARENTS/CARETAKER AWARE OF HIS CONSULTATION FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u> |
| (SAME CODES AS PARENTLW)   |             |                  |   |
| G15  | 110         | XSYPMTOM         | <u>NUMBER OF VISITS FOR OTHER SEVERE SYMPTOMS/ILLNESSES</u>   |
| (SAME CODES AS XLOSSWGT)   |             |                  |   |
| G16  | 111         | RECONSYM         | <u>WILL INDEX CHILD CONSULT AGAIN FOR OTHER SEVERE SYMPTOMS/ILLNESSES?</u>                                |
| (SAME CODES AS RECONLOS)   |             |                  |   |
| G17  | 112         | COSTSYMP         | <u>USUAL COST PER CONSULTATION FOR OTHER SEVERE SYMPTOMS/ILLNESSES</u>                                    |
| (SAME CODES AS COSTLOSS)   |             |                  |   |
| G18  | 113         | GOSICK           | <u>IF INDEX CHILD HAS ANY OF THE ILLNESSES JUST MENTIONED, WOULD HE CONSULT SOMEONE?</u>                  |
| 1 - Yes (Code -9 in WHYNOCON)<br>0 - No<br>-8 - NR/DK<br>-9 - NA   |             |                  |   |
| G19  | 114         | WHYNOCON         | <u>WHY DOES INDEX CHILD NOT CONSULT? (VERBATIM)</u>   |
| 1 - Illness or condition perceived as not needing medication<br>2 - Self-medication<br>3 - No money<br>4 - No time<br>5 - Ashamed to go for check-up<br>6 - Afraid to go for check-up<br>7 - Against religion<br>-8 - NR/DK<br>-9 - NA |             |                  |   |
| G20  | 115         | CLINIC1          | <u>WHO WOULD INDEX CHILD CONSULT(1)? (CLINIC CODE)</u>  |
| (REFER TO OPS CLINIC LISTING)<br>-6 - non-household member/non-health practitioner<br>-7 - Household member  |             |                  |   |



| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE  |
|--------------------|-------------|------------------|--|
|                    |             |                  | -8 - NR/DK<br>-9 - NA  |
| G20                | 116         | PRACTI1          | <u>WHO WOULD INDEX CHILD CONSULT(1)?</u><br><u>(TYPE OF PRACTITIONER)</u><br><br>1 - private doctor<br>2 - private nurse<br>3 - private midwife<br>4 - government doctor<br>5 - government nurse<br>6 - government midwife<br>7 - school doctor<br>8 - school nurse<br>9 - mananambal<br>10 - mother<br>11 - father<br>12 - caretaker<br>13 - other relatives<br>14 - non-relatives<br>-8 - NR/DK<br>-9 - NA |
| G20                | 117         | CLINIC2          | <u>WHO WOULD INDEX CHILD CONSULT(1)?</u><br><u>(CLINIC CODE)</u><br><br>(SAME CODES AS CLINIC1)  |
| G20                | 118         | PRACTI2          | <u>WHO WOULD INDEX CHILD CONSULT(2)?</u><br><u>(TYPE OF PRACTITIONER)</u><br><br>(SAME CODES AS PRACTI1)   |
| G22                | 119         | BATHEWK          | <u>HOW MANY TIMES DOES THE INDEX CHILD</u><br><u>USUALLY BATHE IN A WEEK?</u><br><br>1 - Once<br>:<br>7 - Seven times<br>:<br>-8 - NR/DK   |
| G23                | 120         | USESOAP          | <u>DOES INDEX CHILD USE SOAP WHEN TAKING A BATH?</u><br><br>0 - No<br>1 - Rarely<br>2 - Sometimes<br>3 - Always<br>-8 - NR/DK  |

| QUESTION<br>NUMBER | VAR.<br>NO. | VARIABLE<br>NAME | VARIABLE DESCRIPTION/CODE   |
|--------------------|-------------|------------------|---|
|                    |             | UNCMOMID         | <u>1998 MOTHER/CARETAKER ID NUMBER</u><br><br>(SEE 1998 CLHNS FOLLOW-UP STUDY DOCUMENTATION)                  |
|                    |             | TWINS            | <u>TWIN FLAG (created variable)</u><br><br>0 - Index child (Single birth)<br>1 - Index child (Multiple birth) |