

# Selective Real-Time Data Emission in Mobile Intelligent Transport Systems

## WMC 2017

Laurent George<sup>1</sup>  
Damien Masson<sup>1</sup>  
Vincent Nelis<sup>2</sup>

<sup>1</sup>Université Paris-Est, ESIEE Paris, Laboratoire d'informatique Gaspard-Monge (LIGM) UMR CNRS 8049

<sup>2</sup>CISTER/INESC-TEC, ISEP, Polytechnic Institute of Porto

Tuesday, December 5th 2017

# Outline

1 Use Case Description

2 Open Issues

3 Solution

4 Future Works

# Outline


1 Use Case Description

2 Open Issues

3 Solution

4 Future Works

# Use Case




- A vehicle (e.g. a bus) which collects a lot of data
  - speed
  - doors state
  - video recording
  - ...
- Must send the data in real-time to a central station
- But the network speed fluctuates (congestion, link quality etc.)

## Use Case

We want to schedule data transmission in order to offer different level of service guarantees according to the data criticality.


- all the data can be transmitted at a given minimum transmission speed  $S$
- the available transmission speed lowers bellow  $S$ :
  - reduce emission frequencies – Future works ?
  - drop less critical tasks



## Use Case

We want to schedule data transmission in order to offer different level of service guarantees according to the data criticality.

- all the data can be transmitted at a given minimum transmission speed  $S$
- the available transmission speed lowers bellow  $S$ :
  - reduce emission frequencies – Future works ?
  - drop less critical tasks



## Use Case

We want to schedule data transmission in order to offer different level of service guarantees according to the data criticality.

- all the data can be transmitted at a given minimum transmission speed  $S$
- the available transmission speed lowers bellow  $S$ :
  - reduce emission frequencies – Future works ?
  - drop less critical tasks



## Use Case

We want to schedule data transmission in order to offer different level of service guarantees according to the data criticality.

- all the data can be transmitted at a given minimum transmission speed  $S$
- the available transmission speed lowers below  $S$ :
  - reduce emission frequencies – Future works ?
  - drop less critical tasks





# Outline

1 Use Case Description

2 Open Issues

3 Solution

4 Future Works

# Open Issues

- Determine the optimal number of criticality groups
- Determine the optimal priority assignment
- Once criticality groups are formed, determine the minimum speed at which each group can be guarantee (more formally stated in a few slides)
  - Solved in this paper

## Open Issues

- Determine the optimal number of criticality groups
- Determine the optimal priority assignment
- Once criticality groups are formed, determine the minimum speed at which each group can be guarantee (more formally stated in a few slides)
  - Solved in this paper

## Formally

Sending each kind of data is a non preemptive task characterized by:

- a period  $T_i$ ,
- a cost  $C_i$  which is the necessary time to send the data at a given arbitrary reference speed,
- a relative deadline  $D_i$ ,
- a criticality level.

## Formally

- The system is composed by a set of criticality-uniform tasksets:  $\tau(1), \tau(2), \dots, \tau(x)$  where  $x$  is the number of criticality levels.
- Priorities of tasks in  $\tau(i)$  are higher than in  $\tau(j)$  when  $i < j$  (maybe not necessary)
- Priorities inside a criticality group can follow any fixed priority assignment rule
- The problem is then to determine minimal speeds thresholds  $sp_1, sp_2, \dots, sp_x$  where at speed  $sp_i$ , the union of  $\tau(1), \tau(2), \dots, \tau(i)$  is feasible.

# Outline

1 Use Case Description

2 Open Issues

**3 Solution**

4 Future Works

## The formula

For any  $sp(x)$  containing  $n$  tasks labeled  $\tau_1, \tau_2, \dots, \tau_n$  by priority order,

$$sp(x) = \max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (1)$$

where

- $n_i$  is the number of  $\tau_i$  jobs released in the level- $i$  busy window
- $S_{i,j}$  is the set of time instants between a job release and its deadline at which higher priority tasks release a job, plus its own activation and deadline.

$$S_{i,j} = \bigcup_{k \in hp(\tau_i)} \{rT_k \mid r \in \mathbb{N}^+ \text{ and } jT_i < rT_k < jT_i + D_i\} \cup \{jT_i, jT_i + D_i\} \quad (2)$$

## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time
  - from the finishing time



## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time
  - from the finishing time

## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time
  - from the finishing time

## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$


- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time
  - from the finishing time

## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time




- from the finishing time

# The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time




- from the finishing time

## The formula

$sp(x) =$

$$\max_{i \in [1, n]} \left( \max_{j \in [0, n_i - 1]} \left( \min_{t \in S_{i,j}} \left( \max \left( \frac{w_{i,j}}{t - \epsilon}, \frac{w_{i,j} + C_i}{jT_i + D_i} \right) \right) \right) \right) \quad (3)$$

- for a taskset, the minimum speed is the biggest limit that comes by iterate on the tasks
- for a task, we have to iterate on the jobs
- for a job, we look at some key instants
- amongst these instants, the limit come either
  - from the starting time
  - from the finishing time



# Outline

1 Use Case Description

2 Open Issues

3 Solution

4 Future Works

## Future Works

- Compute the minimal factor we have to apply to the periods that makes a system feasible
- prove that the formula also apply to a non feasible taskset to find the minimal speed that make it feasible (straight forward ?)
- Investigate on how priority assignment can reduce the number of necessary criticality groups
- Compare the deadline missed rate with the setting where we let tasks reach their deadline before dropping them on a real case scenario