

PROJECT 4 – Q-TABLE BASED REINFORCEMENT LEARNING

qTableConfig Function Class

- Contains the values of PITREQARD, WUMPUSREWARD, GOLDREWARD, BUMPREWARD.
- Other functions (TrainAgent) call upon this class when they require any of these default values.

AgentTraining Function Class

- This is the function used for training the Agent before the actually execution of the Agent in Wumpus Environment.
- The agent keeps on taking random actions and checks the utility for each action taken.
- These utility values are propagated back to the previous state.
- When learning is finished, the agent will choose the action based on best value at every state.
- These state-action utility and state utility values associated with every state and every possible action at that state are called QValues.
- Our AgentTraining Class stores these values into a Q-Table.
- Thus, we now have a q-table to use for our actually agent execution run.

qTable Function Class

- Initializes a qTable for each new instance with value set to 0 and passes this 'empty' set to the calling functions (TrainAgent).
- It has 3 other functions:
 - getBestActionMaxQValueAction: Finds the next safe/best place for the agent by scanning and searching through the qTable to get the best max value of the table,
 - getMaxQTableValue: Finds the qTable element with the best/max value to be used in the next agent movement.
 - Display Table: Shows the final qTable we used for our Agent's movement. (This function has only ever been used for debugging and verification. Currently, it does not display anything).

State update based on incoming percept, and action performed (Function Classes Agent, AgentFunction and Action) is same as in case of model based agent.

Updating model based on agent's action - Action ()

- World model will be updated every time based on the next action taken.

1. Next Action - GO_FORWARD

- Update agent's location variable to the location which is one step ahead in the direction it is facing, only if it is a valid location on the grid.
2. Next Action - TURN_LEFT
 - Update agent's direction to the new direction obtained by turning left from the current direction. This is done by using a static dictionary *turn<Direction,Direction>*
 3. Next Action - TURN_RIGHT
 - Update agent's direction to the new direction obtained by turning right from the current direction. This is done by using a static dictionary *turn*.
 4. Next Action - SHOOT
 - Get the direction the agent is facing. Update the Presence of Wumpus in all valid locations straight in that direction to *False*. Since, an arrow has been shot, if the wumpus was in any of the locations straight ahead in that direction, it will be killed with 100% chance.
 5. Next Action - NO_OP
 - No modifications to the world model.

Output - For 10000 trials and 1000 training iterations, the qTable Reinforcement Learning agent takes approximately 10 mins to run.

Total Score: 311689

Average Score: 31.1689

Total Score: 384044

Average Score: 38.4044