

SCHEDULE OF REINFORCEMENT FOR ABUTMENT FOOTING										
TYPE OF BAR	SHAPE	LOCATION	DIRECTION	DIA OF BAR IN MM	SPACING IN MM	NO. OF BARS	LENGTH OF EACH BAR (M)	TOTAL LENGTH (M)	Unit Weight Kg/M	TOTAL WEIGHT KgS.
J		FOOTING BOTTOM	LONGITUDINAL	25	125	68	8.90	605.2	3.86	2337
K		FOOTING BOTTOM	TRANSVERSE	25	125	68	9.30	632.4	3.86	2442
L		FOOTING TOP	LONGITUDINAL	20	125	68	8.90	605.2	2.47	1495
M		FOOTING TOP	TRANSVERSE	20	125	68	9.30	632.4	2.47	1563
M		FOOTING STIRRUPS	TRANSVERSE	16	150	570	3.75	2138	1.58	3378
		TOTAL IN ONE FOOTING								11215
SCHEDULE OF REINFORCEMENT FOR PIER FOOTING										
TYPE OF BAR	SHAPE	LOCATION	DIRECTION	DIA OF BAR IN MM	SPACING IN MM	NO. OF BARS	LENGTH OF EACH BAR (M)	TOTAL LENGTH (M)	Unit Weight Kg/M	TOTAL WEIGHT KgS.
J		FOOTING BOTTOM	LONGITUDINAL	25	125	45	14.40	648	3.86	2502
K		FOOTING BOTTOM	TRANSVERSE	25	125	103	9.30	957.9	3.86	3698
L		FOOTING TOP	LONGITUDINAL	20	125	45	14.40	648	2.47	1601

M		FOOTING TOP	TRAN SVER SE	20	125	103	9.30	957.9	2.47	2367
M		FOOTING STIRRUPS	TRAN SVER SE	16	150	570	3.75	2138	1.58	3378
	overlaps			25		45	2.08	93.6	3.86	362
	overlaps			20		32	1.65	52.8	2.47	131
		TOTAL IN ONE FOOTING								14039
SCHEDULE OF REINFORCEMENT FOR PIER										
TYPE OF BAR	SHAPE	LOCATION	DIREC TION	DIA OF BAR IN MM	SPACI NG IN MM	NO. OF BARS	LENGTH OF EACH BAR (M)	TOTAL LENG TH (M)	Unit Weight Kg/M	TOTAL WEIGHT KgS.
N		PIER FLARED BOTTOM	VERTI CAL	25	125	136	7.51	1021	3.86	3941
O		PIER STRAIGHT	VERTI CAL	25	125	166	10.66	1770	3.86	6831
P		PIER	LATER AL	20	125	45	31.17	1403	2.47	3465
Q		PIER FLARED BOTTOM	LATER AL	20	125	5	37.34	186.7	2.47	462
R		PIER	CLOS ED TIES	16	150	540	1.63	877.5	1.58	1387

