CRATE

Television powered by creatives

What the logo means · How it is built · How to use it

THE NAME

Why CRATE

I chose the name CRATE because of a feeling. It is the feeling of flipping through a crate in a vintage shop or a really good record store, never knowing what you will find. The best things are usually the ones nobody else has noticed yet.

CRATE is that crate for film: a home for films that deserve a bigger room than a hard drive.

The logo had to say three things at once: this is a place, this is a screen, and the creatives come first.



READING THE LOGO

A frame for every story

The brackets are a viewfinder. Two opposite corners are all the eye needs to see a rectangle, like the corner marks of a camera viewfinder or the crop marks on a print. The frame is implied, never closed. CRATE frames the work without boxing the artist in.


Every letter is built from slats. A crate is made of boards with gaps between them. The C, R, T and E each carry exactly one cut of the same width, as if a slat has been lifted out. Those openings are where the light gets in. The A has no crossbar; it is an open door.

The colors move. They run from warm to cool, the way a projector's light moves through a dark room: orange enters at the top right, turns red and magenta down the first corner, and leaves at the bottom left through violet into green. No single color owns the brand. The range does.

The tagline stands on the frame. “Television powered by creatives” sits on the same line as the bottom bracket, so the frame literally rests on the words. The creatives are the foundation.

CONSTRUCTION

Built on a grid, not by eye




Everything is measured against a cap height of 100 units. Main strokes are 18. The slat gap — the one cut each letter shares — is 6 (one-third of a stroke). Outer corners round at 24, inner corners at 6, so the curves are concentric and the stroke stays exactly 18 all the way around. The E's floating bar and the R's bowl center on the 41–59 midline. Spacing is optical: 20 between straight sides, 12 beside the A's diagonals.

The brackets are a 180° rotation of each other: same arm lengths (96 tall), same weight (5), same 30-unit distance from the letters. The original version had brackets of different sizes and an uneven E; those are now locked to the grid, which is why the mark feels calmer.

COLOR

The spectrum



Projector Orange
#FF9A3C
light enters

Crate Red
#FF3B5C
first corner

Festival Magenta
#D63BD9
the hand-off

Signal Violet
#7B4DFF
second corner

Green Light
#1FCB7A
light leaves — go

The letters are always pure white on near-black (#0B0B0D) or near-black on white. Color lives only in the brackets, so the name always reads cleanly and the gradient never fights a film poster. Green is the last color the light touches — in film, a project that is approved is “green-lit.”

GUIDELINES

Using the logo

Versions. Primary (with tagline) for title cards, festival screens and the website hero. Wordmark-only where the tagline would be smaller than about 9 px. Light version for print and white backgrounds. Crest for anything square or under 120 px wide.

Clear space. Keep empty space around the brackets equal to the height of one stroke of the C (18 grid units). Nothing — titles, laurels, sponsor logos — enters that zone.

Minimum size. Full logo 160 px / 1.5 in wide; crest 24 px.

Don't. Close the brackets into a full box. Fill the slat gaps. Recolor the letters with the gradient. Add shadows, glows or outlines. Stretch, skew or rotate. Swap the order of the colors — the light always enters top-right.



