

blocktickets

DESIGNER HANDOFF

Seatmap SVG Structure Guide

How to structure venue seatmap SVGs so seatmap-export can parse sections, rows, and seats correctly.

Class-based naming

YZ / NZ sections

Brand blue #3358D4

seatmap-export · Blocktickets

What the exporter needs

Deliver a standard `.svg` using Blocktickets class naming. Named hierarchy is required for reliable parsing — do not rely on unlabeled Illustrator/Figma exports.

The parser looks for `sec-*` groups. If none are found, a fragile color/geometry fallback may run. Always use the named structure below for production maps.

Required hierarchy

```
svg
├─ g.sec-{SECTION} YZ|NZ      ← one group per sellable area
│   └─ g.sec-{SECTION}-row-{ROW} ← direct child of section
│       └─ path ...-row-...-path ← optional row hit area
│           └─ rect/path ...-seat-{N} ← seats as direct children of row
└─ g.identifier                ← section cover polygon
    └─ path
```

Critical: Rows and seats must be **direct children** of their parent. Extra wrapper `<g>` layers between section → row or row → seat will break parsing.

YZ vs NZ

YZ Yes Zoom

Reserved seating. Rows and seats are parsed.
Use for bowl and table sections.

NZ No Zoom

GA / club / suites. Cover path only — seats are ignored even if present.

Classes, IDs & tokens

Use these exact patterns on `class` (preferred) or `id`. Section / row / seat numbers must stay consistent through the tree.

Element	Pattern	Example
Reserved section	<code>sec-{N} YZ</code>	<code>class="sec-101 YZ"</code>
GA / non-zoomable	<code>sec-{N} NZ</code>	<code>class="sec-ga NZ"</code> or <code>id="sec-ga_NZ"</code>
Row group	<code>sec-{N}-row-{R}</code>	<code>sec-101-row-9</code>
Seat	<code>sec-{N}-row-{R}-seat-{S}</code>	<code>sec-101-row-9-seat-12</code>
Accessible seat	add <code>_DA</code>	<code>sec-101-row-9-seat-3_DA</code>
Row hit path	<code>sec-{N}-row-{R}-path</code>	optional, often <code>opacity="0.01"</code>
Cover group	<code>identifier</code>	<code>class="identifier"</code> / <code>id="identifier-101"</code>

Token rules

- ☐ **No hyphens inside {N}**. Use `101`, `ga`, `club`, `suites` — not `north-101`.
- ☐ **Match the parent**. A seat named `sec-102-...` inside `sec-101` is dropped.
- ☐ **Underscores in IDs are OK**. `id="sec-ga_NZ"` normalizes to `class="sec-ga NZ"`.
- ☐ **Optional display name**: `data-seatmap-section-name="Club Level"` on the section group.

Special NZ names: `ga` → “GA Floor”, `club` → “Club”, `suites` → “Suites”. Everything else becomes “Section {N}” unless overridden.

Shapes, colors, transforms

Seat geometry drives click targets. Brand blue is stripped from the background PNG so interactive seats stay selectable in admin.

Item	Requirement
Root SVG	Prefer <code>viewBox</code> . Also include <code>width</code> / <code>height</code> when possible.
Seats	Prefer <code><rect></code> with <code>x</code> , <code>y</code> , <code>width</code> , <code>height</code> . <code><path></code> seats also work.
Seat fill	 Exactly <code>#3358D4</code>
Section cover	Path under <code>g.identifier</code> : fill <code>#3358D4</code> , stroke <code>#fff</code> , stroke-width ~ <code>3.5</code>
Stage / arena art	Non-blue decoration (kept in the background PNG)
Transforms	Only <code>rotate(180 x y)</code> / <code>rotate(-180 x y)</code> supported; pivot must equal seat <code>x</code> / <code>y</code>
Not parsed as seats	<code><circle></code> , <code><ellipse></code> , <code><text></code> , <code><use></code> , nested seat wrappers

Typical section types

Bowl / reserved (YZ)

- Rows with seat rects
- Identifier cover path
- Optional row hit path

Tables (YZ)

- Row(s) of seat rects
- Optional table rect (non-seat token) as cover

GA / club / suites (NZ)

- Identifier cover only
- No seats required

Accessible seats

- Include `_DA` or class token `DA`
- Example: `...-seat-3_DA`

Minimal valid SVG

Copy this shape as a starting point. Real maps will have more sections, rows, and seats — keep the same nesting and naming.

```

<!-- Stage / arena art (non-blue) -->
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 800 600">
  <rect x="300" y="250" width="200" height="80" fill="#D9D9D9"/>

  <!-- Reserved section -->
  <g id="sec-101" class="sec-101 YZ">
    <g class="sec-101-row-1" id="sec-101-row-1">
      <rect class="sec-101-row-1-seat-1"
        x="100" y="100" width="8.2" height="8.2"
        fill="#3358D4"/>
      <rect class="sec-101-row-1-seat-2"
        x="112" y="100" width="8.2" height="8.2"
        fill="#3358D4"/>
      <rect class="sec-101-row-1-seat-3_DA"
        x="124" y="100" width="8.2" height="8.2"
        fill="#3358D4"/>
    </g>
    <g class="identifier" id="identifier-101">
      <path d="M90 90 H200 V200 H90 Z"
        fill="#3358D4" stroke="#fff" stroke-width="3.5"/>
    </g>
  </g>

  <!-- GA floor (no seats) -->
  <g id="sec-ga_NZ">
    <g class="identifier" id="identifier-ga_NZ">
      <path d="M320 340 H480 V460 H320 Z"
        fill="#3358D4" stroke="#fff" stroke-width="3.5"/>
    </g>
  </g>
</svg>

```

Checklist & common mistakes

Use this before handing off the file. Validate in seatmap-export preview when possible.

Designer checklist

- ☐ One `sec-{N} YZ|NZ` group per sellable area
- ☐ Rows are **direct** children of sections: `sec-{N}-row-{R}`
- ☐ Seats are **direct** children of rows: `sec-{N}-row-{R}-seat-{S}` on blue `#3358D4` rects
- ☐ Accessible seats use `_DA`
- ☐ Cover path lives under `g.identifier` (blue fill + white stroke)
- ☐ GA / club / suites marked `NZ` with cover only
- ☐ Stage / arena art is non-blue decoration
- ☐ No hyphens inside the section slug; no extra nesting; avoid non-180 transforms
- ☐ Deliver as `.svg` (or `.svgqcc` from `svg-map-checker`)

Common mistakes that break parsing

1. Wrapping rows/seats in extra `<g>` groups
2. Hyphenated section slugs — `sec-north-101` fails
3. Mismatched tokens — seat `sec-102-...` inside `sec-101`
4. Cover path not under an `identifier` group
5. Seats drawn as circles/text without `sec-...-seat-...` names
6. Wrong blue (anything other than `#3358D4`)
7. GA marked `YZ` with no rows/cover — section may disappear
8. Arbitrary transforms / nested group transforms on seats

Validate: In seatmap-export run `npm run preview`, upload the SVG, and confirm section / row / seat clicks before admin import.