

Lineto Type Foundy Technical Documentation

BrownPro Bold Alternate



Glyph Map




Encoded Characters

All encoded characters should be accessible with every unicode capable application. For details about Unicode Blocks visist the <u>Unicode Website</u>.


Basic Latin

Block from 0000 to 007F




Latin-1 Supplement


Block from 0080 to 00FF



Latin Extended-A

Block from 0100 to 017F





Latin Extended-B

Block from 0180 to 024F




IPA Extensions

Block from 0250 to 02AF



Spacing Modifier Letters

Block from 02B0 to 02FF



Greek and Coptic

Block from 0370 to 03FF



Latin Extended Additional

Block from 1E00 to 1EFF




General Punctuation

Block from 2000 to 206F



Superscripts and Subscripts

Block from 2070 to 209F



Currency Symbols

Block from 20A0 to 20CF



Letterlike Symbols

Block from 2100 to 214F



Arrows

Block from 2190 to 21FF



Mathematical Operators

Block from 2200 to 22FF



Geometric Shapes

Block from 25A0 to 25FF



Alphabetic Presentation Forms


Block from FB00 to FB4F




Unencoded Glyphs

All unencoded glyphs are accessible with OpenType layout feature capable applications. For a complete list of supported OpenType layout features see the next section.

Case-Sensitive Forms



Denominators, Fractions



Fractions



Fractions, Numerators



Standard Ligatures



Localized Forms



Stylistic Alternates, Stylistic Set 1



Stylistic Set 2



Stylistic Set 3



Stylistic Set 4



Stylistic Set 5



Stylistic Set 6



Stylistic Set 7



Stylistic Set 8




Stylistic Set 9

Tabular Figures

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	#	\$	1	+	0	1	2	3	4	5	6	7	8	9	<	=	>	٨	~	¢	£	¤	¥
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
§	7	±	μ	×	÷	f	π	€	δ	Δ	Π	Σ	_	√	ſ	≈	≠	≤	2	◊			

Slashed Zero



Other



OpenType Layout Features

For details about OpenType Layout Features see the OpenType Layout tag registry.

Substitution Features



Access All Alternates

This feature makes all variations of a selected character accessible.



Standard Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.



Tabular Figures

Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.

0

Slashed Zero

Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.

7/

Numerators

Replaces selected figures which precede a slash with numerator figures, and replaces the typographic slash with the fraction slash.

/8

Denominators

Replaces selected figures which follow a slash with denominator figures.

7/8

Fractions

Replaces figures separated by a slash with 'common' (diagonal) fractions.

X²

Superscript

Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).

X₂

Subscript

The "subs" feature may replace a default glyph with a subscript glypht.

 H_2

Scientific Inferiors

Replaces lining or oldstyle figures with inferior figures (smaller glyphs which sit lower than the standard baseline, primarily for chemical or mathematical notation). May also replace lowercase characters with alphabetic inferiors.



Ordinals

Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.

S·f

Historical Forms

Some letterforms were in common use in the past, but appear anachronistic today. The best-known example is the long form of s; others would include the old Fraktur k. Some fonts include the historical forms as alternates, so they can be used for a 'period' effect.

(G}

Case-Sensitive Forms

Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.

Ş·Ş

Localized Forms

This feature enables localized forms of glyphs to be substituted for default forms.

g_'g

Stylistic Alternates

Many fonts contain alternate glyph designs for a purely esthetic effect; these don't always fit into a clear category like swash or historical. This feature replaces the default forms with the stylistic alternates.

1

Stylistic Set 1

Glyphs in stylistic sets may be designed to harmonise visually, interract in particular ways, or otherwise work together.

[2]

Stylistic Set 2

[3]

Stylistic Set 3

[4]

Stylistic Set 4

[5]

Stylistic Set 5

[6]

Stylistic Set 6

[7]

Stylistic Set 7

[8]

Stylistic Set 8

[9]

Stylistic Set 9

[10]

Stylistic Set 10

Positioning Features



Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.



Kerning

Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.

Codepages

MacOS

MacOS Central Europe MacOS Croatian MacOS Icelandic MacOS Roman MacOS Romanian MacOS Turkish MacOS Welsh

MS Windows

MS Windows 1250 Central European MS Windows 1252 Western (ANSI) MS Windows 1254 Turkish MS Windows 1257 Baltic

ISO 8859-9 Latin 5 (Turkish)

ISO 8859-13 Latin 7 (Baltic 2)

IS₀

ISO 8859- 1 Latin 1 (Western) ISO 8859- 2 Latin 2 (Central Europe) ISO 8859- 3 Latin 3 (Tu, Malt, Gal, Esp) ISO 8859- 4 Latin 4 (Baltic)

ISO 8859-15 Latin 9 ISO 8859-16 Latin 10

IBM

IBM 37 United States - EBCDIC (IBM-28709)
IBM 273 Germany - EBCDIC
IBM 277 Denmark, Norway - EBCDIC
IBM 278 Finland, Sweden - EBCDIC
IBM 280 Italy - EBCDIC
IBM 284 Spain, Latin America - EBCDIC
IBM 285 United Kingdom - EBCDIC


IBM 297 France - EBCDIC
IBM 500 International - EBCDIC
IBM 871 Iceland - EBCDIC
IBM 921 Baltic
IBM 1047 Open Systems - EBCDIC
IBM 1112 Baltic - EBCDIC

Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the <u>Unicode CLDR Project</u>.

Afrikaans Faroese Kinyarwanda Slovenian Somali Albanian Filipino Latvian Azerbaijani Finnish Lithuanian Sorbian, Lower Basque French Malay Sorbian, Upper Bosnian Frisian West Maltese Sotho, Northern Friulian Catalan Manx Sotho, Southern Cornish Galician Moldavian Spanish Crimean Tatar German Norwegian Bokmål Swahili Swati Croatian Hungarian Norwegian Nynorsk Czech Swedish Icelandic Oromo Danish Indonesian Polish Tsonga Dutch Interlingua Portuguese Turkish English Irish Romanian Welsh Esperanto Italian Sami Northern Xhosa Estonian Kalaallisut Slovak Zulu

Lineto GmbH
PO Box 461
CH-6403 Küssnacht am Rigi / Switzerland
Fax +41 (44) 271 90 65
General inquiries — service@lineto.com
Technical inquiries — support@lineto.com
Sales & licensing inquiries — sales@lineto.com



No part of this publication may be reproduced, stored in a retrieval system, or transmittet, in any form or by any means, electronic, mecanical, photocopying, recording or otherwise, without the prior written consent of the publisher.

This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be constured as a commitment by Lineto Type Foundy.

Lineto Type Foundy assumes no resposibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights.

Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

Document generated 2011/04/09-18:43:49 with e-font PDF Generator