

JINGZHANG RE:FRONT

AFTER THE PARK, THE CITY TURNS TO JING-ZHANG AGAIN.

ONE PARK, TWO FRONTS, THREE INNOVATION FRONTIERS

Asymmetric refronting, with real cross streets and civic nodes as handoff conditions

- RESEARCH FRONT
- CAMPUS-CITY FRONT
- STATION-CITY FRONT

EVIDENCE BOUNDARY: concept design may proceed; engineering requires professional verification of doors, grid, rights, fire, and logistics.




Read the Drawing, Then Read Its Boundary

Twenty-four pages place the spatial proposition, evidence ceiling, and professional unlock conditions on one reading line.

01	Overall Structure Evidence boundary / three scopes / corridor scroll / asymmetric mechanism
02	Key Areas Zhongzhiyuan / AI Origin / Dazhongsi / three fronts
03	AI Origin Two anchors and one test / masterplan / ground floor / IF-01 / IF-02 / S2
04	Scenarios + People Ten scenario cards / four hero journeys / seven personas
05	Delivery + Review Unlock phasing / governance / non-regression / professional triggers

Four Lines, Four Evidence States

	Existing / verified clue
	Conceptual primary refront
	Safeguard refront
	Pending connector / variable dimension

READING ORDER

- 1 Read the spatial action
- 2 Read the evidence strip
- 3 Read the unlock condition

Drawings explain; GeoJSON, metrics, and matrices support recalculation.

Concept Design Can Advance; Engineering Remains Locked

Every drawing distinguishes what is known, assumed, proposed, and reserved for professional verification.

KNOW	The announcement, taskbook, public records, and frozen OSM support claims only within their permitted use.
ASSUME	Provisional polygons and unmeasured doors, grids, parking, fire, rights, and works boundaries stay dashed.
DESIGN	Stage M may propose parametric frontier bands, civic thresholds, static wayfinding, and removable operations.
VERIFY	Rights, structure, fire, transport, care, accessibility, ecology, utilities, and operator are unlocked discipline by discipline.

concept_design_eligible=true / engineering_implementation_verified=false / M_CONCEPT_DESIGN=GO / M_ENGINEERING_IMPLEMENTATION=LOCKED

Three Scopes, Never Collapsed into One Redline

Coordinated research, overall design, and key areas carry strategy, spatial organisation, and typological testing respectively.

01

Coordinated Research Area

43.6 km²

WHY UPDATE

Industry and future-city judgement; no parcel control.

02

Overall Design Area

11.4 km²

HOW THE CORRIDOR WORKS

Refronting scroll, two-sided interfaces, mobility and blue-green systems; no exact frontage-length claim.

03

Key-Area Detailed Design

368.4 ha

HOW SPACE OPERATES

Three fronts, AI Origin demonstrator, plans, sections, scenarios, and phasing.

43.6 km², 11.4 km², and the combined 368.4 ha are announcement text references. Current polygons are provisional constraints, not official boundaries, and do not support exact area, rights, or engineering decisions.


The refronting scroll: a second update of the two urban edges along an existing civic spine.

01 / SPATIAL SIGNATURE

ONE PARK, TWO FRONTS, THREE ZONES + TWO WINGS

JINGZHANG RE:FRONT / CONCEPT DESIGN

Refronting does not redraw the park; it turns adjacent ground floors, forecourts and back-of-house systems towards a shared civic spine.



DESIGN SIGNATURE + OSM TYPE 1:18,000 · NORTH UP

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

SPATIAL MOTHER DIAGRAM IS CONCEPTUAL; OSM FRAME IS NOT A STATUTORY REDLINE

Turn the Ground Floor to the Park


One park and two fronts: primary refront, safeguard refront, and the ground-floor frontier band.

02 / ECOSYSTEM MAP

THREE ZONES + TWO WINGS × EIGHT ENABLERS

JINGZHANG RE:FRONT / CONCEPT DESIGN

The innovation ecosystem is translated into spatial carriers, accountable people and stoppable projects; links show service relationships, not roads, utilities or ownership.



TEN PROJECT PACKAGES

- P01 EVIDENCE
- P02 RESEARCH
- P03 IF-01
- P04 IF-02
- P05 S2
- P06 ARRIVAL
- P07 LANDMARKS
- P08 AI-OFF
- P09 TVS
- P10 OPERATIONS

ECOSYSTEM RELATIONSHIP MAP / NOT TO SCALE

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

SOLID=PRIMARY CARRIER; OPEN DOT=SUPPORT OR UNVERIFIED. RIGHTS + OPERATING RESPONSIBILITY UNLOCK EVERY RELATIONSHIP.

Cross Only with Cause


Real cross streets, legal crossings, civic nodes, and continuous logistics determine every handoff.

04 / PUBLIC GROUND SYSTEM

THE PARK IS CIVIC GROUND, NOT A DISPLAY STRIP

JINGZHANG RE:FRONT / CONCEPT DESIGN

Ordinary movement, accessibility, blue-green performance and logistics continuity come first; refronting and AI occupy only residual, recoverable space.




FOUR LINES THAT DISPLAY CANNOT DISPLACE

- 01** ——— **ORDINARY MOVEMENT**
WIDTH · HOURS · CAPACITY ≥ BASELINE
- 02** - - - - - **ACCESSIBILITY + STAFFED HELP**
VERIFY SEGMENT BY SEGMENT; STATIC + STAFFED ROUTES REMAIN
- 03** ——— **BLUE-GREEN + DAILY CARE**
ZERO TREE-REMOVAL PROPOSAL; CANOPY, INFILTRATION, DRAINAGE + CARE DO NOT DECLINE
- 04** - - - - - **FIRE, LOADING, WASTE + MAINTENANCE**
ALL VERIFIED NECESSARY ENDPOINTS REMAIN 100% ACCESSIBLE

S2 / SHUANGQING ROAD: ONE HANDOFF TEST

EAST LANDING UNVERIFIED



HANDOFF ONLY AFTER LEGAL LANDING + CONTINUOUS ACCESSIBILITY + ORDINARY MOVEMENT + RIGHTS/FIRE ALL PASS.

CORRIDOR TYPE 1:18,000 + S2 INSET TYPE 1:4,000 · NORTH UP

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

FOUR LINES ARE CONCEPTUAL SYSTEM GRAMMAR; S2 EAST LANDINGS ARE CONDITIONAL., NOT A CLAIMED CONNECTION

S2 EASTWARD LEGAL LANDING IS UNVERIFIED: SHOW THE TEST; CLAIM NO NEW THROUGH-ROUTE.

One Civic Spine, Three Fronts

Research, campus-city, and station-city fronts use one comparison scale without copying one form.


03 / THREE FRONTS

THREE CONFLICTS, THREE RE:FRONT TYPES

JINGZHANG RE:FRONT / CONCEPT DESIGN

At one scale, each area pairs its conflict with a spatial action, accountable decision and stop condition.

01 ZHONGZHIYUAN
RESEARCH RE:FRONT



- CONFLICT

Research should be legible to the public without crossing laboratory, IP or operational boundaries.
- SPATIAL ACTION


Form a staffed public arcade at a verified entrance; observation stays in front while research and maintenance remain behind.
- KIT / DECISION

Research arcade + staffed explanation + open-research marker; research, IP and operations decide.
- STOP CONDITION

Stop if entrance, rights or front/back separation is unverified, ordinary movement is reduced, or no staff is present.

Boundary, entrance and research front/back line remain to be verified.

02 AI ORIGIN
CAMPUS-CITY RE:FRONT



- CONFLICT

Innovation, care, civic service, parking/drop-off, fire access and logistics compete for one park edge.
- SPATIAL ACTION

Share the IF-01 frontage, keep IF-02 staffed, and hand off at S2 only after a legal east landing is proven.
- KIT / DECISION

Two anchors + one test, ground-floor frontier and public archive; operations, care, fire and community staff decide.
- STOP CONDITION

Stop if the ground floor cannot open lawfully, parking/fire conflicts remain, service becomes AI-only, or S2 stays NO-LINK.

PROV-KEY-002 and real A/RF-06 are offset; no silent relocation.

03 DAZHONGSI
STATION-CITY RE:FRONT



- CONFLICT

Station arrival, interchange, accessibility, civic service and commuting need one legible ground.
- SPATIAL ACTION

Use a static arrival grammar to connect verified exits, staffed help, pauses and ground-floor services without inventing transport works.
- KIT / DECISION

Ground arrival system + arrival marker + non-digital kit; transport, accessibility, culture and operations decide.
- STOP CONDITION

Stop if exits or routes are unverified, static alternatives are missing, or evacuation, transit, drop-off or movement is impaired.

PROV-KEY-003 is offset from the real station; rebind when official geometry arrives.

COMMON WINDOW = 1.7 km × 1.7 km · TYPE 1:10,000 · NORTH UP

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

PALE DASH=REPOSITORY PROVISIONAL CONSTRAINT; ALL ACTIONS ARE PARAMETRIC CONCEPT PROPOSALS

ALL THREE POLYGONS ARE PROVISIONAL, NOT OFFICIAL BOUNDARIES. THE DAZHONGSI MISMATCH IS APPROX. 1.7 KM (PROVISIONAL-GEOMETRY CALCULATION).

Make Research Visible, Without Crossing the Boundary

Zhongzhiyuan pairs public observation and staffed explanation with a controlled research back line.



- A verified public entrance and shared ground floor establish one civic address.
- Reviewed samples, a research directory, and staffed explanation create an observable porch.
- Controlled labs, sample movement, maintenance, and research security retain an independent back line.
- Under-bridge or riverside hardscape waits for flood, bridge, fire, and maintenance review.

Two Anchors, One Test: AI Origin Re:Front Demonstrator

IF-01, IF-02, and S2 test whether ground floors, forecourts, park, and logistics can coexist.


06 / AI ORIGIN MASTERPLAN

TWO ANCHORS, ONE TEST: AI ORIGIN RE:FRONT DEMONSTRATOR

JINGZHANG RE:FRONT / CONCEPT DESIGN

IF-01, IF-02 and S2 test whether ground floors, forecourts, ordinary park passage and logistics can coexist.

PRIMARY FRONT
EAST CANDIDATE



TWO-FRAME DISCLOSURE

- FRAME MISMATCH REAL OSM A/RF-06 DOES NOT INTERSECT REPOSITORY PROV-KEY-002; MINIMUM OFFSET IS ABOUT 580 m. THIS DRAWING USES THE REAL OSM RESEARCH FRAME.
- ENGINEERING LOCK DOORS, STRUCTURAL GRID, PARKING STATUS, PROPERTY, FIRE, DROP-OFF, LOGISTICS AND ENGINEERING BOUNDARIES.



- IF-01: innovation, care, parking, drop-off, fire access, and logistics coexist; care and safety always take priority.
- IF-02: staffed civic service and human governance; never an AI showroom.
- S2: a western cross-street clue is visible; the legal eastward landing is unknown, so no new through-route is claimed.
- The real RF-06/A study window and provisional PROV-KEY-002 are misaligned and disclosed side by side.

Ground-Floor Frontier Band—Logistics Repositioning

One structural bay is only a parametric cap; doors, grid, fire, parking, and rights remain dashed or alternative until verified.


07 / GROUND-FLOOR INTERFACE

GROUND-FLOOR INTERFACE STRATEGY: PUBLIC THRESHOLD AND LOGISTICS REPOSITIONING

JINGZHANG RE:FRONT / CONCEPT DESIGN


Building outlines come from frozen OSM. Unverified rooms, grids and doors are not drawn; frontier depth remains variable.

IF-01 MEET AT THE FRONT; KEEP THE BACK RUNNING



D's ground floor has evidence of innovation events and a clinic; B/C are OSM-mapped. A duplicate C footprint remains C?. Release P? only after replacement parking, drop-off, fire access and drainage pass.

IF-02 PEOPLE REMAIN PRESENT



No. 27 is a staffed public-service and human-governance anchor, not an AI showroom. Verify the clinic building, park-facing door, medical waste/emergency route, residential access and fire route.

TWO TYPE WINDOWS ≈ 1:500 CONCEPT RELATION · NORTH UP · 50 m BAR

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

HATCH = FRONTIER CANDIDATE; P? = PARKING/HARDSTAND TO VERIFY; BLUE DASH = LOGISTICS PRINCIPLE

Meet at the Front; Keep the Back Line Running

Innovation activity and care share a frontier while drop-off, fire access, and logistics remain continuous.

08 / IF-01 TYPE SECTION


MEET AT THE FRONT, KEEP THE BACK RUNNING

JINGZHANG RE:FRONT / CONCEPT DESIGN

Innovation, clinic, drop-off, fire access and logistics share one ground-floor edge, but never share essential safety routes.


EXISTING

MAPPED BUILDING OUTLINE / GROUND FLOOR AND WIDTH UNVERIFIED




L / 0-1 YEAR

REMOVABLE WAYFINDING + STAFF DESK + PRINTED TIMETABLE



M / CONCEPT 60

CONDITIONAL GROUND-FLOOR FRONT + FORECOURT THRESHOLD



TYPE SECTION $\approx$ 1:500 CONCEPT RELATION - HORIZONTAL REFERENCE ONLY - NORTH N/A

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

VERIFY DOORS, GRID, CLINIC EMERGENCY, FIRE ACCESS, PARKING AND LOADING; C? IS AN OSM NAME CONFLICT

People Remain Present

A staffed public-service and human-governance anchor, never an AI showroom.

09 / IF-02 TYPE SECTION

PEOPLE REMAIN PRESENT

JINGZHANG RE:FRONT / CONCEPT DESIGN

Public service and human governance come before AI display; refusing AI does not reduce civic or medical service.

EXISTING


MAPPED BUILDING OUTLINE / GROUND FLOOR AND WIDTH UNVERIFIED

L / 0–1 YEAR

REMOVABLE WAYFINDING + STAFF DESK + PRINTED TIMETABLE

M / CONCEPT 60

CONDITIONAL GROUND-FLOOR FRONT + FORECOURT THRESHOLD



TYPE SECTION ≈ 1:500 CONCEPT RELATION · HORIZONTAL REFERENCE ONLY · NORTH N/A

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

VERIFY BUILDING/DOOR, MEDICAL WASTE/EMERGENCY, RESIDENTIAL ACCESS AND FIRE ROUTES; NO AI SHOWROOM

The Handoff Follows a Proven Crossing

Only a transverse connection test is shown until a legal eastward landing is verified.

10 / S2 TYPE SECTION

THE HANDOVER FOLLOWS A PROVEN CROSSING

JINGZHANG RE:FRONT / CONCEPT DESIGN

The front changes side only after a legal east landing, continuous accessibility, ordinary passage, property and fire review all pass.

EXISTING


REAL WEST CROSS STREET / EAST LANDING UNVERIFIED

L / 0–1 YEAR

EXISTING CROSSING INFO + STAFFED ACCESSIBILITY HELP

M / CONCEPT 60

COMPARE Ea / Eb / NO-LINK IF INCOMPLETE



TYPE SECTION ≈ 1:500 CONCEPT RELATION · HORIZONTAL REFERENCE ONLY · NORTH N/A

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

VERIFY SIGNALS, WIDTH/FLOW, EAST LANDING, PROPERTY AND FIRE CONDITIONS; NO NEW LINK IS CLAIMED

Bring Arrival and Service Together on the Ground

Dazhongsi lets station thresholds, interchange, community service, and ordinary park movement share a legible ground.



CONCEPT VISUALIZATION / NOT EXISTING OR APPROVED

- One ground-arrival map first combines finding the exit, park, accessible route, and civic service.
- Static wayfinding, tactile paths, and staffed service form the AI-off baseline.
- A removable civic threshold waits for station egress, bus/drop-off, fire, rights, and accessibility review.
- The provisional key area and the real Dazhongsi anchor are approx. 1.7 km apart (provisional-geometry calculation); official boundary correction is required.

Off-Corridor Coordination Starts with Briefs and Written Negotiation

Five Taskbook-named counterparts become non-physical interfaces—never invented partnerships, data-sharing arrangements, or spatial links.

OFF-CORRIDOR REGIONAL COORDINATION INTERFACES

Connected by briefs, protocols and public records. Five Taskbook–named counterparts remain non–physical interfaces pending written negotiation—not roads, utilities, land control or existing partnerships.

COUNTERPART	PROPOSED TOPIC	NON-PHYSICAL MECHANISM	SUGGESTED ACCOUNTABLE ROLES	SPATIAL / OPERATING CARRIER	RETURN TO TEST	EVIDENCE STATUS
01 BEIWEI COMMUNITY	Accessible civic service + non-digital equivalence	De-identified briefs Accessibility task cards Staffed / AI-off drill records	Community liaisons Service + accessibility leads Data stewards on both sides	IF-02 staffed anchor L-02 archive rack P10 operating table	Test service completion across different digital access; retain reusable task cards	TASKBOOK-NAMED CONCEPT PROPOSAL COUNTERPART UNCONFIRMED WRITTEN NEGOTIATION
02 FUTURE SCIENCE CITY	Public problem to bounded engineering test + exit	Rights-cleared briefs Test protocols Failure / exit reports	R&D + engineering liaisons Operations, safety, access IP + data stewards	P02 Research Forecourt P09 TVS L-01 Open Research Measure	Create reviewable tests; publish success, failure and transfer conditions	TASKBOOK-NAMED CONCEPT PROPOSAL COUNTERPART UNCONFIRMED WRITTEN NEGOTIATION
03 HUAIROU SCIENCE CITY	Measurement, calibration + reviewable evidence	Indicator definitions Calibration / version / provenance Anomaly review	Science-method + environment Operations + data stewards Public editors	SC-07 evidence TVS P09 L-01 Open Research Measure	Improve reviewability; retain transferable calibration templates	TASKBOOK-NAMED CONCEPT PROPOSAL COUNTERPART UNCONFIRMED WRITTEN NEGOTIATION
04 ECONOMIC DEVELOPMENT ZONE	Maintainability, takeover + exit for equipment/logistics	De-identified fault taxonomy Maintenance / rollback / exit Human-takeover records	Equipment + maintenance liaisons Operations, safety, transport Procurement + data stewards	SC-05 logistics TVS P09 P10 operating table	Make maintenance, takeover and removal acceptance conditions; produce an auditable checklist	TASKBOOK SAYS ONLY 'EDZ' EXACT PARTY TBD CONCEPT PROPOSAL WRITTEN NEGOTIATION
05 BEIJING-TIANJIN-HEB EI	Cross-regional reproduction of civic-AI tasks + protocols	Bilingual task cards Shared indicator definitions AI-off / takeover / exit protocols Versioned public results	Local operators Service + planning reviewers Safety, access + data stewards	L-01 + L-02 + L-03 measures P10 operating table Proposed Re:Front Open Week	Comparable public results + explicit transfer limits; publish success, failure and exit	TASKBOOK-NAMED JURISDICTIONS UNCONFIRMED CONCEPT PROPOSAL WRITTEN NEGOTIATION
NEGOTIATION GATE	UNLOCK SEQUENCE NAMED ACCOUNTABLE PERSONS > WRITTEN CONSENT > RIGHTS-CLEARED DATA > PURPOSE + RETENTION > TIME WINDOW > PUBLIC RETURN > HUMAN-EQUIVALENT SERVICE > AI-OFF DRILL > EXIT					

Equivalent Human Routes Come Before AI Enhancement

Research matching, shared timetables, care guidance, and civic service all retain non-digital access.

SC-01

Visible Testing, Without Crossing Research Boundaries

Zhongzhiyuan civic porch



Search only public, rights-cleared projects and expert directories.

Staff confirm every introduction; no lab data. Printed directories remain after shutdown.

SC-02

Care, Innovation, and Maintenance Do Not Compete for One Door

IF-01 / shared timetable TVS



Flag conflicts among care, events, loading, and maintenance windows.

Each lead approves; emergency and fire access always override scheduling.

SC-03

Reach the Right Place Before Adding Intelligence

IF-01 / IF-02




Provide multilingual, large-type, and audio guidance; never diagnose or triage.

Care or service staff decide; fixed signs and phone service remain available.

SC-04

AI Makes It Clear; People Make the Decision

IF-02 staffed service desk



Explain published procedures, translate, and pre-check forms.

Staff review; no eligibility decision and no personal profile.

Test Handover and Exit, Not Spectacle

Low-speed logistics, legal landings, and environmental evidence keep AI inside reviewable tasks.

SC-05

Deliveries Yield; Fire Access Never Waits

Back lines across three areas / TVS



Use verified routes and anonymous aggregate flow to suggest off-peak movement.

Property and fire leads approve; revert to manual delivery on failure.

SC-06

A Connection Is a Proven Act

S2 / station-city arrival



Compare maps, field route checks, and accessibility review.

No legal landing means NO-LINK; delete the connector and retain existing routes.

SC-07

A Screen Does Not Stand in for a Tree

Environmental calibration points / TVS



Flag anomalies in heat, wind, noise, air, and rainwater data.

Professionals interpret; poor data means indeterminate, and low-tech improvements remain after removal.

The Space Still Works with AI Off

Inclusive wayfinding, cultural narration, and event operations return to static, staffed, everyday states.

SC-08

Find the Park Without Opening a Phone

Dazhongsi arrival system



Offer multilingual alternatives only along staff-verified routes.

Static maps, tactile ground, and station staff complete the basic task.

SC-09

The Park Speaks Without Profiling Visitors

Heritage nodes




Create multilingual, age-specific, audio, and text versions from rights-cleared history.

Editors approve; no tracking, and unclear rights mean removal.

SC-10

Events Can Close; Everyday Space Continues

Removable event nodes



Compare clear width, egress, noise, weather, power, and waste conflicts.

Cancel when any baseline fails; remove everything and restore ordinary use.

Four Everyday Journeys Turn Scenarios into City Life

A research forecourt, one day across two anchors, station arrival, and a two-wing open test day probe people—time—space relationships.



Seven People, Seven Questions the Design Cannot Ignore

Personas are not survey statistics; they are a public-interest acceptance checklist.

13 / PERSONAS

SEVEN EVERYDAY LIVES, ONE SHARED ACCEPTANCE SEQUENCE

JINGZHANG RE:FRONT / CONCEPT DESIGN

These personas are not consumer profiles. They test whether ordinary service, human decisions, logistics and accessibility remain intact.

P-01

PROF. LIU

RESEARCH OPERATIONS MANAGER



NEED

OPEN PUBLIC WORK WITHOUT EXPOSING LAB OR MAINTENANCE BOUNDARIES

CHECK

AFTER THE PUBLIC ARCADE CLOSES, CAN RESEARCH AND MAINTENANCE CONTINUE?

P-02

Maya

VISITING DEVELOPER / ENTREPRENEUR



NEED

SEE SOURCES, DATES AND A HUMAN CONTACT

CHECK

COULD AN AI SUGGESTION BE MISTAKEN FOR OFFICIAL ENDORSEMENT?

P-03

MS WANG

OLDER RESIDENT / CLINIC USER



NEED

REACH CARE, SERVICES AND REST WITHOUT A SMARTPHONE

CHECK

WHEN AI STOPS, DOES EQUIVALENT STAFFED SERVICE REMAIN?

P-04

MS ZHOU

COMMUNITY WORKER / HUMAN GOVERNANCE



NEED

REDUCE REPETITIVE EXPLANATION WHILE RETAINING PROFESSIONAL JUDGMENT

CHECK

CAN SHE CORRECT AI OUTPUT AND EXPLAIN IT TO A RESIDENT IMMEDIATELY?

P-05

STUDENT CHEN

COMMUTING STUDENT / CYCLIST



NEED

TAKE THE SHORTEST ROUTE WITHOUT JOINING AN EVENT

CHECK

AT PEAK TIME, DOES ORDINARY PASSAGE STAY AT OR ABOVE BASELINE?

P-06

MR LI

WHEELCHAIR USER / ACCESSIBILITY REVIEWER



NEED

USE A ROUTE VERIFIED SEGMENT BY SEGMENT

CHECK

HAS THE MAPPED CONNECTION BEEN FIELD-VERIFIED?

P-07

MR GAO

PROPERTY / EQUIPMENT / DELIVERY WORKER



NEED

REACH EVERY NECESSARY ENDPOINT AND OVERRIDE SCHEDULING IN EMERGENCIES

CHECK

IF THE SYSTEM FAILS, CAN MAINTENANCE AND WASTE REMOVAL CONTINUE?

PERSONA ACCEPTANCE FRAME / NOT TO SCALE · NORTH N/A

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

SHARED ORDER: NO PHONE → REFUSE AI → HUMAN DECISION → APPEAL → SWITCH OFF → SPACE STILL WORKS

V parallel verification, L removable operations, M concept main scheme, and D long-term possibility.


14 / PHASING BY TRIGGERS

PHASING IS A SEQUENCE OF PROOF, NOT A CALENDAR PROMISE

JINGZHANG RE:FRONT / CONCEPT DESIGN

L is a 0—1 year operating pilot; M is the competition scheme; D is a long—term possibility, not a current commitment.

V PARALLEL VERIFICATION NOW / PARALLEL	L LIGHT OPERATIONS 0–1 YEAR	M MODERATE RE:FRONT 1–3 YEAR REFERENCE	D DEEP POSSIBILITY >3 YEAR / NO COMMITMENT
DOORS, TIMETABLES, FIRE, PARKING, LOGISTICS, TREES, WIDTHS, APPROVED BOUNDARIES	STATIC WAYFINDING, PRINTED TIMETABLE, STAFF DESK, REMOVABLE FURNITURE, SMALL–SCALE DRILLS	VERIFIED GROUND–FLOOR FRONT, FORECOURT THRESHOLD, SEPARATE BACKLINE AND GROUND WAYFINDING	CROSS–BUILDING AND STATION–CITY COORDINATION; STUDY ONLY AFTER FULL STATUTORY REVIEW
UNLOCK	UNLOCK	UNLOCK	UNLOCK
OPERATOR + FIELD RECORD	ORDINARY PASSAGE / FIRE / EQUIVALENT STAFFED ROUTE	PROPERTY + STRUCTURE + FIRE + DRAINAGE + REPLACEMENT PARKING + CLOSED LOGISTICS LOOP	STATUTORY REVIEW + FUNDING + OPERATING ORGANISATION
FALLBACK	FALLBACK	FALLBACK	FALLBACK
REVISE OR REMOVE THE ASSUMPTION	EXIT IF ANY BASELINE FAILS	FALL BACK TO L IF ANY CONDITION FAILS	DO NOT ENTER D WITHOUT REAL PUBLIC VALUE



People Decide; AI Explains and Warns


A proposed Refront Operating Table records cross-boundary conflicts without replacing statutory responsibility.

15 / OPERATIONS + GOVERNANCE

THE RE:FRONT OPERATIONS TABLE MAKES CONFLICTS VISIBLE BEFORE OPENING

JINGZHANG RE:FRONT / CONCEPT DESIGN

THIS IS A PROPOSED COLLABORATION MODEL, NOT AN ESTABLISHED BODY; EACH ACCOUNTABLE PARTY RETAINS FINAL JUDGMENT.



OPERATING MODEL / NOT TO SCALE - NORTH N/A
CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z
GREEN OPEN · AMBER HUMAN-ONLY · RED CLOSE · EXIT REMOVE; AI NEVER REPLACES STATUTORY OR PROFESSIONAL REVIEW

Hold the Baseline, Then Open

Net public space, ordinary movement, ecological performance, and logistics continuity are the first design line.

05 / DESIGN OUTCOMES

FROM UNKNOWN BASELINES TO STOPPABLE OUTCOMES

JINGZHANG RE:FRONT / CONCEPT DESIGN

Research counts are not outcomes. Every public return begins with a baseline/TBD, a design floor, a verification method and a stop condition.

EVIDENCE COVERAGE AUDIT / NOT DESIGN PERFORMANCE		71	29 / 25 / 17	8	1
		A-BUILDING RECORDS	T1 / T2 / T3 OSM TIERS	LEDGER ITEMS LOCKED	PARTIAL CLUES
PUBLIC OUTCOME	BASELINE	DESIGN FLOOR	VERIFY / HUMAN DECISION	STOP CONDITION	
01	NET PUBLIC SPACE	TBD / FIELD	Apost ≥ Abase	SURVEY + OPERATIONS LEDGER	NET AREA DECLINES
02	ORDINARY MOVEMENT	TBD / PEAK	WIDTH·HOURS·CAPACITY ≥ BASE	MOBILITY/FIRE/ACCESS REVIEW	ANY ITEM DECLINES
03	ECOLOGICAL PERFORMANCE	TBD / SEASONAL	ZERO TREE REMOVAL; CANOPY/INFILTRATION/DRAINAGE ≥ BASE	TREE + DRAINAGE BASELINE	TREE REMOVAL OR DECLINE
04	NECESSARY ENDPOINTS	TBD / ROUTES	100% VERIFIED	VERIFY FIRE/LOADING/WASTE/MAINTENANCE	ANY ENDPOINT LOST
05	EQUIVALENT HUMAN SERVICE	TBD / ROSTER	100% AVAILABLE	SERVICE OWNER + ROSTER CHECK	AI-ONLY OR NO TAKEOVER
06	SIX GOVERNANCE INTERFACES	0 / REGISTER	6 / 6 ACTIVE	EXPLAIN/REFUSE/APPEAL/HUMAN/OFF/EXIT	ANY INTERFACE MISSING
07	AI-OFF DRILL	0 / DRILL	100% PASS	PRE-OPEN DRILL + LIVE CHECK	TAKEOVER FAILS
08	EXIT + RECOVERY	TBD / OWNER	100% LEDGER	SIGN OFF ASSET/ACCOUNT/DATA/SITE	NO OWNER OR RECOVERY RESOURCE
09	INFORMATION VALIDITY	TBD / VERSION	100% VERIFIED	SOURCE/DATE/OWNER/EXPIRY ALERT	UNVERIFIED/EXPIRED/UNSOURCED
10	PUBLIC RETURN EVIDENCE	TBD / PURPOSE	1 PUBLIC RECORD / PILOT	PUBLISH PURPOSE/RESULT/FAILURE/CORRECTION/EXIT	PROMOTION ONLY OR NO PUBLIC RETURN

PROFESSIONAL UNLOCK SEQUENCE

- Obtain official boundaries, statutory planning, rights, and existing-condition records.
- Complete joint structure/MEP, fire, care, transport/parking, accessibility, ecology, drainage/utilities, and operating review.
- Recalculate public space, movement, ecology, and logistics ledgers from measured baselines.
- Downgrade, revise, or delete any proposal when a discipline disproves a core assumption.

DESIGN COMMITMENT

Every action is a conceptual recommendation, reference scheme, or professional-development trigger. No rights, fire, structure, as-built drawing, official boundary, or implementation approval is claimed.

OUTCOME LEDGER / BASELINE ⓧ FLOOR ⓧ VERIFY ⓧ STOP

CONCEPT DESIGN MAY PROCEED / ENGINEERING REQUIRES PROFESSIONAL VERIFICATION

OSM © CONTRIBUTORS, ODbL 1.0 · SNAPSHOT 2026-08-28T14:20:06Z

REPLACE EVERY TBD WITH FIELD, AS-BUILT OR PROFESSIONAL RECORDS; NO ENGINEERING STARTS WITHOUT A BASELINE