


FIGURE 01 OVERALL URBAN STRUCTURE

Jing-Zhang Noonline SLA
43.6 km² research relation → c. 11.4 km² design area → three zones, two wings

V4 / CONCEPT

COORDINATED RELATION, NOT AN OFFICIAL REDLINE



Jing-Zhang c. 9 km linear corridor
Publicly supported strategic context
Not drawn as an exact boundary or existing track

PHYSICAL CONNECTION

INTELLIGENT CONNECTION | CONCEPT

RESILIENT CONNECTION | AI-OFF

EVIDENCE LANGUAGE

- Solid | publicly supported context
- Coral dash | conceptual intervention
- Grey dash | provisional relation
- Gold point | field verification required
- Purple hatch | professional study required

ZHONGGUANCUN SERVICE WING

professional services, translation and governance

CONCEPT

does not duplicate the three prototypes

XIAOYUE RIVER SCENARIO WING

ecology, daily scenarios and public feedback

CONCEPT

requires ecology and engineering study

REVERSIBLE RESEARCH-TO-CITY LOOP



Zhongzhiyuan | research and validation
AI Origin | explanation and feedback
Dazhongsi | use and daily observation
Governance | returns to iteration

LEVEL 1 | key areas + direct access

LEVEL 2 | inter-zone wayfinding, not continuous SLA


Public sources support the corridor, scope hierarchy and three-zones-two-wings strategy; routes and nodes remain conceptual with field-verification gates.

FIGURE 02 ZHONGZHIYUAN | VALIDATION INTERFACE

Research → Prototype → Test → Validate
No. 106, F01 and F02-2024050111 | conceptual spatial station

V4 / CONCEPT


RESEARCH-TEST INTERFACE: PUBLIC ROUTE PRECEDES ACTIVATION



Test zone, buffer, public edge and human verification are conceptual spatial moves requiring permits, field verification and professional safety study.

SECTION-02 | A TEST EDGE THAT CAN STOP

RELATIVE PROPORTIONS ONLY | NOT A CONSTRUCTION SECTION



FAILURE STATE
Any buffer, permission or responsible-role failure: stop the test; public walking remains usable.

EVIDENCE LANGUAGE


- Solid | publicly supported context
- Coral dash | conceptual intervention
- Grey dash | provisional relation
- Gold point | field verification required
- Purple hatch | professional study required

FIGURE 03 AI ORIGIN | CIVIC KNOWLEDGE ROOM

Understand → Question → Co-create
No. 106, F02/01 and F02-2024050109 | conceptual civic space

V4 / CONCEPT

CIVIC KNOWLEDGE ROOM: CHOICE PRECEDES INTERFACE



ENTER / OPT | AI-OFF
fixed signs provide entry
no personal tracking
opt out of AI, not public space


N06 | JING-ZH | INTERPRETIVE
connection, readable information, maintenance
public responsibility as spatial grammar
heritage location pending verification

F02 / F03 | HUMAN **PROVISIONAL**
enquiry, direction and incident handover
duty periods and access still to be confirmed

N06 is a heritage interpretation point; not an existing relic; entry, staying, lateral links and service periods require field or responsible-party verification.

SECTION-03 | KNOWLEDGE, STAYING, CHOICE

RELATIVE SPATIAL RELATION, NOT EXISTING CONDITION OR BUILD DETAIL



AI-OFF STATE
Physical knowledge line, seating reservation, fixed signs and human help remain usable.

EVIDENCE LANGUAGE


- Solid | publicly supported context
- Coral dash | conceptual intervention
- Grey dash | provisional relation
- Gold point | field verification required
- Purple hatch | professional study required

FIGURE 04 DAZHONGSI | CONCEPT STATION-ARRIVAL INTERFACE

Arrive → Decide → Pause → Enter Daily Life
No. 102, F04/F03 and F04-2024050101 | concept arrival interface

V4 / CONCEPT

RAIL-TO-CITY: THE FIRST MINUTE AFTER ARRIVAL MUST BE READABLE, STAYABLE, HELPPABLE




WHEN CONDITIONS FAIL, THE SYSTEM DOES NOT PRETEND TO BE COMPLETE

- AI-ON**
dynamic assist, no route replacement
- AI-OFF**
fixed signs + human help
- unverified crossing / entry / access**
reroute / downgrade / suspend

Verified context is limited to Dazhongsi Station and published in-station service information; external links, crossings, access and frontage remain concept / pending verification.

SECTION-04 | RAIL-TO-MARKET TRANSITION

CONCEPT ARRIVAL INTERFACE, NOT AN APPROVED STATION-CITY PROJECT



KEY BOUNDARY
External crossing, entry and accessible continuity require field verification; they are never drawn as

EVIDENCE LANGUAGE

- Solid | publicly supported context
- Coral dash | conceptual intervention
- Grey dash | provisional relation
- Gold point | field verification required
- Purple hatch | professional study required

FIGURE 05 SECTION-01-04 | SPACE BEFORE AI

Four relative transverse relationships
No invented dimensions; every physical condition is expressed by its evidence level





FIGURE 06 AI-ON / AI-OFF | URBAN RESILIENCE

Physical space → human responsibility → digital service → AI assistance
When AI withdraws, fixed space and human responsibility retain minimum public service

AI ENHANCES THE CITY. THE CITY MUST STILL WORK WHEN AI DOES NOT.


From AI on to off, service degrades through evidence and responsibility rather than pretending to remain complete.



527The AI-OFF result is a pass for the concept physical network, still limited by field verification of facilities, entry, crossings and duty periods.

FIGURE 07 RESEARCH → CITY → FEEDBACK → ITERATE


A spatial loop from research and validation to public feedback
Every step has space, human responsibility and failure triggers; innovation does not end at display.



SUPPORT 04 METRICS + EVIDENCE CHAIN

Target is not Verified
A traceable boundary from concept geometry and service network to human field verification

METRICS EXPLAIN THE SCHEME; THEY DO NOT HIDE EVIDENCE GAPS.




All counts are derived from submitted concept GeoJSON, not existing-facility inventory. The Engine never treats UNKNOWN / provisional data as satisfied.


FIGURE 08 IMPLEMENTATION CONTROL

V4.1 delivery logic: risk, space and action are reversible, stoppable and human-verifiable

V4.1 / CONCEPT




RB-1 verification / governance RB-2 reversible public interface RB-3 professional + regulated interface



Level 2 Jing-Zhang connector: recognition + heritage sequence; no <=400m SLA claim

04

6 WORK PACKAGES / spatial object, proposed accountable role and failure response



ROLE-01 pilot coordinator | ROLE-02 field verification | ROLE-03 public realm/accessibility | ROLE-04 O&M | ROLE-05 site/station interface | ROLE-06 AI/privacy

All roles are proposed and not appointed; RBs are non-financial resource bands. Provisional boundary, routes, nodes and service conditions are not official boundary, approval, existing condition or field verification.