

What: Link one spine, two tracks, and three stations

Where: Along the Jing-Zhang corridor

Stop: Do not start without approval


Concept proposal

Jing-Zhang · Discovery Line | Planning Figures

FIG-SITE-OVERVIEW

Concept layer · header ornament

One spine, two tracks, three stations — what may change and what must not, all on one sheet.



Three-station relay | duties and scope

Research about 43.6 km² | Design 11.412825 km² | Areas 368.4 ha

01 | Zhongzhiyuan

Calibration and independent retesting

Announced key-area extent 192.1 ha

Duty ends at retesting; it does not replace approval.

02 | AI Origin

Problem intake and human reframing

M01 responsibility station

Responsibility is here; the spatial candidate is elsewhere.

03 | Dazhongsi

Authorized limited first use and exit

M01 spatial candidate

Exact location UNKNOWN

Limited first use begins only after authorization and retains exit.

Status | Known = solid | provisional = dashed

UNKNOWN = text label

Target = responsibility | diamond = spatial candidate

THREE NESTED EXTENTS

43.6 km²

Coordination study

11.4 km²

Overall design

368.4 ha

Three key areas

THREE STATION DUTIES

ZHONGZHI PARK

Calibration and independent retesting

BEIJING AI ORIGIN

Question intake and human judgment

DAZHONGSI

Limited first use after authorization, with exit

PROVISIONAL BOUNDARY | PALE DASH | NOT FOR APPROVAL

Data source: © OpenStreetMap contributors / ODbL 1.0

Public sources: open call notice (2026-05-09);
temporary spatial working base

Generated: 2026-08-26

Base figure: assets/figures/site-overview.en.png | Provisional geometry is not a statutory boundary, approval, or engineering alignment.

02

Figure 2 | 983 Land-Use Polygons Take the Lead

What: Organize 983 land-use polygons
Where: Within the 11.4 km² design area
Stop: Pause until formal base maps arrive

Concept proposal

Jing-Zhang · Discovery Line | Evidence Vector Series

English Edition

Figure 2 | 983 Land-Use Polygons Take the Lead


06-LAND-USE-STRUCTURE

How are land and interfaces organized, and what still cannot be inferred?

Polygon identity wording

Direct Data Output (low-confidence agent-inferred provisional class)

983 source features | Original classes retained in vector attributes | Six groups are visual aggregation only




North–centre–south continuous windows | Same data, scale, and orientation


Six visual groups | Source classes unchanged

- Residential | 424**
Urban residential land
- Education | 117**
Education land
- Industry and commerce | 108**
Retail / business / other commercial services
- Parks and green space | 119**
Parks and green space
- Public services | 30**
Squares / healthcare / culture
- Unassigned and transport | 185**
Unassigned / urban and rural roads

Resource relationships | Conceptual Representation; not assigned to specific plots



Conditional section | Conceptual Representation; no engineering dimensions



Statutory land use, land rights, control lines, actual interface width, and engineering placement: UNKNOWN


Local sources: geometry/land_use.geojson (983 features); key_areas.geojson; proposal.md:80-88,131-141

Evidence boundary: Not approved · Not authorized · Not implemented

The six colors are a reversible visual aggregation and do not change the 12 source-class labels.



AI-generated conceptual image. A continuous light transition expresses a full day on the same street, while human services and the public route remain uninterrupted. The place, facilities, people, and times of day are constructed, not a real operating record. Corresponding call task: “Improve the integrated urban-space system for work, life, social interaction and learning.” (scheme-side translation)



Three-way kerb allocation and second-by-second change: the same kerb segment used at different times for walking, short stops, and loading (AI-generated conceptual illustration)

03

Figure 3 | One Responsibility per Area; a Responsibility Station Is Not a Spatial Location

What: Give the three areas distinct linked roles
Where: From Zhongzhiyuan to Dazhongsi
Stop: No first use until responsibility is accepted

Concept proposal


Jing-Zhang · Discovery Line | Evidence Vector Series

English Edition

Figure 3 | One Responsibility per Area; a Responsibility Station Is Not a Spatial Location

07-KEY-AREAS

How do the three key areas divide responsibility, stop, and restore?




Nine-layer identities 9/9 Buildings / roads: Direct Data Output (low-confidence OpenStreetMap base) | Land use: Direct Data Output (low-confidence agent-inferred provisional class)
Key areas / overall boundary: Direct Data Output (medium-confidence agent-inferred provisional envelopes, not official boundaries) | Phasing: Conceptual Representation (agent-generated design proposal)
Green space / Public Space: Direct Data Output or Conceptual Representation by source | constraints=0: this layer currently has no data; it does not mean the site has no constraints


Local sources: geometry/nine-layer GeoJSON; proposal.md:92-100,110-129

Evidence boundary: Not approved · Not authorized · Not implemented

The three locator maps share the same extent and orientation; Responsibility Stations and Spatial Candidates use different symbols.




AI-generated concept illustration: at dusk on the heritage greenway, a quadruped inspection robot works autonomously along the preserved tracks, its gimbal light marking a loosened fastener while a maintenance worker verifies on a handheld terminal from the path.



An older adult with white hair, accompanied by a younger person, crosses a removable pad over the heritage rails perpendicular to the park path. Farther along the same pair of rails, a recorder measures the rail-level difference at an unpadded segment, showing “passable / still a barrier / independently retested” in one frame. The slender foreground post is a trial stop post with an industrial mushroom emergency-stop button, not fire equipment. Corresponding call task: “Focus on breaks in the park” s slow-mobility system and propose innovative solutions for optimizing the transport system.” (scheme-side translation) Disclosure: AI-generated conceptual image. The small sign on the stop post is generated pseudo-text. Field level differences, safety dimensions, slope, materials, load capacity, slip resistance, location, approval, and operations responsibility are UNKNOWN and require accessibility, heritage, and operations review.

What: Link walking, blue-green space, and the public spine
Where: Along the heritage-park vitality belt
Stop: Switch AI off if human takeover fails

Concept proposal



FOUR LAYERS, ONE BASE

WALKING NETWORK

Continuous passage and UNKNOWN breaks

TRANSIT TOUCHPOINTS

Locations require field and transport review

BLUE-GREEN SPINE

Water, green space, and stations share a public frame

HERITAGE-PARK BELT

Relationship between retained railway heritage and activity nodes

CANDIDATE LINKS | NOT ROAD ENGINEERING ALIGNMENTS

Base figure: assets/figures/mobility-bluegreen.en.png | Locations are candidate or pending verification and do not indicate approved construction.

05

AI ON / OFF: What disappears, and what remains?

What: Show what changes when AI is removed
Where: Across all ten scenario cards
Stop: Switch AI off if human takeover fails

Concept proposal

Jing-Zhang • Discovery Line | Evidence Figure V14

AI ON / OFF: What disappears, and what remains?

One working base, one-variable comparison | Remove AI only; retain public services, Human Decision, stopping, and restoration

Not approved • Not authorized • Not implemented



Shared nine-layer base | 9 / 9 layer identities | 3,398 identical-source features on each side

01 buildings • 1699 Direct Data Output Low-confidence OSM base data	02 constraints • 0 Direct Data Output 0-feature sentinel; not evidence of no site constraints	03 green_space • 124 Per feature OSM Direct Data Output / agent-designed Conceptual Representation
04 key_areas • 3 Direct Data Output Medium-confidence provisional envelope; official_boundary=false	05 land_use • 983 Direct Data Output Low-confidence agent-inferred provisional functional class	06 phasing • 4 Conceptual Representation Agent-generated design proposal
07 public_space • 20 Per feature OSM Direct Data Output / agent-designed Conceptual Representation	08 roads • 564 Direct Data Output Low-confidence OSM centreline; not a red line or section	09 site_boundary • 1 Direct Data Output Medium-confidence agent-inferred provisional boundary


Keep UNKNOWN unfilled | constraints=0 means only that this layer currently has no data; it does not mean the site has no constraints

Public source: packaged geometry/ nine-layer GeoJSON | Working evidence only; not a statutory boundary, regulatory plan, land-rights record, survey, or engineering alignment

Planning Figure | English



AI-generated conceptual image. Constructed people use a holographic city model by voice and gesture; the human desk and physical stop switch remain equal to AI. The place, people, facilities, and process are conceptual, not built or operating facilities. Corresponding call task: “Improve the functions for showcasing and releasing results, and for residential and everyday-life support.” (scheme-side translation)



In a bright, double-height modern Chinese service hall, middle-aged and older people point to agent screens while staff explain printed forms item by item. Lightweight terminals stand on quick-release flanges; citizens continue to use full-capacity human service windows and seating. A registration plaque wall, retirement covers, a desk-side emergency stop, and a responsibility notice place agents within an accountable, pausable, and withdrawable public-service mechanism. Corresponding call task: “Focus on AI-native and AI+ convergence-enabled new business formats, including agents, intelligent terminals and content consumption.” (scheme-side translation) Disclosure: AI-generated conceptual image. Screens, plaques, and responsibility notices contain pseudo-interfaces or pseudo-text. The hall, terminals, posts, processes, responsible entity, location, quantity, versions, and retirement arrangements are conceptual or UNKNOWN and do not indicate construction or authorized operation.

What: Compare four states of one kerbside
Where: At the same M01 kerbside
Stop: Do not test until responsibility is accepted


Concept proposal

Jing-Zhang · Discovery Line | Dazhongsi M01

V03 | Four States of One M01 Conceptual Kerbside

Planning Figure | English

Deterministic vector drawing | Not to scale | Conceptual Representation



One-variable rule | Base, non-AI route, human service, loading, and buffer remain; only the removable element state changes

Daily: slot empty → First use: element inserted and on → Human Takeover: same element off → Restoration: element removed and surface repaired

Design Assumption | Human / AI shared service 1.5–2.0m (includes AI 1.2–1.5m)


Design Assumption | Loading / static 2.5–3.0m; loading safety buffer 0.5–0.8m

Standard-Based Conditional Value | Parking-cycle buffer recommended ≥0.5m only where the clause conditions apply | Standard extract:1342–1344

Clear-footway road class undecided; no width in Clause 4.6.1 is preselected or added into a road red line | Standard entry:771–782

Daily Baseline | Human baseline

Same base



Only change in this panel | Removable-element slot remains empty


Fixed loading, static parking, and human guidance operate independently.

• Kerbside plan / facilities / mini-section | Conceptual Representation • Continuous non-AI route / permanent human service | Conceptual Representation

Location / road-use authority / responsible entity UNKNOWN

Human Takeover | AI OFF

Same base



Only change in this panel | Same element switches from ON to OFF


AI stops; permanent human service and the continuous non-AI route remain uninterrupted.

• Kerbside plan / facilities / mini-section | Conceptual Representation • Continuous non-AI route / permanent human service | Conceptual Representation

Location / road-use authority / responsible entity UNKNOWN

First Use | Limited activation

Same base



Only change in this panel | Removable element inserted into the shared-service strip


Human confirmation and emergency stop remain; the removable element stays outside the clear footway.

• Kerbside plan / facilities / mini-section | Conceptual Representation • Continuous non-AI route / permanent human service | Conceptual Representation

Location / road-use authority / responsible entity UNKNOWN

Restoration | Remove and repeat walk

Same base



Only change in this panel | Element removed and slot surface restored

Restore the prior state and non-AI timetable, then have real users repeat the walk.

• Kerbside plan / facilities / mini-section | Conceptual Representation • Continuous non-AI route / permanent human service | Conceptual Representation

Location / road-use authority / responsible entity UNKNOWN

UNKNOWN list | Do not fill

M01 exact location, road class, formal red line, road-use authority, survey, levels, utilities, vehicle envelope, fire conditions, responsible entity, and authorized time window

Locator-map evidence boundary

Only the road centreline is Direct Data Output; the observation window, section line, and all kerbside content are Conceptual Representation

Not approved · Not authorized · Not implemented

Public basis | DB11/T 1116—2024 extracts: 771–782, 1342–1344 | Design assumptions

A road centreline cannot establish the kerb, red line, or section width



AI-generated conceptual image. One block is cut open: everyday life remains at ground level, human service stays inside the shop, and a crane removes an arrow-screen AI component in mid-air; only credible municipal utilities appear below ground. Buildings, components, people, and underground layers are conceptual and do not represent real levels, utilities, or construction conditions. Corresponding call task: “Explore development models and implementation pathways for integrating new AI-industry service facilities—such as distributed energy and edge computing—with the three traditional facility systems.” (scheme-side translation)

What: Count failures in the retest ledger
Where: Across ten cards and six gates
Stop: Downgrade the line if any card fails retesting

Concept proposal

Figure 5 | Ten-card key-metric overview
Key metrics and evidence state; full responsibility chain in the paired detail.

Not approved • Not authorized • Not implemented

G01 Dual-entry question-translation desk for stated and unstated needs

Human-confirmed translation completeness; denominator includes returns and unclassifiable requests

UNKNOWN | NOT MEASURED

R01 Evidence Chain for breaks in road responsibility

Responsibility-query closure; denominator includes returns, conflicts, and requests with no receiver

UNKNOWN | NOT MEASURED

M01 Person-vehicle-machine kerbside timetable

Complete kerb-task success; denominator includes every authorized attempt and all failures

UNKNOWN | NOT MEASURED | PRIORITY CANDIDATE | SOLE DEEP CHAIN

H02 Hospital micro-city process sandbox

Desktop conflict discovery and human confirmation; never field effectiveness

UNKNOWN | NOT MEASURED

C01 Dazhongsi everyday-supply reconnaissance

Verified-supply and conflict-receipt completeness; denominator includes refusals and unverified entries

UNKNOWN | NOT MEASURED

W01 Xiaoyue River cross-season heat-water-access retest window

Protocol completeness across authorized sampling sessions

UNKNOWN | NOT MEASURED | PRIORITY CANDIDATE

R02 All-ages access work order-repeat walk

Complete-task success and slowest-group time; denominator includes stops and failed human assistance

UNKNOWN | NOT MEASURED

H01 Pre-visit public-service chain for “one less trip”

Human-handover success and steps avoided; denominator includes failed transfers and stale information

UNKNOWN | NOT MEASURED

E01 AI Origin one-kilometre urban science class

Protocol understanding and error-explanation completion; denominator includes exits and non-completion


UNKNOWN | NOT MEASURED

C02 Four-period AI first-use pilot and quiet-use feedback

Non-AI task completion; denominator includes refusals and closures

UNKNOWN | NOT MEASURED | PRIORITY CANDIDATE

Sources: structured ten-card candidates and metrics.json | No field result has been measured; UNKNOWN never means zero.



AI-generated conceptual image. On step-free shared paving, a small-vehicle fleet handles loading while people load, verify, and dispatch beside it and pedestrians continue to pass. The place, vehicles, people, deployment, and operating status are conceptual. Corresponding call task: “Improve static transport organization, including non-motorized-vehicle parking.” (scheme-side translation) We must also avoid reading “complete” at the machine gate as if professional design development were finished—the former only means that the evidence chain satisfies the current gate; professional spatial development still awaits continuation by a qualified team.

What: Match each open-call task to a response
Where: Across two tracks, three stations, and ten cards
Stop: Wait for all authorization conditions before use

Concept proposal

Jing-Zhang · Discovery Line | Planning Evidence Figure

Planning Figure | English

Taskbook Crosswalk | What is answered, and what is still missing?

05-TASK-BRIEF-CROSSWALK

How does the taskbook map to objects, evidence, and the next discipline?


Taskbook source	Proposal-response source	A response is not implementation		
Corresponding entries in the public open-call taskbook	Corresponding sections of the proposal			
Taskbook Summary	Response Object ID	Evidence File	Gap	Responsible Discipline
A walking, cycling, and green-space system continuous north-south and connected east-west; address breaks in walking and cycling	R02 / W01 / C02	Road, green-space, and Public Space working base; proposal transport section	Formal road red lines, accessibility continuity, east-west interfaces, ecology, and municipal conditions are all UNKNOWN	Transport Landscape Municipal Accessibility
Detailed design of three areas: industrial functions, development scale, retain-renoate-demolish, transport organization, and Public Space connectivity	W01 / R02 ->M01 / C02	Key-area, land-use, and building working base; proposal key-area section	Exact boundaries, land rights, building appraisal, capacity, fire safety, and engineering details are all UNKNOWN	Planning Architecture Transport Landscape Operations
Improve integration at Dazhongsi rail-transit station and connections to key plots	R02 ->M01	Phasing and road working base; proposal Dazhongsi section	M01 exact location, rail interface, road-use authority, formal station-area boundary, and authorization are all UNKNOWN	Rail Transit Urban Design Asset and Land Rights
Four-quadrant pedestrian connections at the Dazhongsi metro-station junction	R02 / M01	Road and key-area working base; proposal kerbside section	Existing-condition survey, crossing signals, fire safety, accessibility, and pedestrian-flow baselines for all four quadrants are all UNKNOWN	Transport Accessibility Fire Safety Survey
Improve static-transport organization, including cycle parking	M01	Proposal transport section; phasing working base	Vehicle envelope, loading demand, authorized time window, maintenance responsibility, and restoration cost are all UNKNOWN	Transport Operations Assets Cost Review

Status	Existing object IDs and local evidence support further development; road-use authority, red lines, fire safety, responsible entities, and authorized time windows remain unresolved. Not approved · Not authorized · Not implemented A taskbook requirement does not become a completed fact by appearing in this figure.
--------	--

Public sources: corresponding taskbook entries; proposal sections; packaged nine-layer GeoJSON

Evidence boundary: Not approved · Not authorized · Not implemented

Provisional geometry is not a basis for statutory red lines, approval, or engineering placement.



AI-generated concept illustration: a retired humanoid robot stands on a roadside maintenance rack as a technician removes an arm module; maintenance and retirement records stay in public view as residents browse blank archive slabs at the roadside cabinet.