




JINGZHANG LIFE-LINE / FORMAL URBAN DESIGN PROPOSAL

GRACEFUL DEGRADATION IS URBAN DESIGN

Urban resilience is not a back-office dashboard. It is a public space that remains legible, walkable and staffed when networks fail.

01

EXTREME HEAT

shade · water · staffed care

02

STORMWATER

verified accessible detours

03

POWER / NETWORK LOSS

offline kits · manual queue

04

MODEL / CROWD ANOMALY

pause · handover · rollback

11.41 km²

provisional overall-design area

9.66 km


continuous service spine


12

scenario contracts

100%


manual-equivalent design





ONE LINE · THREE STATIONS · SIX SEAMS · TWO WINGS

A topology-complete study model - not statutory land use.



BOARD 02

Overall urban design and land-use structure

Three scopes share one operational protocol, but use different evidence depth.

43.6

km² coordinated research

11.41

km² provisional overall design

368.4

ha announced key areas

09

Continuity supply

0702

Public care

0802

Research testing

1401

Park green

0803

Railway memory

1207

Mobility interface

1

Continuous care spine

Slow mobility, shade, offline guidance and visible staffed help.

3

Resilience stations

Distinct spatial prototypes for test, care and continuity.

6

Verification seams


Entrances, slopes, crossings, light, shade and opening time.


2

Wing interfaces

Technology service and Xiaoyuehe scenario exchange.

EVIDENCE BEFORE EXPANSION






THREE RESILIENCE STATIONS

Space, operation, failure and human authority on one board.


v1.5.0

01 Zhongzhiyuan Resilience Test Yard

Failure injection / robot safety / human handover



FAILURE LADDER




FOUR SPATIAL COMPONENTS

- 1 isolated failure injection
- 2 robot safety court
- 3 human handover room
- 4 public failure archive

PROTOTYPE - location and dimensions require professional review

02 AI Origin Public Care Station

Heat refuge / offline service / account-free desk



FAILURE LADDER




FOUR SPATIAL COMPONENTS

- 1 heat refuge and water
- 2 account-free staffed desk
- 3 offline service kit
- 4 accessible rest loop

PROTOTYPE - location and dimensions require professional review

03 Dazhongsi Continuity Depot

Supply relay / crowd shedding / business continuity



FAILURE LADDER



FOUR SPATIAL COMPONENTS

- 1 bounded supply relay
- 2 crowd-load shedding
- 3 small-business continuity
- 4 manual dispatch desk

PROTOTYPE - location and dimensions require professional review

12 SCENARIO CONTRACTS · EVERY DIGITAL PATH HAS A MANUAL OR ACCOUNT-FREE EQUIVALENT

S01 Heat care

shade · water · staffed

MANUAL

S02 Rain detour

static map · broadcast

MANUAL

S03 Blackout service

battery · paper · queue

MANUAL

S04 Crowd shedding

zoning · staffed entry

MANUAL

S05 Low-speed relay

bounded lane · handover

MANUAL

S06 Anomaly inspection

isolate · review · stop

MANUAL

S07 Twin fault

return to trusted state

MANUAL

S08 Model drift

threshold → human

MANUAL

S09 Multilingual

graphic signs · staffed

MANUAL

S10 Privacy check-in

account-free equivalent

MANUAL

S11 Heritage guide

offline text · guide



MANUAL

S12 Business continuity

manual dispatch · receipt

MANUAL

COMMON STOP RULE: stale source · uncertain data · missing operator · unsafe site → degrade / stop



9.66 km audit spine - not a new road redline

SERVICE STATES

Graceful-degradation service states

Technology steps down before people lose the service.

01

NORMAL

networked guidance · sensing · booking

02

DEGRADED

battery · cache · static rules · manual queue

03

MINIMUM SAFE

visible exits · staffed broadcast · risky devices stopped

CORE METRICS

29.6%

concept green ratio

17.7%

concept public-space ratio

12

scenario contracts

100%

manual-equivalent coverage

EVIDENCE-GATED IMPLEMENTATION

0-18 mo

audit · field checks · reversible pilots

18-36 mo

three-station integration after review

36-72 mo

scale / change / stop by evidence

NO NAMED OPERATOR + NO COMPLAINT PATH + NO LOGGED STOP TEST = NO EXPANSION

REGIONAL SYNERGY INTERFACES: EXCHANGE, ENTRY GATES AND STOP RULES

These are auditable open interfaces, not confirmed cooperation, funding, data access, procurement or institutional commitments. Each interface activates only after authorization, responsibility, cost and exit conditions are agreed.

INTERNAL LIFE-LINE LOOP: ZHONGZHIYUAN (FIND FAILURE) → AI ORIGIN (VERIFY PUBLIC VALUE) → DAZHONGSI (VERIFY CONTINUITY) → EVIDENCE RETURNS

1	BEIWEI / BFSU-RELATED COMMUNITIES Multilingual public service, youth volunteers, community feedback, accessibility walks	EXCHANGE Multilingual public service, youth volunteers, community feedback, accessibility walks	MECHANISM Issue a community task brief from the AI Origin station; exchange only anonymized problem lists and public service information.	EVIDENCE / GATE Evidence: named by the taskbook; boundary and counterpart remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: community partner + public service seats. No collection, publication or siting without authorization.
2	FUTURE SCIENCE CITY Energy AI, life-health research and campus continuity testing methods	EXCHANGE Energy AI, life-health research and campus continuity testing methods	MECHANISM Publish reproducible protocols from Zhongzhiyuan; counterparts may voluntarily contribute interface samples or failure cases under a separate agreement.	EVIDENCE / GATE Evidence: regional-synergy direction only; no project, budget or data commitment.	OWNER / NON-COMMITMENT Suggested owner: technology-safety seat. No connection before data, procurement and safety review.
3	HUAIROU SCIENCE CITY Basic research, major-facility resilience, trusted measurement and verification	EXCHANGE Basic research, major-facility resilience, trusted measurement and verification	MECHANISM Use joint “question-method-evidence” research interfaces; do not duplicate major scientific facilities inside the corridor.	EVIDENCE / GATE Evidence: regional-synergy direction; specific institutions and studies remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: independent observer + professional review. Never portray a research link as signed.
4	BEIJING E-TOWN / YIZHUANG Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	EXCHANGE Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	MECHANISM The south station can export bounded scenarios and failure logs; E-Town may return device improvement and maintenance evidence under a separate agreement.	EVIDENCE / GATE Evidence: algorithm/scenario-manufacturing complementarity hypothesis; no procurement or attraction decision.	OWNER / NON-COMMITMENT Suggested owner: operations + safety seats. No public-road operation before road, insurance, service and liability clearance.
5	BEIJING-TIANJIN-HEBEI / ZHANGJIAKOU Green compute, disruption-response experience, standards interoperability and talent exchange	EXCHANGE Green compute, disruption-response experience, standards interoperability and talent exchange	MECHANISM Maintain an auditable compute/service-continuity interface list at Dazhongsi, limited to service levels and recovery evidence.	EVIDENCE / GATE Evidence: corridor-synergy concept; cross-region governance, energy and network protocols remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: standards/compliance seat. No land, investment or construction assignment outside the design scope.

COMMON STOP RULE: without verifiable authorization, minimum data, named responsibility, cost/maintenance, complaint and exit mechanisms, the interface remains NOT ACTIVATED.

THREE RESILIENCE STATIONS: IMPLEMENTATION HANDOVER DIAGRAMS

All geometry remains provisional. The diagrams define relationships, responsibility and stop boundaries - not parcel dimensions, road redlines or approval precision.

PUBLIC FLOW STEP-FREE PATH LOGISTICS/SERVICE STOP / ISOLATION

NORTH RESILIENCE TEST YARD

Find, contain and document failure before public release.

The diagram for the North Resilience Test Yard is enclosed in a red 'STOP BOUNDARY'. It features a blue 'PUBLIC FLOW' path starting from a 'PUBLIC IN' point on the left, passing through 'CELL A S06 INSPECTION' and 'CELL B S07 TWIN', then to 'PUBLIC OBSERVATION' and 'FAILURE ARCHIVE'. A green 'STEP-FREE PATH' leads from 'CELL B S07 TWIN' through 'CELL C S08 DRIFT' to an 'ACCESSIBLE EXIT' at the bottom. An orange 'LOGISTICS/SERVICE' path starts at a 'SERVICE GATE' on the right, goes through an 'ISOLATED TEST LANE', and ends at a 'PHYSICAL E-STOP'. A light green 'HUMAN TAKEOVER COURT' is also shown. A blue arrow points from 'PUBLIC OBSERVATION' to 'FAILURE ARCHIVE'.

SCENARIOS: S06 anomaly inspection · S07 twin failure injection · S08 drift takeover · S05 pre-road logistics test

STOP: any production connection, failed e-stop, absent observer/audit, or public-logistics mixing.

MIDDLE AI ORIGIN PUBLIC CARE STATION

Equivalent service without a smartphone or account.

The diagram for the Middle AI Origin Public Care Station is enclosed in a red 'STOP BOUNDARY'. It features a blue 'PUBLIC FLOW' path starting from a 'PUBLIC IN' point on the left, passing through 'PUBLIC PORCH' and 'VISIBLE HUMAN WINDOW', then to 'HUMAN REFERRAL'. A green 'STEP-FREE PATH' leads from 'VISIBLE HUMAN WINDOW' to an 'ACCESSIBLE EXIT' at the bottom. An orange 'LOGISTICS/SERVICE' path starts at a 'SERVICE GATE' on the right, goes through an 'OFFLINE SERVICE CABINET' and a 'QUIET REFERENCE ZONE'. Other areas include 'WATER / CHARGING', 'BATTERY BROADCAST', and 'CLIMATE SHELTER COURT'. A blue arrow points from 'VISIBLE HUMAN WINDOW' to 'HUMAN REFERRAL'.

SCENARIOS: S01 heat care · S02 rain detour · S03 outage service · S09 multilingual navigation · S10 consent check-in

STOP: stale authority source, absent human seat, blocked step-free path, inadequate fire/battery conditions, or professional judgement.

SOUTH DAZHONGSI CONTINUITY DEPOT

Keep manual receipt, commerce and egress available during disruption.

The diagram for the South Dazhongsi Continuity Depot is enclosed in a red 'STOP BOUNDARY'. It features a blue 'PUBLIC FLOW' path starting from a 'PUBLIC IN' point on the left, passing through 'PUBLIC REST STRIP', then to 'HUMAN CONTINUITY DESK' and 'MANUAL HANDOVER'. A green 'STEP-FREE PATH' leads from 'MANUAL HANDOVER' to an 'ACCESSIBLE EXIT' at the bottom. An orange 'LOGISTICS/SERVICE' path starts at a 'SERVICE GATE' on the right, goes through a 'LOAD / UNLOAD YARD' and a 'LOW-SPEED TEST LOOP', then to 'E-STOP / RECOVERY'. Other areas include 'CROWD RELIEF FOYER', 'MERCHANT LEDGER WALL', and 'HUMAN CONTINUITY DESK'. A blue arrow points from 'PUBLIC REST STRIP' to 'HUMAN CONTINUITY DESK'.

SCENARIOS: S04 crowd relief · S05 low-speed relay · S12 enterprise continuity assistant

STOP: positioning drift, mixed traffic, blocked exits, count anomaly, failed e-stop, absent manual receipt, or unverified site rights.

JINGZHANG LIFE-LINE v1.5.0 | SINGLE FROZEN PACKAGE

EXCHANGE IN NORMALITY · CARE UNDER PRESSURE · DEGRADE ON FAILURE · EXIT UNDER DISPUTE

OFFLINE · PROVISIONAL GEOMETRY · NOT APPROVAL, SURVEY OR IMPLEMENTATION EVIDENCE

OVERVIEW

SERVICE STATES

REGIONAL INTERFACES

STATION HANDOVER

FIVE CORE FIGURES

AUDIT STATUS

01

NORMAL

Digital assistance and staffed service run in parallel; the exit remains visible.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

02

DEGRADED

Offline guidance, paper and phone replace unavailable or stale automation.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

03

HUMAN TAKEOVER

Automation stops; authorized staff decide, issue a receipt and preserve appeal.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

CURRENT GEOMETRY AND PERFORMANCE REMAIN DESIGN MODELS; THREE CORE METRICS ARE RECOMPUTED FROM SUBMITTED GEOMETRY.

REGIONAL SYNERGY INTERFACES: EXCHANGE, ENTRY GATES AND STOP RULES

These are auditable open interfaces, not confirmed cooperation, funding, data access, procurement or institutional commitments. Each interface activates only after authorization, responsibility, cost and exit conditions are agreed.


INTERNAL LIFE-LINE LOOP: ZHONGZHIYUAN (FIND FAILURE) → AI ORIGIN (VERIFY PUBLIC VALUE) → DAZHONGSI (VERIFY CONTINUITY) → EVIDENCE RETURNS				
1	BEIWEI / BFSU-RELATED COMMUNITIES Multilingual public service, youth volunteers, community feedback, accessibility walks	EXCHANGE Multilingual public service, youth volunteers, community feedback, accessibility walks	MECHANISM Issue a community task brief from the AI Origin station; exchange only anonymized problem lists and public service information.	EVIDENCE / GATE Evidence: named by the taskbook; boundary and counterpart remain unconfirmed.
2	FUTURE SCIENCE CITY Energy AI, life-health research and campus continuity testing methods	EXCHANGE Energy AI, life-health research and campus continuity testing methods	MECHANISM Publish reproducible protocols from Zhongzhiyuan; counterparts may voluntarily contribute interface samples or future cases under a separate agreement.	EVIDENCE / GATE Evidence: regional-synergy direction only; no project, budget or data commitment.
3	HUAIROU SCIENCE CITY Basic research, major-facility resilience, trusted measurement and verification	EXCHANGE Basic research, major-facility resilience, trusted measurement and verification	MECHANISM Use joint "question-method-evidence" research interfaces; do not duplicate major scientific facilities inside the corridor.	EVIDENCE / GATE Evidence: regional-synergy direction; specific institutions and studies remain unconfirmed.
4	BEIJING E-TOWN / YIZHUANG Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	EXCHANGE Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	MECHANISM The south station can export bounded scenarios and failure logs; E-Town may return device improvement and maintenance evidence under a separate agreement.	EVIDENCE / GATE Evidence: algorithm/scenario-manufacturing complementary hypothesis; no procurement or attraction decision.
5	BEIJING-TIANJIN-HEBEI / ZHANGJIAKOU Green compute, disruption-response experience, standards interoperability and talent exchange	EXCHANGE Green compute, disruption-response experience, standards interoperability and talent exchange	MECHANISM Maintain an auditable compute/service-continuity interface list at Dazhongsi, limited to service levels and recovery evidence.	EVIDENCE / GATE Evidence: corridor-synergy concept; cross-region governance, energy and network protocols remain unconfirmed.

COMMON STOP RULE: without verifiable authorization, minimum data, named responsibility, cost/maintenance, complaint and exit mechanisms, the interface remains NOT ACTIVATED.

v1.5.0

THREE RESILIENCE STATIONS: IMPLEMENTATION HANDOVER DIAGRAMS

All geometry remains provisional. The diagrams define relationships, responsibility and stop boundaries - not parcel dimensions, road redlines or approval precision.



v1.5.0