




JINGZHANG LIFE-LINE

GRACEFUL DEGRADATION IS URBAN DESIGN


Urban resilience is not a back-office dashboard. It is a public space that remains legible, walkable and staffed when networks fail.


ONE LINE

THREE STATIONS

TWELVE CONTRACTS

JZ-LIFE / v1.5.0 / 2026-08-27





01 / PROPOSITION

02

From AI exhibition axis to public-care commons

The project is judged by continuity under stress - not by device count.

01

EXTREME HEAT

shade / water / staffed care

02

STORMWATER

verified accessible detours

03

POWER + NETWORK LOSS

offline kit / manual queue

04

MODEL + CROWD ANOMALY


pause / handover / rollback

72 HOURS


design target for minimum information, care and
human handover - not certified performance or
energy autonomy

SIX DESIGN PRINCIPLES

- visible care before hidden AI
- manual equivalent for every digital path
- source + timestamp + stop rule
- reversible space before permanent construction
- failure evidence before expansion
- human decision remains final



Three scopes, one operational protocol



43.6 km²

coordinated research

11.41 km²

provisional overall design

368.4 ha

announced key areas

Research

industry · talent · capital · compute · data · scenarios


Overall design

one line · three stations · six seams · six study bands


Key areas

three spatial prototypes with operation and exit rules

PROVISIONAL GEOMETRY ≠ OFFICIAL REDLINE



One Life-Line, three stations, six seams and two wings



1 continuous care spine

3 resilience stations

6 verification seams

2 wing interfaces

SIX STUDY BANDS

continuity supply

public care

research testing

park green

railway memory

mobility interface

EVIDENCE-FIRST RENEWAL

Task

Provisional
geometry

Design model


Recomputed
metrics

Failure
rehearsal

Scale / change
/ stop

Zhongzhiyuan Resilience Test Yard

SPATIAL PROTOTYPE




- #### 4 safety review desk

VISIBLE HANDOVER + ACCOUNT-FREE PATH

OPERATIONAL ROLE

- isolate failure injection
- test robots under supervised conditions
- make human handover visible
- publish failure and stop evidence


FAILURE LADDER




HUMAN AUTHORITY

- delete non-required data**

CONCEPT LOCATION - requires field, ownership, fire, access and operator review



AI Origin Public Care Station



OPERATIONAL ROLE

- shade, water and rest in heat
- account-free staffed public service
- offline wayfinding and charging
- accessible rest and appeal loop


FAILURE LADDER

NORMAL	ambient care
DEGRADED	offline queue
HUMAN	staffed desk


HUMAN AUTHORITY

enter without account	ask for a human	pause or stop the system
appeal and exit	delete non-required data	

CONCEPT LOCATION - requires field, ownership, fire, access and operator review



Dazhongsi Continuity Depot



OPERATIONAL ROLE

- bounded low-speed supply relay
- crowd-load shedding during events
- small-business continuity support
- manual dispatch and stop desk

FAILURE LADDER

NORMAL	scheduled relay
DEGRADED	manual dispatch
HUMAN	close route + stop

HUMAN AUTHORITY

enter without account


ask for a human

pause or stop the system

appeal and exit

delete non-required data

CONCEPT LOCATION - requires field, ownership, fire, access and operator review



Twelve scenario contracts, not twelve gadgets



PUBLIC CARE

S01-S04 + S09-S12

services remain accessible without personal profiling

CONTROLLED TESTING


S05-S08

isolation, supervision, logging and immediate stop


COMMON STOP RULE

all scenarios

stale source, uncertain data, missing operator or unsafe site



Mobility, blue-green and service continuity



9.66 km

service

NORMAL

networked guidance · sensing · booking

DEGRADED


battery · cache · static rules · manual queue

MINIMUM SAFE

visible exits · staffed broadcast · risky devices stopped

DESIGN LIMITS

- green/public-space area is recomputable; heat and stormwater performance awaits local models
- no bridge, tunnel, station or precise rail interface without official professional evidence
- technology never masks access, fire, water, maintenance or staffing gaps



Evidence-gated implementation and 4+1 governance

0-18 months

data handover · six-seam field audit ·
responsibility protocol · tabletop exercises ·
reversible pilots

18-36 months

three-station integration and essential micro-
renewal after authorisation and specialist
review

36-72 months

evidence-based scale, change or stop; annual
report publishes failures and terminated
projects

4 + 1 OPERATING SEATS

public-space operator


community/public-service host

technology and data custodian

site / business liaison

independent safety and accessibility lead

QUARTERLY OPEN REHEARSAL: power/network · heat · rain/access · crowd/supply



Metrics, evidence ledger and honest unknowns

Recomputable geometry, auditable operations and explicit limits.

11.41 km²

provisional overall-design area

29.6%

concept green ratio

17.7%

concept public-space ratio

100%

manual-equivalent design coverage

EVIDENCE PACKAGE

- 23 task requirements mapped
- 15 design-depth items complete
- 9 professional standard responses
- 9 GeoJSON layers + 4 bilingual PDFs
- offline HTML + source / assumption / copyright ledgers

HONEST UNKNOWNNS

- official boundary and key-area polygons
- FAR, height, floor area and ownership
- rail / road / utility capacity
- investment and operator commitments
- certified emergency or medical status

FINAL STEP: run the current upstream four-gate self-check and persist hashes before opening the PR

REGIONAL SYNERGY INTERFACES: EXCHANGE, ENTRY GATES AND STOP RULES

These are auditable open interfaces, not confirmed cooperation, funding, data access, procurement or institutional commitments. Each interface activates only after authorization, responsibility, cost and exit conditions are agreed.

INTERNAL LIFE-LINE LOOP: ZHONGZHIYUAN (FIND FAILURE) → AI ORIGIN (VERIFY PUBLIC VALUE) → DAZHONGSI (VERIFY CONTINUITY) → EVIDENCE RETURNS

1	BEIWEI / BFSU-RELATED COMMUNITIES Multilingual public service, youth volunteers, community feedback, accessibility walks	EXCHANGE Multilingual public service, youth volunteers, community feedback, accessibility walks	MECHANISM Issue a community task brief from the AI Origin station; exchange only anonymized problem lists and public service information.	EVIDENCE / GATE Evidence: named by the taskbook; boundary and counterpart remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: community partner + public service seats. No collection, publication or siting without authorization.
2	FUTURE SCIENCE CITY Energy AI, life-health research and campus continuity testing methods	EXCHANGE Energy AI, life-health research and campus continuity testing methods	MECHANISM Publish reproducible protocols from Zhongzhiyuan; counterparts may voluntarily contribute interface samples or failure cases under a separate agreement.	EVIDENCE / GATE Evidence: regional-synergy direction only; no project, budget or data commitment.	OWNER / NON-COMMITMENT Suggested owner: technology-safety seat. No connection before data, procurement and safety review.
3	HUAIROU SCIENCE CITY Basic research, major-facility resilience, trusted measurement and verification	EXCHANGE Basic research, major-facility resilience, trusted measurement and verification	MECHANISM Use joint "question-method-evidence" research interfaces; do not duplicate major scientific facilities inside the corridor.	EVIDENCE / GATE Evidence: regional-synergy direction; specific institutions and studies remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: independent observer + professional review. Never portray a research link as signed.
4	BEIJING E-TOWN / YIZHUANG Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	EXCHANGE Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	MECHANISM The south station can export bounded scenarios and failure logs; E-Town may return device improvement and maintenance evidence under a separate agreement.	EVIDENCE / GATE Evidence: algorithm/scenario-manufacturing complementarity hypothesis; no procurement or attraction decision.	OWNER / NON-COMMITMENT Suggested owner: operations + safety seats. No public-road operation before road, insurance, service and liability clearance.
5	BEIJING-TIANJIN-HEBEI / ZHANGJIAKOU Green compute, disruption-response experience, standards interoperability and talent exchange	EXCHANGE Green compute, disruption-response experience, standards interoperability and talent exchange	MECHANISM Maintain an auditable compute/service-continuity interface list at Dazhongsi, limited to service levels and recovery evidence.	EVIDENCE / GATE Evidence: corridor-synergy concept; cross-region governance, energy and network protocols remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: standards/compliance seat. No land, investment or construction assignment outside the design scope.

COMMON STOP RULE: without verifiable authorization, minimum data, named responsibility, cost/maintenance, complaint and exit mechanisms, the interface remains NOT ACTIVATED.

THREE RESILIENCE STATIONS: IMPLEMENTATION HANDOVER DIAGRAMS

All geometry remains provisional. The diagrams define relationships, responsibility and stop boundaries - not parcel dimensions, road redlines or approval precision.

PUBLIC FLOW STEP-FREE PATH LOGISTICS/SERVICE STOP / ISOLATION

NORTH
RESILIENCE TEST YARD

Find, contain and document failure before public release.

STOP BOUNDARY

PUBLIC OBSERVATION

FAILURE ARCHIVE

ISOLATED TEST LANE

CELL A S06 INSPECTION

CELL B S07 TWIN

CELL C S08 DRIFT

HANDOVER COURT

PHYSICAL E-STOP

SERVICE GATE

ACCESSIBLE EXIT

SCENARIOS: S06 anomaly inspection · S07 twin failure injection · S08 drift takeover · S05 pre-road logistics test

STOP: any production connection, failed e-stop, absent observer/audit, or public-logistics mixing.

MIDDLE
AI ORIGIN PUBLIC CARE STATION

Equivalent service without a smartphone or account.

STOP BOUNDARY

WATER / CHARGING

BATTERY BROADCAST

PUBLIC PORCH

CLIMATE SHELTER COURT

VISIBLE HUMAN WINDOW

HUMAN REFERRAL

OFFLINE SERVICE CABINET

QUIET REFERENCE ZONE

SERVICE GATE

ACCESSIBLE EXIT

SCENARIOS: S01 heat care · S02 rain detour · S03 outage service · S09 multilingual navigation · S10 consent check-in

STOP: stale authority source, absent human seat, blocked step-free path, inadequate fire/battery conditions, or professional judgement.

SOUTH
DAZHONGSI CONTINUITY DEPOT

Keep manual receipt, commerce and egress available during disruption.

STOP BOUNDARY

CROWD RELIEF FOYER

MERCHANT LEDGER WALL

LOAD / UNLOAD YARD

PUBLIC REST STRIP

HUMAN CONTINUITY DESK

LOW-SPEED TEST LOOP

MANUAL HANDOVER

E-STOP / RECOVERY

SERVICE GATE

ACCESSIBLE EXIT

SCENARIOS: S04 crowd relief · S05 low-speed relay · S12 enterprise continuity assistant

STOP: positioning drift, mixed traffic, blocked exits, count anomaly, failed e-stop, absent manual receipt, or unverified site rights.

JINGZHANG LIFE-LINE v1.5.0 | SINGLE FROZEN PACKAGE

EXCHANGE IN NORMALITY · CARE UNDER PRESSURE · DEGRADE ON FAILURE · EXIT UNDER DISPUTE

OFFLINE · PROVISIONAL GEOMETRY · NOT APPROVAL, SURVEY OR IMPLEMENTATION EVIDENCE

- OVERVIEW
- SERVICE STATES
- REGIONAL INTERFACES
- STATION HANDOVER
- FIVE CORE FIGURES
- AUDIT STATUS

01 NORMAL

Digital assistance and staffed service run in parallel; the exit remains visible.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

02 DEGRADED

Offline guidance, paper and phone replace unavailable or stale automation.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

03 HUMAN TAKEOVER

Automation stops; authorized staff decide, issue a receipt and preserve appeal.

EVIDENCE: timestamp · human confirmation · stop + exit receipt

CURRENT GEOMETRY AND PERFORMANCE REMAIN DESIGN MODELS; THREE CORE METRICS ARE RECOMPUTED FROM SUBMITTED GEOMETRY.

REGIONAL SYNERGY INTERFACES: EXCHANGE, ENTRY GATES AND STOP RULES

These are auditable open interfaces, not confirmed cooperation, funding, data access, procurement or institutional commitments. Each interface activates only after authorization, responsibility, cost and exit conditions are agreed.


INTERNAL LIFE-LINE LOOP: ZHONGZHIYUAN (FIND FAILURE) → AI ORIGIN (VERIFY PUBLIC VALUE) → DAZHONGSI (VERIFY CONTINUITY) → EVIDENCE RETURNS				
1	BEIWEI / BFSU-RELATED COMMUNITIES Multilingual public service, youth volunteers, community feedback, accessibility walks	EXCHANGE Multilingual public service, youth volunteers, community feedback, accessibility walks	MECHANISM Issue a community task brief from the AI Origin station; exchange only anonymized problem lists and public service information.	EVIDENCE / GATE Evidence: named by the taskbook, boundary and counterpart remain unconfirmed.
2	FUTURE SCIENCE CITY Energy AI, life-health research and campus continuity testing methods	EXCHANGE Energy AI, life-health research and campus continuity testing methods	MECHANISM Publish reproducible protocols from Zhongzhiyuan; counterparts may voluntarily contribute interface samples or future cases under a separate agreement.	EVIDENCE / GATE Evidence: regional-synergy direction only; no project, budget or data commitment.
3	HUAIROU SCIENCE CITY Basic research, major-facility resilience, trusted measurement and verification	EXCHANGE Basic research, major-facility resilience, trusted measurement and verification	MECHANISM Use joint "question-method-evidence" research interfaces; do not duplicate major scientific facilities inside the corridor.	EVIDENCE / GATE Evidence: regional-synergy direction; specific institutions and studies remain unconfirmed.
4	BEIJING E-TOWN / YIZHUANG Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	EXCHANGE Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	MECHANISM The south station can export bounded scenarios and failure logs; E-Town may return device improvement and maintenance evidence under a separate agreement.	EVIDENCE / GATE Evidence: algorithm/scenario-manufacturing complementarity hypothesis; no procurement or attraction decision.
5	BEIJING-TIANJIN-HEBEI / ZHANGJIAKOU Green compute, disruption-response experience, standards interoperability and talent exchange	EXCHANGE Green compute, disruption-response experience, standards interoperability and talent exchange	MECHANISM Maintain an auditable compute/service-continuity interface list at Dazhongsi, limited to service levels and recovery evidence.	EVIDENCE / GATE Evidence: corridor-synergy concept, cross-region governance, energy and network protocols remain unconfirmed.

COMMON STOP RULE: without verifiable authorization, minimum data, named responsibility, cost/maintenance, complaint and exit mechanisms, the interface remains NOT ACTIVATED.

v1.5.0

THREE RESILIENCE STATIONS: IMPLEMENTATION HANDOVER DIAGRAMS

All geometry remains provisional. The diagrams define relationships, responsibility and stop boundaries - not parcel dimensions, road redlines or approval precision.



v1.5.0