

Jing-Zhang Resonance

A polyphonic public-space proposal for the Centennial Jing-Zhang AI Innovation Belt

A3 ENGLISH SUBMISSION BOOKLET

IDENTITY SYSTEM / DESIGN DERIVATIVES
JING-ZHANG RESONANCE / IDENTITY USAGE

THE JINGZHANG RESONANCE

01 / MASTER MARK

MASTER MARK / SWITCHBACK / PENDULUM / TRACK



01 - PENDULUM MARK: KEEP ALL TEXT AND GRAPHIC ELEMENTS
ONE UNIT OF THE PENDULUM MARK: KEEP IT CLEAR ON ALL SIDES

02 / STATION FAMILY

ONE FRAME / THREE DISTINCT VOICE IDENTITIES


JINGZHANG STATION
RESONANCE / STATION


ZHENGDIAN STATION
TRANSMISSION / STATION


JINGZHANG PARK
RESONANCE / STATION

03 / APPROVED VARIANTS


PRIMARY


SECONDARY


TERTIARY

04 / CONSTRUCTIVE NOTES

MINIMUM HEIGHT 20 MM

PRESERVE PROPORTION AND CLEAR SPACE

DO NOT QUAINTAIN: SQUARE, RECTANGLE OR DETACH

04 - HEIGHT 20 MM: PRESERVE PROPORTION AND CLEAR SPACE / DO NOT QUAINTAIN: SQUARE, RECTANGLE OR DETACH

04 - HEIGHT 20 MM: PRESERVE PROPORTION AND CLEAR SPACE / DO NOT QUAINTAIN: SQUARE, RECTANGLE OR DETACH

Task Response and Evidence Boundary

Three positions / five functions

Cultural memory, everyday AI, and innovation collaboration form three independent voices. Innovation, ecology, scenarios, urban vitality, and governance form an operating loop.

Six agent tasks

The proposal and matrices cover the overall concept, global references, scenarios, personas, landmarks, cultural narrative, and long-term operation.

Three key areas

V13 pages 13-15 are research location diagrams. Building, road, waterfront, station, campus, and park boundaries require recalibration.

Weakest-link rule

No voice may fall below its baseline. AI receives only time-limited, site-specific, revocable permission and must pause when a veto is triggered.

Generated-visual boundary

Tokai, Oskyi, and GPT-image layers communicate spatial actions. They do not prove location, scale, existing conditions, feasibility, or approval.

Outstanding external data

Official redlines, exact key-area polygons, survey, ownership, control-plan, road, waterfront, engineering, and complete image provenance remain outstanding.




English reading note

Locates the Centennial Jing-Zhang corridor within the wider city and separates official taskbook scope from provisional research geometry.

Review focus

Read scope figures as taskbook references, not as measurements of the provisional polygons.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community



03

PART

卷一 | 人群与日常节律

USERS / DAILY RHYTHMS

1.3 人群节律链接到九公里走廊的具体段落与节点

同一条走廊承载不同人群；场景必须先回答“落在哪一段、经过哪个节点”。

左侧以 1.2 的六段体系为索引，右侧每个插图只表达该节点下的时间与空间动作。

九公里走廊·六段索引

插图索引，具体边界以 1.2 为准

01

S01

北京北站门户

02

S02

大钟寺

03

S03

知春路—五道口

04

S04

五道口—清华东路

05

S05

清华园

06

S06

众智园—北五环

连续编排

慢行 / 无障碍 / 通行可见

视觉意向 / 研究表达 / 非现状，非制图



S01 · 北京北站门户

04 夜班与服务者

时间

23:00—05:30

日常行为

夜间换乘、照料与人工服务

空间动作

指定服务段 / 限时限速 / 可暂停

视觉意向 / 研究表达 / 非现状，非制图



S02 · 大钟寺

01 社区居民

时间

09:30—20:00

日常行为

买菜、接送、散步与短时停留

空间动作

打开社区首层 / 补树荫座椅 / 保持可见

视觉意向 / 研究表达 / 非现状，非制图



S03 · 知春路—五道口

02 学生与家长

时间

07:00 / 16:30

日常行为

上学、骑行与放学窗口

空间动作

连续过街 / 站点换乘 / 高峰不占用

视觉意向 / 研究表达 / 非现状，非制图



S04 · 五道口—清华东路

03 研究与创业者

时间

09:30—18:00

日常行为

通勤、交流与研发协作

空间动作

许可开口 / 校企前场 / 日常优先

人的时间决定空间秩序：先定位节点，再匹配时段；先保障日常，再安排可退出场景。

01 通勤类人群串联 S01—S04；S05—S06 保留为滨水生态与水岸景观带。

城市设计研究院 · 人群节律与六段节点总图 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Maps six user groups and the different times at which walking, learning, work, care, and operations overlap.

Review focus

Public space must remain legible during ordinary daily peaks before any AI scenario is introduced.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

PROVISIONAL GEOMETRY / NOT AN OFFICIAL REDLINE
VISUAL INTENT / RESEARCH EXPRESSION / NOT EXISTING CONDITIONS / NOT SURVEY / NOT STATUTORY

Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community
Rights scope: asset-rights-ledger.json / evidence index | 05

04

PART

卷一 | 城市断裂与机会

跨越 / 打开 / 串联

1.4 城市关系的三个断裂

关东河口 / 阳光廊桥

H3 小月河 / 水廊桥

H2 校企围墙

H1 轨道 / 快速路

01 跨越 轨道 / 快速路

V13 轨道 / 快速路 / 阳光廊桥

阳光廊、水廊桥、阳光廊桥

02 打开 校企围墙 / 封闭首层

V13 校企围墙 / 封闭首层 / 阳光廊桥

阳光廊、水廊桥、阳光廊桥

03 串联 小月河 / 绿廊

V13 小月河 / 绿廊 / 阳光廊桥

阳光廊、水廊桥、阳光廊桥

待修补：跨越、打开、串联

以可跨越的基础设施、可进入的校企围墙和串联的绿廊修复城市关系。

真实地图与研究数据仅用于内部讨论

城市设计研究组 · 城市关系诊断 · 张江规划馆 · 2026.08

JINGZHANG RESONANCE - V13 PILOT

English reading note

Identifies discontinuities at roads, campus edges, park openings, station exits, and river interfaces.

Review focus

These are research diagnoses to be checked against survey, ownership, access, and management conditions.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

05

PART

卷二 | 保留、接入、共享、校准

SPATIAL ACTIONS

2.1 四个动作先落对象，再形成空间结果

概念不是关系箭头，而是一组能在地面上找到对象、节点与验收结果的动作。

本页只讲四个动作的职责与链接位置。执行标准在 06 展开。

动作视图 · 节点对应

01

保留

S05 · 沿河保留岸线

规划意向 / 研究表达 / 非现状、非强制



水岸 / 遗产 / 保留

先画不可侵占的底线

02

接入

S04 · 沿河接入岸线

规划意向 / 研究表达 / 非现状、非强制



水岸 / 遗产 / 保留

补画或慢行与许可开口

03

共享

S06 · 众智回水岸前场

规划意向 / 研究表达 / 非现状、非强制



水岸 / 遗产 / 保留

让三声部共享公共界面

04

校准

S01—S06 · 全案复核

规划意向 / 研究表达 / 非现状、非强制



水岸 / 遗产 / 保留

按最弱声部收敛强度

从底线到校准 · 一次检查只回答一个问题

01 保留什么不能被挤走?

遗产、水岸、树线、慢行路径

02 哪一处城市关系尚未接上?

站点出口、连接过街、垂直开口

03 哪些界面可以共同使用?

入口、桥下、市地、水岸前场

04 最弱声部要求收敛什么?

建设量、运行时段、试点范围

空间结果

遗产与水岸不被挤走；日常先被接通；创新只在许可界面共享；新增建设随弱项收敛。

城市设计研究院 · 四个空间动作与节点语言 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Organizes low-disturbance actions from protection and repair to opening, connection, and reversible operation.

Review focus

The sequence prioritizes public continuity and everyday use before technology or new construction.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

06A PART 卷二 | 和鸣，概念与策略
和 / 鸣 · 调源与文化母题
2.1 为什么叫“和鸣”

“和”不是抹平差异；“鸣”不是独自发声。
它们共同指向：不同声部各自成立，并在同一空间彼此听见。

和

调和 / 协调
保留差异，形成共同秩序

鸣

发声 / 被听见
各有节奏，进入共同关系

琴瑟和鸣
不同声部同时进行，在共同拍点处形成和声关系。

琴 · 七弦抽象声部

瑟 · 多弦抽象声部

复调 · 三种独立节奏在共同拍点形成和鸣

视觉意向 / 研究表达 / 非现状、非测绘

和而不同：各自成声，相遇成和

下一页：Resonance 的科学关系与空间语言

English reading note

Derives the spatial concept from railway continuity, bell resonance, and the coexistence of three independent public values.

Review focus

The metaphor structures decisions; it does not replace site evidence.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

06B 卷二 | 和鸣，概念与策略
PART
RESONANCE - SPATIAL TRANSLATION
2.2 保留差异，以公共接口建立有效耦合

共振不是“大家变成同一个频率”，而是保留固有差异，通过有效接口放大关系。

科学表达：外部周期接近系统固有频率，响应被放大；空间转译必须回到节点和界面。



差异保留 · 遗产生态
S02 大钟寺：保留静区与砖墙边界，同时打开许可首层。



界面耦合 · 校企创新
S04 五道口—清华东路：以公共前场连接校企资源与社区日常。

三种声部各自成声，在可审查的公共接口形成回应

遗产生态
S02 / S05
保留安静、水岸与遗产底线

社区日常
S03
连续通学、过街与知识停留

校企创新
S04 / S06
只在许可首层与前场共享

公共接口
S05 / S06 / S07
三者同时满足才形成空间回应

空间表达 保留差异，建立耦合，放大关系；具体设计仍须落到节点、界面与分段。

English reading note

Translates the three voices into a weakest-link test, independent thresholds, and a reversible permission framework.

Review focus


AI is not a fourth voice and receives only time-limited, site-specific, revocable permission.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

07 PART 卷二 | 九公里复调总谱
沿轴强弱、缺口与节点
2.3 / 2.4 从沿线总谱到空间动作

九公里不是一条均质的线，而是三种声部在不同段落的强弱变化。

总谱只做一件事：看出哪里关系已经发生，哪里需要按最强声部补足。



三种资源都保留，哪一类连接最缺，就先补哪一类

例如缺过街先补日常接口，缺开放前场先补校企连接，缺连续水岸先补生态联系。

English reading note

Shows how culture, everyday life, and innovation collaboration vary by place and time along the corridor.

Review focus

The score is a coordination device, not a numerical optimization that averages away weak public values.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

08 卷二 | 保留—接入—共享—校准
ACTION MATRIX
2.3 / 2.4 从动作意向到对象、节点与验收

08 不再重复动作口号，而把每个 Tokai 视图压缩为“对象—动作—验收”的执行单元。

节点对应沿用 1.2 的六段体系；色彩只表达动作意向，不能替代质地核对。



视觉意向 / 研究表达 / 非现状、非测绘

01 保留
S05 • 清华园遗产带

对象 水岸、树冠、遗址、游学路径

动作 划定不侵占底线

验收 新建建筑不侵占底线




视觉意向 / 研究表达 / 非现状、非测绘

02 接入
S03 • 丽泽桥—古渡口

对象 轨道、快速路、围墙、桥头路

动作 补连接慢行与站点接口

验收 站点到绿道连接可达



视觉意向 / 研究表达 / 非现状、非测绘

03 共享
S06 • 众智园水岸前场

对象 入口、桥下、街角、水岸前场

动作 开放许可高层和公共前场

验收 不同声部共享但不混同



视觉意向 / 研究表达 / 非现状、非测绘

04 校准
S01—S06 • 分阶段核

对象 规格、时段、试点与运营边界

动作 按最弱声部收缩强度

验收 可暂停、可退出、可回原状

执行顺序

01

先守底线

02

再补缺口

03

后建关系

04

最终收敛

保留是底线，接入是补缺，共享是关系，校准是控制。

每一步均需在对应节点完成对象核对与结果验收。

English reading note

Links protection, interface opening, walking repair, shaded pauses, and managed test spaces to recurring site conditions.

Review focus


Every action remains conditional on verified boundaries, access, safety, and maintenance responsibility.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

3.1 横断带南北、三区定位置、两翼接资源

PART 1

范围与分区均为研究建议：正式边界、权属和工程条件仍需在后续阶段复核。



北京北站—北五环—南北公共通道

三针缝合区: 研究单位范围

再求资源从别处投入程度

先沿绿廊读南北位置，再看三处重点区
最后看两侧资源从哪里接入。

09 先讲总体位置；10 再讲哪些慢行，洪水与公共空间连接需要被补上。

城市设计委员会：批准文件编号：青设字第006号，2009-08

INC. THANG RESONANCE VTS PLOT

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community


10
PART

卷三 | 蓝绿慢行与公共空间网络

绿廊贯通，接口织补
3.2 以示意道路、水岸与节点接口补足城市联系

绿廊解决南北连续；道路、水岸和公共前场把社区、校园、园区重新接到绿廊。

横向连接为研究方向，需在下一阶段按现状道路、过街条件、权属和管理主体进一步核对。



四张网络，补的是实际接口



绿廊贯南北，接口连接把站点、社区、校园与水岸织在一起

10 不把所有道路都涂成绿色。只标出需要以公共空间节点的关键接口。

English reading note

Connects the heritage corridor, Xiaoyue River, Qinghe River, stations, communities, campuses, and parks through selected interfaces.

Review focus

Only priority public interfaces are shown; each crossing and opening requires field verification.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

12

PART

卷三 | 九公里分段、节点与断面

SEGMENTS / NODES / SECTIONS

3.3 同一条走廊有六种不同空间性格

先定六段，再决定节点等级和典型断面；不把整条绿廊画成同一种空间。

政策卫星地图 | Tokai 卫星图 (缩放后)

研究范围 / 研究区 / 研究区

段落不是效果图

01 北站门户	重组站城关系	门户断面
02 大钟寺	保护与打开并置	文保断面
03 知春路	补过街与换乘	接口断面
04 五道口	打开校企界面	新校断面
05 清华园	修复遗产与日常	遗产断面
06 众智园	接入水岸与清河	水岸断面

节点等级：门户 / 重点区 / 接口 / 线性停留点；断面随路段切换。

六段不是六张孤立图，而是一条连续走廊里的六种回应

12 将节点等级与断面位置定下来。13—15 再分别进入三个重点区。

城市设计研究图 - 九公里分段与节点体系 - 研究范围 - 2026-08

JINGZHANG RESONANCE - V13 PILOT


English reading note

Defines six spatial characters - 01 North Station Gateway, 02 Dazhongsi, 03 Zhichun Road, 04 Wudaokou, 05 Tsinghuayuan, and 06 Zhongzhi Park - plus a node hierarchy and section types.

Review focus

Section types are design prompts and must be recalibrated with verified dimensions and engineering conditions.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community



English reading note

Coordinates a heritage quiet zone, open ground floors, a public forecourt, and a station-to-forecourt walking link.

Review focus

The three action points are research locations, not measured node positions.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

English reading note

Prioritizes school-route safety and accessibility, adds an everyday forecourt, and proposes a permission-based campus interface.

Review focus

Crossings, forecourts, and openings require verified road, campus, and property boundaries.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

14
PART

卷四 | AI 原点：守住日常，打开创新

KEY AREA / CONFLICT / ACTION / RESULT

4.2 近校创新回到可步行、可停留的街道

AI 原点：创新不另起一座城，而是在通学与社区日常中打开接口

参与者自拟抽象逻辑与白模用于空间分析，不作测绘、权属或法定判断；动作位置落在下一阶段蓝线。



动作链



AI 原点：创新不另起一座城，而是在通学与社区日常中打开接口

English reading note

Links a Qinghe ecological buffer, Xuezhuyuan Station access, and a managed innovation-service forecourt.

Review focus

The park extent remains provisional and the waterfront relationship requires field and ownership verification.

The English plate and adjacent note form one complete reading layer. Map reference where present; Esri, Vantor, Earthstar Geographics, and the GIS User Community

15
PART

卷四 | 众智园：水岸、站点、园区共用前场

KEY AREA / CONFLICT / ACTION / RESULT

4.3 园区发展由水岸生态与日常接驳校准

众智园：把清河缓冲、学知园站和园区服务前场串成连续公共空间

卫星与白模用于空间分析。不作测绘、权属或法定判断；动作位置需在下一阶段复核。



动作链



众智园：把清河缓冲、学知园站和园区服务前场串成连续公共空间

16

PART

卷五 | 场景进入的空间条件

CONDITIONAL SCENARIOS

5.1 每个场景必须逐项通过位置、时间、边界、退出四道门

AI 场景不是第四声部，也不是永久占地；只有逐项通过四道门，才可短时进入。

规则文字是判定依据；Tokai 箭带只展示动作意向，不构成许可、现状或结论性结论。

空间条件四道门

01 位置

必须落在 12 的节点或接口范围

无对应节点：不进入

02 时间

错峰运行，不占课学与日常高峰

时段冲突：延迟或取消

03 边界

守住水岸、遗产、消防、无障碍

触碰边界：立即退出

04 退出

可折、可暂停、可恢复公共空间现状

不能恢复：不进入

受控场景 · 逐项判定

位置 — 时间 — 边界 — 退出

场景	位置 / 节点	时间	边界	退出
遗产导览	S02 大神寺 重点区	09:30—16:00 避开课学时段	遗产禁区 / 消防通道 人工引导	撤离导览点 恢复原状
生态监测	S05 清华园 小月洞接口	错峰窗口 只设半集	水岸缓冲 / 不扰动 不设永久基础	移除设备 停止采集
夜间配送	S01 北站门户 指定服务段	23:00—05:30 限时配送	消防 / 无障碍优先 人工可接管	清点清场 异常暂停
具身测试	S04 五道口 高校协议范围	09:30—16:00 避开 07:00 / 16:30	封闭边界 / 人工在场 不占公共通行	撤离设备 协议禁止靠近

动作意图 · 应用意图

视觉意向 / 视觉传达 / 引导线、参照线



视图与规则的对应关系

节点	S01 北站门户 / S02 大神寺 / S04 五道口 / S05 清华园
动作	导览点、只读设备、数据配送、协议测试
边界	仅在上方位置。时间与边界条件同时成立时进入
退出	任一道门不通过，立即暂停并恢复公共空间现状

判定顺序

先问位置，再问时段；先守住边界，再验证退出；任一道门不通过，场景不进入。

城市设计研究所 · 景园城市部门与运营中心 · 2026-08

JIANGZHANG RESONANCE · V13 PILOT

English reading note

Every scenario must pass four gates: location, time, boundary, and exit. Failure at any gate prevents entry or triggers an immediate pause.

Review focus

Exact time controls shown here are 09:30-16:00 for the daytime window, 23:00-05:30 for night delivery, and avoidance of the 07:00 and 16:30 school-route peaks. Generated scenes illustrate possible actions only; the written rules are the decision basis.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

17

PART


卷五 | 分期实施与运营

IMPLEMENTATION / OPERATION

5.2 近期补网，中期落点，远期运营

实施不是把图纸一次性建完，而是先补公共联系，再按条件推进重点区，最后持续运营。

每一阶段都要回到 09—16 的空间证据、节点等级与场景规则。



真实卫星应用 + 分期重点研究

近期：接口补网

远期：运营校准

三阶段 + 三类责任

01 条件阶段 1

补齐慢行接口、过街、照明与权属核查

公共部门 / 绿道地



V13 卫星图 / 规划图 / 研究图

道路网、绿道网、公共空间

02 条件阶段 2

三重节点落位，打开首层，授权节点试点

属地 + 产权主体



V13 卫星图 / 规划图 / 研究图

道路网、绿道网、公共空间

03 条件阶段 3

按运行留痕调整场景，开放规则与维护

运营平台 / 社区



V13 卫星图 / 规划图 / 研究图

道路网、绿道网、公共空间

验收闭环：空间是否接通？日常是否优先？场景能否暂停？维护主体是否明确？

按依赖关系成熟度分期；不一定固定年份

先让城市关系发生，再让新增功能发生；运营决定和鸣能否持续

17 收集全景分析图：从事实、概念、落位到实施，均可回溯到具体空间。

城市设计导则 - 分期实施与运营 - 研究图例 - 2025-08

JINGZHANG RESONANCE - V13 PILOT

English reading note

Moves from dependency verification, to a low-disturbance pilot, and then to documented operational recalibration; no fixed calendar year substitutes for a passed dependency.

Review focus

Each phase returns to spatial evidence, public-value baselines, pause rules, and named maintenance responsibility.

The English plate and adjacent note form one complete reading layer. Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community

PROVISIONAL GEOMETRY / NOT AN OFFICIAL REDLINE
VISUAL INTENT / RESEARCH EXPRESSION / NOT EXISTING CONDITIONS / NOT SURVEY / NOT STATUTORY

Map reference where present: Esri, Vantor, Earthstar Geographics, and the GIS User Community
Rights scope: asset-rights-ledger.json / evidence index | 20

Submission Readiness and Outstanding Dependencies

- 1 Confirmed: GitHub submitter varliuvar; AI model scope declared in agent.json without inferring an unverified runtime sub-model.
- 2 Confirmed: Chinese and English proposal, HTML, five core figures, A3 booklet, A0 boards, and visual index are paired in the manifest.
- 3 Provisional: official site redline and exact polygons for the three key areas; all geometry-derived metrics must be recalculated when supplied.
- 4 Outstanding: survey, ownership, control-plan, road, waterfront, utilities, fire, accessibility, structural, and maintenance verification.
- 5 Pending verification: external basemap scope and generated-component provenance are recorded at their available evidence strength; no missing run identifier is inferred.