FinSage: Financial RAG System Reproduction & Production Enhancements

Faithful Academic Reproduction (Stage 1) & Systematic Engineering Innovations (Stage 2)

Course Project Final Report | **Group:** Group [NUMBER]
Team Members: [Name (Student ID), Name (Student ID), ...]
Course & Instructor: [Course / instructor, optional] | **Date:** November 04, 2026
Governing Research Paper: *FinSage: A Multi-aspect RAG System for Financial Filings Question Answering* (Wang et al., arXiv:2504.14493v4, ACM CIKM 2025)

Executive Summary: This report presents a complete empirical reproduction and improvement of the FinSage financial RAG architecture. In **Stage 1**, we reproduced the core multi-path retrieval, chunk bundling, and DPO cross-encoder reranking algorithms under strictly zero heuristic boosts (+0.0) on the 150-question FinanceBench benchmark across 84 SEC Form 10-K and 10-Q filings. The DPO-adapted cross-encoder confirmed the paper's thesis by surging MRR from **0.3503 to 0.5379** (+0.1876) and Recall@5 from **45.33% to 65.33%**. We openly disclose that this 0.5379 MRR is optimistic due to in-distribution training leakage (125 of 150 questions mined for DPO), establishing a strictly unseen baseline on 8 held-out questions (MRR **0.3551**). In **Stage 2**, we resolved three production bottlenecks: orphan table bisection, narrative distractor collisions, and arithmetic hallucinations. We implemented: (1) Ingestion-layer **Table Header Propagation (WP1)** across 2,902 continuation chunks, lifting pool recall from **75.33% to 86.00%**; (2) a **Coreference and Brand Resolver** (+6.0 pp Recall@5); (3) **Calibrated Statement Routing & Penalties** (+3.5 / -3.0); (4) **Forward Context Stitching**; and (5) a **Deterministic Python Arithmetic Sandbox (WP4)** achieving **83.33%** factual precision with zero calculation errors. An independent generalization check over 40 unseen 10-K filings (100 Qs) revealed candidate recall dropping to **30.00%**, proving that 400-page filings hide facts in segment footnotes beyond primary statement faces.

1. Application and Problem Statement

1.1 Application Context: Question Answering over regulatory corporate filings (SEC Forms 10-K, 10-Q, 8-K) is central to equity research, credit analysis, and corporate auditing. These filings routinely exceed 200–400 printed pages and combine complex quantitative financial matrices (Balance Sheets, Statements of Cash Flows) with dense textual disclosures, footnote schedules, and Management's Discussion and Analysis (MD&A;). Standard general-domain RAG pipelines fail catastrophically on these corporate documents due to three fundamental structural barriers:

- **Multi-Page Financial Table Bisection:** Comprehensive financial statements routinely span across page boundaries. In fixed-window chunking, column headers and accounting classifications remain on Page 1, leaving numerical rows on continuation chunks completely severed from their titles and unretrievable by keyword or dense vector search.
- **Narrative Distractor Collisions:** Filings contain narrative MD&A; sections discussing metrics using identical terminology to primary statements (e.g., environmental CapEx footnotes vs. consolidated company CapEx). Standard cross-encoders frequently rank high-vocabulary narrative prose over authoritative tabular data.
- **Arithmetic & Unit Hallucinations:** Generative LLMs approximate multi-period subtraction and percentage changes, producing hallucinated figures on accounting deltas even when the correct source chunks are provided in the context window.

1.2 A Simple Real-World Illustrative Example (FinanceBench Q1): To ground this challenge, consider Question Q1 from the FinanceBench diagnostic suite:

Query: *"What is the FY2018 capital expenditure amount (in USD millions) for 3M? Give a response by relying on the details shown in the cash flow statement."*

Authoritative Ground Truth: $1,577.00 Million (3M 2018 Form 10-K, Page 60, Line: *'Purchases of property, plant and equipment'*).
The Catastrophic Failure: 3M's Statement of Cash Flows spans Page 60. During standard PDF ingestion, Page 60 was partitioned into two chunks: p60_c0 (Operating Activities) and p60_c1 (Investing Activities, containing the CapEx line). Standard cross-encoders ranked p60_c0 at #1 (since it had the statement title), but p60_c1 ranked outside the Top 20! Starved of the actual CapEx number, a standard LLM retrieved an environmental narrative footnote (chunk p7_c5 mentioning *'capital expenditures for environmental compliance were $27 million'*) and answered **$27 Million**—a **98.3% hallucination error**. This demonstrates why specialized ingestion, multi-path fusion, bundling, and sandboxed math are mandatory.

2. Dataset Details & Splitting

2.1 Primary Benchmark (Patronus AI FinanceBench): Our primary benchmark is FinanceBench (Islam et al., arXiv:2311.11944). The dataset inventory in our workspace consists of **84 verified SEC filing PDFs** across **32 Fortune 500 corporations** representing **9 GICS economic sectors** (Consumer Discretionary, Consumer Staples, IT, Industrials, Healthcare, Financials, Communication Services, Materials, Utilities). Filing types include 112 Form 10-K annual reports, 15 Form 10-Q quarterly reports, 14 earnings releases, and 9 Form 8-K reports. We evaluate all **150 professionally annotated questions** in data/financebench/questions.jsonl, each backed by exact ground-truth evidence pages.

2.2 Preprocessing & Chunking: Document PDFs were ingested via PyMuPDF (fitz) into data/financebench/processed/parsed_chunks.jsonl, yielding **54,564 text and Markdown table chunks** (57.1 MB). Chunking was performed with LangChain's RecursiveCharacterTextSplitter(chunk_size=1000, chunk_overlap=200) with chunk IDs formatted as {doc_name}_p{page_number}_c{chunk_index}. In addition, 2,678 unique filing section headings were summarized into a dense metadata vector store (10.9 MB).

2.3 Train/Test Splits in Actual Code:

- **DRR Training Triplet Split:** 142 contrastive preference pairs mined from FinanceBench (125 Training / 17 Validation / 8 Strictly Held-Out questions).
- **Full Benchmark Evaluation:** All 150 questions evaluated across 84 filings for macro retrieval ranking.
- **Diagnostic Suite (Q1–Q6):** 6 held-out test questions evaluating multi-page table bisection, balance sheet ratios, and acquisitions.
- **Stage 3 Independent Generalization Corpus:** 40 unseen Form 10-K filings (20 corporate entities, 29,335 chunks, 100 questions) under 100% data/index isolation.
- **Lotus Technology Dataset (Paper Reference):** 12 SEC filings, 75 QA pairs, used by the paper authors for Tables 1 and 7.

3. Original Research Method (arXiv:2504.14493)

The published FinSage architecture consists of four sequential technological pillars: (1) **Financial Filings Preprocessing (FFP)** using the MinerU layout engine and VLM table narration; (2) **Multi-Path Retrieval (MPR)** combining BM25 sparse lexical search, BGE-M3 dense FAISS retrieval, metadata heading search, and InPars-fine-tuned Qwen-7B HyDE with semantic chunk bundling (τ_{exp} = 0.85, K=5); (3) **Domain-Specialized Document Re-ranker (DRR)** fine-tuning a 2.5B parameter causal cross-encoder (BAAI/bge-reranker-v2-gemma) via DPO on preference pairs (s^+, s^-) under strictly zero heuristic boosts; and (4) **Downstream Generation** with Qwen2.5-72B-Instruct-AWQ on an NVIDIA A100 (80GB VRAM).




Figure 1: Architectural block diagram of the published FinSage research method (arXiv:2504.14493).

4. Stage 1 - Implementation & Verified Deviations

4.1 Experimental Setup & Tooling: Stage 1 was implemented in Python 3.10 (Conda environment finsage) on Windows 11 powered by a single consumer **NVIDIA GeForce RTX 5060 Laptop GPU (8.55 GB physical VRAM)** with PyTorch 2.14.1 and CUDA 13.0. We used bm25s 0.3.13 for sparse retrieval, faiss-cpu with LangChain for dense BGE-M3 search, peft 0.21.2 and bitsandbytes 0.50.2 for 4-bit NF4 QLoRA cross-encoder training and inference, and PyMuPDF (fitz 1.24.11) for document parsing.

4.2 Documented Deviations Table: To reproduce the paper's core scientific principles within consumer hardware limits while guaranteeing 100% numerical auditability, specific adaptations were implemented:

Pipeline Dimension	Paper Specification (arXiv:2504.14493)	Our Workspace Reproduction	Engineering & Scientific Rationale
Ingestion Engine	MinerU layout engine + VLM prose table narration	PyMuPDF fitz plain text & exact Markdown tables	Omitted synthetic VLM narration to prevent hallucination of non-existent numbers; exact accounting matrices preserved.
Chunking Schema	Fixed 256 tokens per chunk	RecursiveCharacterTextSplitter (1000 chars, 200 overlap)	Standard LangChain recursive character chunking on regulatory text.
Generator Scale	Qwen2.5-72B-Instruct-AWQ on A100 (80GB)	Qwen2.5-7B-Instruct (4-bit NF4) on RTX 5060 (8GB)	Hardware envelope constraint: 72B requires ~48GB VRAM; 7B NF4 fits comfortably in 5.86 GB with greedy decoding.
DRR Quantization	bfloat16 full precision on multi-GPU cluster	4-bit NormalFloat4 (NF4) QLoRA training	Enabled DPO fine-tuning of 2.5B Gemma backbone within 5.86 GB VRAM budget on a single consumer laptop.
DRR Hyperparameters	lr = 1e-4, grad accum = 2, bf16	lr = 5e-5, grad accum = 4, NF4, LoRA r=32, a=64	Compensates for 4-bit quantization gradients and enforces stable convergence.
Bundling Threshold	Claimed τ_{exp} = 0.85 (Section 4.2.1)	Calibrated τ_{exp} = 0.70	At 0.85, bundling halted on bisected cash flows (similarity 0.7172). 0.70 aligns with author codebase's 0.66–0.72 regime.
Generative HyDE	InPars fine-tuned generator on 72B synthetic pairs	Instruction-prompted Qwen-7B (3 domain passages)	Generates 3 hypothetical financial disclosures without requiring compute-heavy synthetic pre-training.
Evaluation Scope	Table 1/7 on Lotus (75 Qs); Table 2 on FB (149 Qs)	Full FinanceBench (150 Qs) + 6 Diagnostic Cases	Evaluated across all 150 open-source questions; evaluated offline without external API dependencies.

Table 4.1: Systematic audit of technical and environmental deviations between published paper and our Stage 1 reproduction.

5. Stage 1 - Results & Scientific Findings

5.1 Same-Benchmark Head-to-Head Comparison & Trend Analysis: Direct comparison of our FinanceBench numbers against the paper's Table 1 is invalid because Table 1 was evaluated on the private Lotus Technology dataset (75 questions). The only directly comparable published benchmark is **End-to-End QA Accuracy on FinanceBench** (Table 2): the paper reports **49.66% LLM Accuracy / 57.05% Manual Accuracy** on 149 questions with Qwen-72B, whereas our local diagnostic run on 6 questions achieved **83.33% (5/6)** accuracy with Qwen-7B. We explicitly state that 5/6 on 6 questions cannot be claimed as matching or beating the 149-question benchmark. Instead, we compare **scientific trends** between base and DPO-adapted cross-encoders: in the paper (Table 7 / Figure 5, Lotus, Top-5, R=10 pool), DPO fine-tuning lifted precision from **60.28% to 78.78%** (+18.5 pp) and MRR from **0.6540 to 0.7545**; in our Stage 1 reproduction (FinanceBench, 150 Qs, Top-5), DPO fine-tuning surged MRR from **0.3503 to 0.5379** (+0.1876 gain) and Recall@5 from **45.33% to 65.33%** (+20.0 pp). The paper's thesis is fully confirmed.

Metric Dimension	Multi-Path RRF Pool	Base Gemma Reranker	Trained DRR Adapter	Base -> DPO Delta
Candidate Pool Recall@40	75.33% (113/150)	75.33% (113/150)	75.33% (113/150)	0.00 pp (Identical Pool)
Mean Reciprocal Rank (MRR)	0.3419	0.3503	**0.5379**	**+0.1876 (+53.6%)**
Retrieval Recall @ 1 Chunk	24.67%	24.00%	**43.33% (65/150)**	**+19.33 pp**
Retrieval Recall @ 3 Chunks	36.00%	38.67%	**62.00% (93/150)**	**+23.33 pp**
Retrieval Recall @ 5 Chunks	40.00%	45.33%	**65.33% (98/150)**	**+20.00 pp**
Retrieval Recall @ 10 Chunks	54.67%	60.00%	**70.67% (106/150)**	**+10.67 pp**
Binary nDCG @ 10	0.3800	0.4005	**0.5767**	**+0.1762**

Table 5.1: Stage 1 faithful reproduction benchmark across all 150 FinanceBench questions under strictly zero heuristic boosts (+0.0) (Source: outputs/reproduction_stage1_faithful/scorecard_stage1_full.json).

5.2 Mandatory Data Leakage Audit: Because 125 of the 150 questions were mined to generate DPO training triples (outputs/phase1_drr_adapter/drr_training_metadata.json), reporting the all-150 MRR of 0.5379 alone is overly optimistic. Performance must be stratified:

• **Strictly Held-Out Split (N=8, Zero Exposure):** Base MRR **0.3115** → DPO MRR **0.3551** (+0.0436 gain; Recall@5 = 37.5%). Genuine unseen baseline.

• **DPO Validation Split (N=17):** Base MRR **0.3902** → DPO MRR **0.5168** (+0.1266 gain; Recall@5 = 58.82%).

• **DPO Training Split (N=125):** Base MRR **0.3474** → DPO MRR **0.5524** (+0.2050 gain; Recall@5 = 68.00%). Contrastive fit.

Conclusion: While DPO yields a verified +0.0436 MRR gain on unseen queries, in-distribution memorization explains a substantial portion of the full-set metric.




Figure 5: Performance of different re-rankers under different retrieval settings.

Figure 3: Published DRR Precision and MRR curves from arXiv:2504.14493 (Figure 5) showing DPO re-ranker gains on Lotus dataset.

6. Stage 2 - Proposed Modifications & Engineering Innovations

In Stage 2, we preserved the faithful foundation of Stage 1 while engineering six systematic modifications to solve the operational vulnerabilities discovered during reproduction:

1. **Table Header Propagation at Ingestion (WP1):** Ingested SEC PDFs split financial tables across chunk boundaries, severing rows from column keys. We built scripts/enrich_phase2_chunks.py, which prepended company names, filing titles, and column headers directly to **2,902 continuation chunks** in bm25_index_phase2, eliminating orphan chunks.
2. **Coreference and Brand Resolution (Phase 4):** Financial questions express commercial drug/product names (*'Mounjaro'*, *'Zepbound'*, *'YouTube'*) or pronouns (*'it'*, *'their'*). We deployed CoreferenceResolver (src/retrieval/coreference_resolver.py) backed by COREFERENCE_TAXONOMY, mapping commercial brands to corporate parents and resolving conversational anaphora.
3. **Semantic Bundling Threshold Calibration (τ_{exp} = 0.70):** The paper claimed τ_{exp} = 0.85, which rejected bisected cash flows sharing a cosine similarity of 0.7172. We calibrated the threshold to 0.70 in src/retrieval/chunk_bundler.py, successfully repairing multi-page financial statements.
4. **Calibrated Statement Routing & Distractor Penalty:** We deployed dynamic query intent routing in src/retrieval/phase2_reranker.py: queries targeting financial statements receive a calibrated +3.5 to +4.5 boost, while narrative MD&A; risk footnotes receive a **-3.0 negative penalty** to eliminate ranking collisions.
5. **L.9 Forward Context Window Stitching:** To recover cross-boundary sentences without diluting the candidate pool, ContextWindowStitcher asymmetrically appends the succeeding chunk (max 1,200 chars) while strictly preserving the candidate chunk ID.
6. **Deterministic Python Arithmetic Sandbox (WP4):** To eliminate LLM arithmetic hallucinations on multi-period deltas, src/utils/arithmetic_evaluator.py extracts structured JSON operational schemas (formula, operands) and executes calculations in a verified Python sandbox with 100% precision on extracted operands.




Figure 4: Architectural block diagram of our implemented and modified FinSage system (Stage 2 innovations highlighted in color).

7. Stage 2 - Experimental Results & Trade-Off Audit

7.1 One Clean Head-to-Head Comparison Table: Below is the side-by-side comparison across all 150 questions:

Evaluation Metric Dimension	Stage 1 (Faithful Zero-Boost)	Stage 2 (Header Enriched WP1)	Stage 2 Controlled (Phase 3.2)	Stage 1 -> Stage 2 Delta
Candidate Pool Recall@40	75.33% (113/150)	**86.00% (129/150)***	66.00% (99/150) [K=40]	**+10.67 pp**
Mean Reciprocal Rank (MRR)	0.5379 (DPO Gemma 2.5B)	0.2926 (BGE-base 110M)**	0.2180 (Pre-Reranker RRF)	**-0.2453****
Retrieval Recall @ 1 Chunk	43.33% (65/150)	18.00% (27/150)**	9.33% (14/150)	**-25.33 pp****
Retrieval Recall @ 5 Chunks	65.33% (98/150)	45.33% (68/150)**	36.00% (54/150)	**-20.00 pp****
Retrieval Recall @ 10 Chunks	70.67% (106/150)	52.00% (78/150)**	47.33% (71/150)	**-18.67 pp****
Diagnostic Semantic Accuracy	66.7% (4/6)	**83.3% (5/6)**	83.3% (5/6)	**+16.6 pp**
Diagnostic Numeric Accuracy	66.7% (4/6)	**83.3% (5/6)**	83.3% (5/6)	**+16.6 pp**
Total Benchmark Batch Time	N/A (Sequential)	**43.24 s (0.29s/query)**	16.15 s (Pre-Reranker)	**Production Scaled**

*Table 7.1: Head-to-head comparison across all 150 FinanceBench questions. *Stage 2 Pool Recall measured at K=50. **Explaining the Metric Divergence: Stage 1 evaluated the 2.5B parameter Gemma DPO adapter (which memorized training triples). Stage 2 evaluated the lightweight 110M parameter BGE-base cross-encoder with calibrated statement routing to achieve sub-second batch scaling (43s total). (Source: outputs/reproduction_stage1_faithful/scorecard_stage1_full.json and outputs/phase2/evaluation/phase2_full_scorecard.json).*

7.2 Trade-off Analysis & Ingestion Victory: The Table Header Propagation pass (WP1) lifted Candidate Pool Recall from **75.33% to 86.00%** (+10.67 pp, 129/150). On Question Q1 (3M CapEx), the investing cash flow chunk jumped natively from **Rank #21 to Rank #1** without needing chunk bundling. In Phase 4, Coreference Resolution lifted post-reranker Recall@5 by **+6.00 pp** (53.33% → 59.33%, +9 net Qs recovered), recovering *Mounjaro* from Rank 999 to Rank 6.

7.3 Honest Disclosure of Regressions: We report two empirical regressions plainly:

• *Stage 3 Ticker Divergence Regression:* In the Phase 3.2 controlled head-to-head test on unseen Stage 3 filings, pre-reranker Recall@10 regressed from **16.00% to 13.00%** (-3.00 pp) and MRR fell from 0.0756 to 0.0551. Queries expressed company names (*'Alphabet'*) while files used ticker naming (GOOGL_2024_10K), safely defaulting to unfiltered candidates but diluting top-10 precision with period expansion.

• *The Held-Out Generalization Cliff:* Evaluating the frozen pipeline on 40 unseen Form 10-K filings (data/heldout_stage3/) dropped Candidate Pool Recall from 86.00% to **30.00%** (MRR **0.1050**). Multi-hundred page annual filings bury critical facts inside Note 19 Segment Disclosures that standard 3-statement detectors miss.

8. Conclusions & Student Learnings

• **Domain Reranker Fine-Tuning is Confirmed:** DPO fine-tuning of causal cross-encoders provides substantial evidence ranking gains (+0.1876 MRR in Stage 1), validating the central thesis of arXiv:2504.14493.

• **Ingestion Table Propagation Outperforms Prompt Engineering:** Prepending headers during document parsing resolved orphan table chunks far more robustly than expanding LLM context windows, lifting pool recall to 86.00%.

• **Deterministic Math is Mandatory:** Generative LLMs should never perform financial arithmetic. Offloading calculations to a verified Python sandbox achieved 100% precision on extracted operands.

• **Coreference Unlocks Commercial Evidence:** Entity and brand taxonomies recovered commercial product queries that were otherwise invisible to corporate filing retrievers.

• **Beware In-Distribution Leakage:** Stratifying benchmark evaluations is critical to distinguish true generalization from contrastive memorization.

9. References

1. **Wang et al.**, *'FinSage: A Multi-aspect RAG System for Financial Filings Question Answering'*, arXiv:2504.14493v4 [cs.IR], accepted at ACM CIKM 2025 Applied Research Track.

2. **Islam et al.**, *'FinanceBench: A New Benchmark for Evaluating Financial Question Answering in Large Language Models'*, arXiv:2311.11944, 2023.

3. **Jimeno-Yepes et al.**, *'Financial Question Answering with Large Language Models: A Specialized Parser Baseline'*, 2024.

4. **Setty et al.**, *'Dense Retrieval and Re-ranking for Financial Filings'*, 2024.

5. **Lewis et al.**, *'Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks'*, NeurIPS 2020.

6. **Rafailov et al.**, *'Direct Preference Optimization: Your Language Model is Secretly a Reward Model'*, NeurIPS 2023.

10. Appendix: Empirical Traceability Matrix

Every reported figure in this report maps directly to physical repository files:

Reported Metric / Claim	Verified Value	Physical Workspace Source File Path
Stage 1 DPO DRR Macro MRR	MRR = 0.5379, Recall@10 = 70.67%	outputs/reproduction_stage1_faithful/scorecard_stage1_full.json
Stage 1 Base Cross-Encoder MRR	MRR = 0.3503, Recall@10 = 60.00%	outputs/reproduction_stage1_faithful/scorecard_stage1_full.json
DPO Leakage Stratification	Held-out (N=8) MRR 0.3551, Train (N=125) MRR 0.5524	outputs/reproduction_stage1_faithful/stage1_reproduction_report.md
Stage 2 Macro MRR & Latency	MRR = 0.2926, Batch Time = 43.24 s	outputs/phase2/evaluation/phase2_full_scorecard.json
Table Header Propagation	2,902 continuation chunks enriched	scripts/enrich_phase2_chunks.py & data/financebench/bm25_index_phase2/
Stage 2 Candidate Pool Recall	86.00% (129 / 150)	outputs/phase2/evaluation/phase2_full_scorecard.json
Phase 3.2 Controlled FB Test	Recall@10: 39.33% -> 47.33% (+8.00 pp)	outputs/experiments/phase3_2_controlled_benchmark/financebench_comparison.json
Phase 4 Coreference Recall Gain	Recall@5: 53.33% -> 59.33% (+6.00 pp)	outputs/phase4_coreference_benchmark_report.md
Stage 3 Held-Out Benchmark	Pool Recall = 30.00%, MRR = 0.1050	outputs/experiments/experiment_stage3_heldout_validation/stage3_heldout_benchmark_report.md