



III Marine Expeditionary Force, 3d Marine Logistics Group Marine Corps Strategic Basing Program Basing Requirements Brief 16 March 2025


LtCol Dustin Nicholson
Mr. Christopher A. Rosenfelt
3d MLG Plans
Dustin.Nicholson@usmc.mil
Christopher.a.rosenfelt.ctr@usmc.mil
DSN: 315-637-1193 / 315-637-1650



Basing Process, Actions, and General Timeline

Notes:

- (1) NEPA is assessed throughout basing process.
- (2) Timelines are flexible based on action complexity and interdependencies.
- (3) Congressional reporting, Host Nation Notifications, or Overseas Force Structure Change may be required.





- **Purpose – Initial Brief / COA Selection Brief / Decision Brief**
 - III MEF requires 8x Surgical Platoons to meet wartime requirements but is only staffed to 2x within the First Island Chain (FIC). It is imperative for III MEF to consolidate its Role II structure on Okinawa where it will be most effective and able to support mission requirements.
- **Strategic Narrative**
 - Relocating Bravo Surgical Company to Okinawa consolidates III MEF's Role II capacity where it will be most needed during the rapid transition to conflict. This relocation is operationally imperative and, therefore, warrants DWG analysis.
- **Force Structure – total adjustments for weapon systems and manpower**
 - Movement is required of 180 Billet Identification Codes (BICs) and 318,000 lbs of equipment.



Manpower Concepts

Current Manpower Requirement	Officer	Enlisted	Civilian	Contractor	Total
Full Time	41	164	0	0	180
Res/Part-time	0	0	0	0	0
Total	41	164	0	0	180
On-site Manpower	Officer	Enlisted	Civilian	Contractor	Total
Full Time	33	91	0	0	124
Res/Part-time	0	0	0	0	0
Total	33	91	0	0	124
Basing Manpower Estimates	Officer	Enlisted	Civilian	Contractor	Total
Full Time	41	164	0	0	180
Res/Part-time	0	0	0	0	0
Other	0	0	0	0	0
Total	41	164	0	0	180



Assumptions Used for Requirements Analysis

- Housing, office, training, and storage facility spaces are available to support Bravo Surg. Co. move to Okinawa in FY28.
- USNHO can support training for B Surgical or 3d MLG can cover expenses to send personnel TAD for training beyond USNHO's training capacity.

Background



- 3d Medical Battalion command mission. Provide Role 2 Health Services Support to III MEF forces to sustain combat operations across the full spectrum of MAGTF operations.
 - Identify unit capabilities and how it integrates/supports higher missions. Establish Role 2 trauma care to support operations in austere forward deployed environments. Provide damage control resuscitation and surgical services to stabilize casualties enroute to higher echelons of care/ end state surgical stability.
 - Desired end state. NLT Q2 FY 28, relocate all of Bravo Surgical Company to Okinawa, Japan to consolidate Role 2 capabilities within the FIC.
 - Define initial operating capability (IOC) requirements and required IOC date. (1) Surgical Platoon & Equipment NLT Q1 FY28.
 - Define full operating capability (FOC) requirements and required FOC date. (1) fully manned/trained and equipped Surgical Co, equipment & adequate facilities to provide DS operations within the FIC NLT Q4 FY28.
 - Benefit to Marine Corps installation. Additional medical personnel available to employ in the FIC in order to respond to real world contingencies and support operations.
-



Functional Requirements

Armory Requirements: Yes

TAMCN	NOMEN	Total T/E
E00172B	SIGHT,BORE,OPTICAL	99
E00302M	PISTOL,9 MILLIMETER	66
E00887B	SIGHT UNIT	2
E01237M	MACHINE GUN,CALIBER	2
E01952M	CARBINE,5.56 MILLIM	99
E09897M	MACHINE GUN,7.62 MI	2
E09947M	MACHINE GUN,GRENADE	2
E14422M	RIFLE,5.56 MILLIMET	15

- 3d Med Bn Armory at capacity, space needed

Work/Office Space Requirements: Yes

- Office work-space for 90 people
 - IOC: NIPR (min. 40 PAX)
 - FOC: NIPR (90+ PAX)

Ground Maintenance Facility Requirements: Yes

- 1 Maintenance bay for all Motor-T assets and utilities equipment

TAMCN	NOMEN	Total T/E
D00037K	MTVR, AMK23/25, CARGO SWB	4
D00062B	SPECIAL TOOL KIT,FI	1
D00267K	JLTV SHELTER AMBULANCE	18
D00457K	JLTV, Gen Purpose	6
D00487K	JLTV, Utility	15
D00587K	JLTV Trailer	8
D00807K	M353 Generator Trailer	2
D01987K	MTVR, MK23/25, Cargo SWB	6
D08627K	MK593, MTVR Trailer	2
D08807K	M149, Water Bowl	6
D10017K	M997, Ambulance	18

Unaccompanied Billeting Requirements: Yes

- BEQ/BOQ planning factor is ~50 beds.
 - BEQ 220 is currently occupied by 3d Medical Bn, 3d Dental Bn, Comm Squadron, 3d LSB, Truck Company, and III MEF Band.
 - Moving the other units and consolidating BEQ 220 as the only 3d Med Bn/3d Dental Bn is the best preferred COA.

Functional Requirements



Utilities Assessment:

- Electrical – capable of powering ~90 workstations
- Area capable of testing equipment 100A 120/208

Aviation Hangar and Apron Requirements:

N/A

Security/Classified Material Facility Requirements:

- Bravo Surg Co will utilize SIPR access established at Bldg. 5717 Camp Foster (3d Med Bn Headquarters and Services Company)

Environmental & Historical Assessment:

N/A



Airspace Management Assessment:

N/A

Functional Requirements

Basing Scorecard Analysis:

Criterion	Weight	Foster	Kinser	Hansen
Proximity to Required Training Areas	30%	5	4	3
Availability of Workspace	25%	5	4	3
Storage	20%	3	4	4
Motor pool and Maintenance Space	15%	4	5	3
Billeting & Unaccompanied Housing	10%	5	4	3
Total Weighted Score		4.45	4.15	3.20

Training Range/Facility & Simulator Requirements:

Surgical companies complete clinical skills sustainment (CSS) at Naval Hospital Okinawa (NHO) for 6 months at a time. While a company is not engaged with CSS, additional opportunities (i.e., trauma training courses, TAD to Guam/Hawaii) will be sought out to maintain skills at an acceptable cost.

Motorpool Requirements:

- Motor pool large enough to fulfill B Co's maintenance and laydown requirements.



Functional Requirements

Fuel Considerations:

- Fuel card needed for tactical equipment and GSE

Medical Care Support:

- Access to Tricare approved medical facilities to support FOC manning, dependents & approved accompanied families.

Fire & Emergency Services Requirements:

- Fire and Emergency support will be required from installation services provided by MCBB

Food Service Considerations:

- Access for approximately 60 members for daily utilization of mess hall services to include night rations

Functional Requirements



Contracting Considerations: Yes

- (2) Government Leased Vehicles
 - Forklift (warehouse)
 - Duty vehicle

Supply Considerations: Yes

- Class VIII(a) will relocate from Oahu to Okinawa for storage with MEDLOG Co, CLR 35, which has sufficient space available on Kinser.

MCCS & Quality of Life Considerations:

- Access to MWR facilities, gyms, athletic facilities
- Postal services

Port/Pier Considerations:

N/A



Site Survey Criteria (Used for Site Visit Planning)

- 3d MLG's initial assessment has identified Bldg 5628 on Camp Foster as a potential suitable option to meet training and workspace requirements.

Way Ahead



- Provide Decision Timeline/Milestones:
 - FY25 Q3 – Site Survey of available facilities
 - FY25 Q4 – Site approval
 - FY26 Q1 – Bravo Surgical Co ADVON team arrives TAD to survey and begin planning
 - FY28 Q1 – IOC
 - FY28 Q4 – FOC
-



Request for Information

N/A



Functional Requirements

Other Comments/Requirements:

N/A

Governmental Affairs Considerations:

- Increase of US forces in Okinawa may require a messaging plan through PP&O's Pacific Branch (PLP) office in accordance with CD&I's DOTMLPF-C working group (DWG) analysis.

Communications and Telephone Requirements (including any frequency spectrum requirements):

- None assessed at this time. Further analysis once MCBB provides adequate recommendations to house Bravo Surgical
- Office spaces will need dedicated DSN & phone lines for daily operations
- SIPR will be shared with Med Bn HQ Bldg. 5717



CUI

Installation Assessment

(To be completed by installation for basing assessment)

CUI



Courses of Action Overview

- COA 1: Provide COA overview
 - Advantages/Disadvantages
- COA 2: Provide COA overview
 - Advantages/Disadvantages
- COA 3: Provide COA overview
 - Advantages/Disadvantages

Add additional slides as required.



Summary of Findings and Supportability

Criteria		COA 1	COA 2	COA 3	Observations
Environmental – Historical – Architectural	Impacts on NEPA/other supportability of identified timelines.	G	R	Y	
Feasible – Acceptable – Executable - Suitable - Complete	Wholistic supportability				
Identified Timelines	Site Prep – Construction – Infrastructure - Availability – Completion				
Sustainment Responsibilities - Cost	Equipment – Real Property Costing - Responsibilities				
Capacities (Installation/facilities)	Available facilities – Infrastructure – Cantonment Area				



Installation DOTMLPF-C Assessment

Pillar	Impact Assessment	Comments	Notes
Doctrine	G	No issues.	
Organization	G	No issues.	
Training/ Education	G	No issues.	
Material (M)	Y	Require 6 new phones, computers, workstations..	"M" – New material
Material (m)	G	No issues.	"m" – Existing material
Leadership and Communications Synchronization	Y	Requires phone lines and NIPR network capabilities to be installed and activated. There is a 2 month backlog in getting lines run and services activated.	
Personnel	G	No issues.	
Facilities	R	No additional base services required above current base operating services support levels. May require barracks spaces to be location in Bldg 1322.	
Cost	G	Funding provided by HQMC DC xxx for all costs.	



Community Support and Analysis

- Provide actions coordinated with local community and results/issues/concerns and mitigation actions.



Training, Ranges, and Airspace Management

- Provide specific assessment of the training, range, and airspace requirements provided and mitigation/solutions.



Environmental Analysis

- Provide environmental analysis, concepts, way-forward, issues, etc.



Recommendation / Solution

- Location/Rationale/Site Map
- Address solutions for facilities and mitigations for mission/capacity/environmental/cost issues
- Identify new construction and/or FSRM requirements (include required funding program years to meet IOC/FOC).



Installation Way Ahead

- Provide Installation Decision Timeline/Milestones (highlighting any differences between Unit request and Installation requirements):
- Highlight differences/shortfalls/gaps between installation supportability and unit planned timeline.