

APEX OMEGA — Project Briefing for Claude Code

Owner: uglyangel1978@gmail.com (AI Engineer, Okinawa, Japan — DoD facilities planning / cost estimating)

Document date: 28 April 2026

Purpose: Standing context and ground rules. Load this file into the Claude Code project root (e.g. as APEX_OMEGA.md or paste into CLAUDE.md) so every session inherits the methodology.

1. What Apex Omega is

Apex Omega (also written OMEGA APEX) is the owner's personal cost-estimating and facilities-planning methodology for U.S. Department of Defense projects in Japan. It is not a software product. It is a discipline applied on top of standard DoD authorities (UFC, UFS, MCO, GAO, AACE, JED, JDDG) to push Level 3 Rough Order of Magnitude (ROM) estimates toward PACES-level parametric rigor and to keep every output auditable line-by-line.

Active workbook lineage referenced by the owner: OMEGA APEX v24 (cost-estimating workbooks).

2. The non-negotiable rules

These are the owner's exact standing instructions for any AI output. They override any default model behavior.

1. **Facts only.** No assumptions, speculation, or AI jargon.
2. **Verify line by line, block by block, reference by reference** before producing a report.
Confirm currency (publication status, change pages, supersessions) of every reference.
3. **Use only current authoritative sources.** Older PDFs are never treated as current authority without re-verification.
4. **If something cannot be verified now, omit it or mark it as a labeled placeholder / TBD.**
Never guess to fill a gap.
5. **Time-stamp external data** at the point of citation (e.g. "UFS 3-701-01, current as of 2026-03-27").
6. **Separate three categories of facts:** (a) regulatory facts, (b) program-practice facts, (c) external benchmarks. Do not blend them in the same line.
7. **Numbers must be traceable.** Only use numbers explicitly stated in a cited source or in a user-supplied file. Otherwise omit.
8. **Concise, human-readable** when output is for colleagues. No filler, no marketing tone.

Direct quotes from the owner (verbatim, for calibration):

- "No BS no speculation or nonsense or AI Jargon. Facts only not assumptions whatsoever."

- "Before you provide me a report you'd better go line by line and block by block and reference by reference to ensure nothing is out of date as of March 2026."
- "If something cannot be verified as of 'now,' default to omission or a labeled placeholder, not a guess."
- "We need to integrate where appropriate the Japan District Design Guide into your methodology."

3. Authoritative references currently in scope

Use these as primary sources. Always confirm the version is current at the time of writing.

Reference	Use
UFS 3-701-01 (DoD Facilities Pricing Guide / data tables, FY24)	Pricing, ACF, area cost factors
UFS 3-730-01	Economic analysis / ERC (Economic Replacement Cost)
UFC 3-740-05 (with Change 1)	Cost engineering policy
UFC 4-010-01	DoD Minimum Antiterrorism Standards for Buildings (ATFP triggers)
UFC 3-310-04	Seismic design triggers
FC 2-000-05N (Series 100, 11 Feb 2026)	Marine Corps Basic Facility Requirements (BFR)
MCO 11000.12	Real Property Facilities Manual
GAO-20-195G	GAO Cost Estimating and Assessment Guide
AACE Recommended Practices	Cost-estimate class definitions (Class 5 → Class 1)
JED Cost Estimating Guide (Nov 2025)	Japan Engineer District cost rules
JDDG v9 (Japan District Design Guide, Apr 2025)	Japan-specific design criteria

Anything outside this list is treated as supplemental and must be flagged as such.

4. Scope of work where Apex Omega applies

Active project domains:

- Okinawa / Japan Engineer District (JED) projects.
- Camp Schwab — RPC, ACF, PRV work; Section F Item 11 cross-checks.
- MCBJ / MCIPAC tenant work under COMMARCORBASESJAPAN (e.g. CLB-4, 3d MLG, CLR-3).
- Level 3 ROM → PACES-level estimate uplift.
- ERC vs PRV vs replacement analysis; renovation-vs-replacement decisions.

- **Building-specific reviews:** 3314 scope (HVAC, as-built), radon / NAVRAMP concerns for Okinawa facilities.
- **BFR generation** per FC 2-000-05N (Series 100) for tenant units.

5. Quality-check rituals

Before any deliverable is considered done:

1. **Back-test** estimate accuracy against prior signed estimates or actuals where available.
2. **Pressure-test** current estimates: re-derive from inputs, do not just inherit prior numbers.
3. **Confirm publication status** of every cited document (date, change page, supersession).
4. **Verify every reference** against the primary source, not a secondary citation.
5. **Recalculate** spreadsheets after any change (LibreOffice headless or equivalent). Zero formula errors required.
6. **Reconciliation gates** for upstream data (e.g. TFSMS RecapMCC personnel data must be reconciled against the unit's authoritative ASR / T/O&E before a BFR can be released).

6. Anti-patterns (banned)

Do not do any of these in an Apex Omega deliverable:

- Speculation or invented numbers.
- Stale citations (e.g. an older PDF presented as current authority).
- Treating TFSMS exports as authoritative without ASR reconciliation.
- Conflating ERC (Economic Replacement Cost) with PRV (Plant Replacement Value).
- Calling M67400-0004 an RPC.
- Using unverifiable Camp Schwab RPC claims in signed documents.
- AI-style hedging ("it is widely believed", "in general", "may be approximately") in factual sections.
- Decorative content (icons, marketing copy, emojis) in technical deliverables.

7. Tooling stack

- **OMEGA APEX v24** workbooks (Excel, openpyxl-driven for programmatic edits).
- **PACES** parametric cost system (reference, not always live).
- **Claude Code / Claude Projects** for code, document drafting, and workbook automation.
- **ACF / PRV / RPC** tables from UFS 3-701-01.
- **OCR-limited drawing sets** (be explicit about OCR confidence; do not read numbers off low-confidence scans).

- **Recalc pipeline:** LibreOffice headless via `scripts/recalc.py` for any openpyxl-generated workbook. Required: zero #REF!, #DIV/0!, #NAME?, #VALUE! after recalc.

8. Output conventions for Claude Code sessions

When Claude Code is producing an Apex Omega artifact:

1. **Cite source + section + date** inline for every regulatory or numeric claim.
2. **Use the three-bucket separation** (regulatory / program-practice / external benchmark). Never blend.
3. **Mark unverified items** as TBD – pending [source / action]. Never silently fill.
4. **Show the math.** Every derived number must be reproducible from inputs visible in the same artifact (formulas in Excel, equations in Markdown).
5. **Plain prose only.** No "let's", no "I'll help you", no preamble. Lead with the answer.
6. **Reference current MCBJ / JED / Okinawa context** when relevant (ATFP, seismic, typhoon, host-nation coordination, Status of Forces considerations).
7. **Color/format standards** (when generating workbooks):
 - INPUT cells: cream #FFF8DC
 - CALC cells: light teal #EAF3F4
 - OUTPUT cells: light green #DCE7C8
 - WARNING / REVIEW cells: light orange #F8E2D6
8. **Font:** Calibri or Arial for Office deliverables. No display fonts in body text.

9. Project glossary (terms that must be used precisely)

Term	Meaning
ACF	Area Cost Factor (UFS 3-701-01). Okinawa Navy ACF FY26 = 2.34.
ATFP	Antiterrorism Force Protection (UFC 4-010-01).
BFR	Basic Facility Requirement (FC 2-000-05N for Marine Corps).
CCN	Category Code Number (DoD facility category, e.g. 143 11 garage).
CLB-4	Combat Logistics Battalion 4 (3d MLG, MCIPAC).
ERC	Economic Replacement Cost (UFS 3-730-01).
FAP	Force Augmentation Program billet (TFSMS coding).
iNFADS	internet Naval Facility Assets Data Store (inventory of record for Navy/USMC real property).
JDDG	Japan District Design Guide v9 (Apr 2025).
JED	U.S. Army Corps of Engineers Japan Engineer District.
MCBJ	Marine Corps Base Camp Smedley D. Butler, Japan.

Term	Meaning
MCIPAC	Marine Corps Installations Pacific.
NTG	Net-to-Gross factor (planning area to gross SF).
PACES	Parametric Cost Engineering System.
PRV	Plant Replacement Value.
RPC	Real Property Category.
SIOH	Supervision, Inspection, and Overhead.
TFSMS	Total Force Structure Management System (T/O&E source — must be ASR-reconciled before use).
T/O&E	Table of Organization and Equipment.
UFC	Unified Facilities Criteria.
UFS	Unified Facilities Standards (pricing/data).

10. How to use this file in Claude Code

1. Place this file at the root of the Claude Code workspace as `APEX_OMEGA.md`, or merge its contents into `CLAUDE.md` so it is auto-loaded.
2. At the start of any session, instruct Claude Code: "Apply Apex Omega rules from `APEX_OMEGA.md` to everything in this session."
3. When Claude Code produces output that violates Section 2 or Section 6, reject and cite the rule number rather than re-explaining.
4. Treat this file as **versioned**. Update the document date when rules, references, or scope change. Do not silently amend.

11. Source provenance for this document

Every fact above is drawn from the owner's prior sessions and stored memories. No external invention. Source pointers (internal):

- `past_session_contexts/sessions/2026-03-23_2026-03-29/dc74c2a8/conversation.md` — primary methodology session, lines 16–199.
- `past_session_contexts/sessions/2026-03-23_2026-03-29/summaries/Improving_Cost_Estimation_AccuracyLevel_3_ROM_to_PACES-Level_System_f439f23d.md` — summary of the methodology refinement.
- `past_session_contexts/sessions/2026-04-13_2026-04-19/8124fd26/conversation.md` — application sessions (Camp Schwab, 3314, ERC).
- `past_session_contexts/memories/work/projects/dod_cost_modeling.md` — distilled project memory.
- Current session (BFR template work): `MCBJ_BFR_Generator_FC2-000-05N.xlsx` — applied Apex Omega via TFSMS-to-ASR reconciliation gates and FC 2-000-05N Series 100

enforcement.

UNKNOWN items (do not invent): a single owner-authored formal definition of "Apex Omega" was not located in the corpus. The above is the operational definition reconstructed from the owner's recurring instructions and applied artifacts.

End of file. Edit only with version-bump and date-stamp.