

LogPulse AI - Incident Report

Generated : 2026-05-30 21:07:02 UTC

Trace ID : 51dceb6a-176a-466f-9669-6f7b441ceb16

1 - Incident Summary

Incident ID : 51dceb6a
Category : Memory
Severity : SeverityLevel.CRITICAL
Source : Kubernetes
Cache : MISS

2 - Raw Log

2026-05-30 18:22:11 ERROR kubelet: Pod worker-api-7d9f8b-xk2q in namespace production OOMKilled (container=worker-api) exceeded 256Mi limit; kubectl describe deployment worker-api -n production shows crashLoopBackOff; kubectl top pod worker-api -n production high memory usage; kubectl get events -n production reports MemoryPressure on node worker-3

3 - Classification

Category : Memory
Severity : SeverityLevel.CRITICAL
Summary : Kubernetes pod killed for exceeding its memory limit due to OOMKilled; high memory usage reported.
Source : Kubernetes

4 - Diagnosis

Root Cause : Based on the matched playbook 'Pod OOMKilled: Insufficient Memory Limit', the likely root cause is a Memory incident matching the pattern: Kubernetes pod killed for exceeding its memory limit due to OOMKilled; high memory usage reported..
Confidence : 60%
Reasoning : Gemini unavailable; diagnosis derived from playbook 'Pod OOMKilled: Insufficient Memory Limit' (RAG confidence=0.8164).
Source Tier : playbook_fallback
Used History : No
Used Playbook : Yes

5 - Proposed Solution

Explanation:

The worker-api pod was terminated by the OOM killer because its memory usage exceeded the configured limit of 256Mi.

Steps:

- 1. Retrieve the detailed status of the pod to confirm the OOMKilled termination reason.
- 2. Fetch the logs from the previous container instance to identify memory spike causes.
- 3. Increase the memory limit to 512Mi and request to 256Mi for the worker-api deployment.
- 4. Monitor the deployment rollout to ensure the new pods start successfully with updated limits.

Commands:

```
$ kubectl get pod worker-api-7d9f8b-xk2q -n production -o yaml
$ kubectl logs worker-api-7d9f8b-xk2q -n production --previous --tail=100
$ kubectl set resources deployment worker-api -n production --limits=memory=512Mi
--requests=memory=256Mi
$ kubectl rollout status deployment/worker-api -n production
```

6 - Risk Assessment

Risk Level : RISKLEVEL.SAFE

Safe Commands (4):

- [OK] kubectl get pod worker-api-7d9f8b-xk2q -n production -o yaml
- [OK] kubectl logs worker-api-7d9f8b-xk2q -n production --previous --tail=100
- [OK] kubectl set resources deployment worker-api -n production --limits=memory=512Mi --requests=memory=256Mi
- [OK] kubectl rollout status deployment/worker-api -n production

Flagged Commands (0):

(none)

7 - Operator Decision

Decision : OPERATORDECISION.APPROVED

Executed At : 2026-05-30T18:07:01.764520+00:00

Sandbox Results:

Command : kubectl get pod worker-api-7d9f8b-xk2q -n production -o yaml
Exit : -1
Time : 0ms

Output:

```
[sandbox unavailable -- docker not found]
```

Command : kubectl logs worker-api-7d9f8b-xk2q -n production --previous --tail=100
Exit : -1
Time : 0ms

Output:

```
[sandbox unavailable -- docker not found]
```

Command : kubectl set resources deployment worker-api -n production --limits=memory=512Mi

--requests=memory=256Mi

Exit : -1

Time : 0ms

Output:

[sandbox unavailable -- docker not found]

Command : kubectl rollout status deployment/worker-api -n production

Exit : -1

Time : 0ms

Output:

[sandbox unavailable -- docker not found]

8 - Historical Context

Times Seen : 1

Past Outcomes:

- analyzed on 2026-05-30 18:05:18.407275+00:00

9 - Incident Timeline

[18:07:01] WORKFLOW_COMPLETED -> Completed in 35849ms