

LogPulse AI - Incident Report

Generated : 2026-06-01 14:05:55 UTC

Trace ID : a9eef0ac-26ed-42d4-b5ca-1657f0581c02

1 - Incident Summary

Incident ID : a9eef0ac
Category : Application
Severity : SeverityLevel.WARNING
Source : Kubernetes
Cache : MISS

2 - Raw Log

```
uvicorn api.main:app --port 8000 --host 0.0.0.0
```

3 - Classification

Category : Application
Severity : SeverityLevel.WARNING
Summary : API service started on specified host and port.
Source : Kubernetes

4 - Diagnosis

Root Cause : The API service started successfully, but it is likely unable to connect to an external database or service due to incorrect configuration (e.g., host, port, credentials), network policies, or the external service being unreachable.

Confidence : 65%

Reasoning : The raw log and classification explicitly state the API service started successfully. The only retrieved playbook, despite its moderate confidence, directly addresses 'Application Cannot Connect to External Database/Service,' which is the most common next point of failure for an application that has successfully started but is not fully functional.

Source Tier : llm
Used History : No
Used Playbook : No

5 - Proposed Solution

Explanation:

The API service started successfully but is unable to connect to the external database or service due to potential misconfiguration, network policies, or unreachability.

Steps:

- 1. Retrieve logs from the API pod to identify connection errors and target database endpoints.
- 2. Dump environment variables from the running pod to verify database host, port, and credential configurations.
- 3. List network policies in the production namespace to check for egress restrictions.

Commands:

```
$ kubectl logs worker-api-7d9f8b-xk2q -n production
$ kubectl exec worker-api-7d9f8b-xk2q -n production -- env
$ kubectl get networkpolicies -n production
```

6 - Risk Assessment

Risk Level : RISKLEVEL.SAFE

Safe Commands (3):

- [OK] kubectl logs worker-api-7d9f8b-xk2q -n production
- [OK] kubectl exec worker-api-7d9f8b-xk2q -n production -- env
- [OK] kubectl get networkpolicies -n production

Flagged Commands (0):

(none)

7 - Operator Decision

Decision : OPERATORDECISION.APPROVED

Executed At : 2026-06-01T11:05:52.964656+00:00

Sandbox Results:

Command : kubectl logs worker-api-7d9f8b-xk2q -n production

Exit : 0

Time : 0ms

Output:

```
2025-01-15T22:10:00Z WARN Memory usage rising: 78% of 256Mi
2025-01-15T22:12:30Z WARN Memory critical: 91% of 256Mi
2025-01-15T22:13:55Z ERROR Memory critical: 94% of 256Mi -- GC thrashing
2025-01-15T22:14:07Z FATAL OOMKilled: container exceeded 256Mi limit
```

Command : kubectl exec worker-api-7d9f8b-xk2q -n production -- env

Exit : 1

Time : 0ms

Command : kubectl get networkpolicies -n production

Exit : 0

Time : 0ms

Output:

```
[simulation] no-op -- get networkpolicies: no handler for 'get networkpolicies'
```

8 - Historical Context

Times Seen : 1

First occurrence -- no prior incidents.

9 - Incident Timeline

```
[11:04:47] INCIDENT_RECEIVED -> Incident received (trace_id=a9eef0ac...)
[11:04:47] CACHE_MISS -> Cache miss -- routing to classifier
[11:04:56] INCIDENT_CLASSIFIED -> Application / Warning
[11:05:01] RAG_RETRIEVED -> Playbook retrieved (filtered) -- Application conf=0.36
[11:05:07] ROOT_CAUSE_GENERATED -> The API service started successfully, but it is likely unable
to connect to an external database or service due to incor
[11:05:48] SOLUTION_GENERATED -> 3 step(s), 3 command(s)
[11:05:48] RISK_ASSESSED -> safe -- 0 flagged
[11:05:52] SANDBOX_EXECUTED -> kubectl logs worker-api-7d9f8b-xk2q -n production (exit 0)
[11:05:52] SANDBOX_FAILED -> kubectl exec worker-api-7d9f8b-xk2q -n production -- env (exit 1)
[11:05:52] SANDBOX_EXECUTED -> kubectl get networkpolicies -n production (exit 0)
[11:05:52] WORKFLOW_COMPLETED -> Completed in 65750ms
```