



**Derma AI**  
**Deep Learning Approaches for Skin Diseases Diagnosis**  
**Graduation Project**

**BY**

**Mahmoud Mostafa Mohammed Abas(Leader)**  
**Mohamed Mustafa Salama Badr(Co-Leader)**  
**Abdullah Mohamed Elsayed Mohamed Elkasaby**  
**Abdelrahman Khaled Mohamed Fouad Abdelmagid**  
**Mohamed Ashraf Elsayed Elazap**  
**Mahmoud Mohamed Ramadan El-Sayed Ahmed**  
**Mahmoud Mohamed Abas Zewain**  
**Omar Adel Hasanain**  
**Ayda Mohamed Mahmoud Eldosky**  
**Ghada Talaat Eldawoudy Elbon**

**A project submitted in partial fulfilment of the requirements for  
the degree of Bachelor of Science Information Technology**

**Supervised By**

**Prof.Dr. Mohamed ALRahmawy**  
**Dr. Sara El-Sayed El-Metwally**

**2021-2022**

**Mansoura University, Egypt**

# Abstract

While the population is always increasing, the facilities of a country's health-care system are struggling to keep up, especially In a developing country you can easily notice the shortage in healthcare services, equipment, and even staff. As a result, some curable diseases may go unnoticed and a situation that could be easily managed might escalate to a more serious problem. According to recent studies, skin and subcutaneous diseases are the fourth leading cause of nonfatal disease burden globally, affecting 30–70% of individuals and prevalent in all age groups. In addition to that Diagnostic accuracy of non-specialists is only 24–70%

Our team took notice of that and we started thinking how we could integrate computer science and machine learning with the medical field to help mitigate the load on the healthcare system. Researchers have been trying to leverage the benefits of AI technology for a few decades now and since we are passionate about solving problems, especially ones that are directly affecting human lives, we are trying to address this problem by providing a solution that can help both the patient and the professional healthcare provider.

# Acknowledgments

Thanks to everyone who helped us to carry out our project. We would like to express our deep gratitude and respect to **Prof. Mohamed El-Rahmawy and Dr. Sara El-Sayed El-Metwally**, our supervisors, for their professional guidance and valuable support, encouragement, and useful criticism of this project. Special thanks with much appreciation to Eng. Nada El-Madah for her support, help, and motivation and because she gave us positive energy to get our work done in the best way.

Finally, our thanks go to **our families** for their love, prayers, caring and sacrifices for educating and preparing us for our future.

# Contents

<b>1</b>	<b>Chapter 1: Introduction</b>	<b>1</b>
1.1	Problem Definition . . . . .	1
1.2	Project Objectives . . . . .	2
1.3	Project Scope . . . . .	3
1.4	Project Timeline . . . . .	3
1.5	Document Organization . . . . .	5
1.5.1	Chapter 1 : . . . . .	6
1.5.2	Chapter 2 : . . . . .	6
1.5.3	Chapter 3 : . . . . .	6
1.5.4	Chapter 4 : . . . . .	6
1.5.5	Chapter 5 : . . . . .	7
1.5.6	Chapter 6 : . . . . .	7

---

<b>I</b>	<b>Literature Review</b>	<b>8</b>
<b>2</b>	<b>Literature Review</b>	<b>9</b>
2.1	Introduction . . . . .	9
2.1.1	In paper[?] . . . . .	10
2.1.2	In paper[?] . . . . .	11
2.1.3	In paper[?] . . . . .	12
2.1.4	In paper[?] . . . . .	13
2.1.5	In paper[?] . . . . .	14
2.1.6	In paper[?] . . . . .	16
2.2	Background . . . . .	18
2.2.1	Keras . . . . .	18
2.2.2	TensorFlow . . . . .	18
2.2.3	Flask . . . . .	18
2.2.4	Numpy . . . . .	19
2.2.5	Jinja . . . . .	19
2.2.6	Toml . . . . .	19
2.2.7	Laravel . . . . .	19
2.2.8	Guzzle . . . . .	19
2.2.9	Sanctum . . . . .	20
2.2.10	Android . . . . .	20

---

2.3	Review of Relevant Work . . . . .	20
2.3.1	iDoc24 . . . . .	21
2.3.2	First Derm . . . . .	22
2.3.3	Cureskin (Acne, Pimples, Skin & Hairfall Treatment: CureSkin) . . . . .	23
2.3.4	SkinVision - Find Skin Cancer . . . . .	24
2.3.5	Skin Diseases and Treatments . . . . .	25
2.3.6	Aysa, your answer to common skin conditions . . . . .	26
2.4	Relationship between the Relevant Work and Our Own Work	28
2.5	Summary . . . . .	29
<b>3</b>	<b>System Analysis</b>	<b>30</b>
3.1	Introduction . . . . .	30
3.2	System Requirements . . . . .	30
3.2.1	Functional Requirements . . . . .	31
3.2.2	Non Functional Requirements . . . . .	32
3.2.3	Design Objectives . . . . .	34
3.2.4	User Requirements . . . . .	35
3.3	System Architecture . . . . .	36
3.4	Development Methodology . . . . .	37
3.5	Tools and Languages . . . . .	42

3.6 Summary . . . . .	43
<b>4 System Design</b>	<b>44</b>
 <b>II Problem Definition and Proposed Approach</b>	 <b>45</b>
 5 System Implementation	 46
 6 Conclusion and Future Work	 47
 <b>III Discussion</b>	 <b>48</b>
 7 Conclusion	 49

# List of Figures

2.1	The images for Pso, AD, and Ecz. Pso, psoriasis; Ecz, eczema; AD, atopic dermatitis. . . . .	12
2.2	Training Data Set . . . . .	15
2.3	IDoc24 . . . . .	22
2.4	First Derm . . . . .	23
2.5	SkinVision . . . . .	25
2.6	Skin Diseases and Treatments . . . . .	26
2.7	Aysa, your answer to common skin conditions . . . . .	27
3.1	Use case diagram . . . . .	39
3.2	Sequence Diagram . . . . .	41



# List of Tables

# Chapter 1

## Chapter 1: Introduction

The advancement of technology in our modern era has had an important role in solving many problems that are difficult to solve by ordinary methods, as technology has opened the gates wide open for innovation and creativity to solve problems and meet consumers' needs with ease of use and high efficiency. Despite this rapid development of technology and the emergence fields such as artificial intelligence, which was developed specifically to simulate the human mind., this is not fully exploited in the medical field other than in research, though there are quite a few problems that need exactly that.

### 1.1 Problem Definition

While the population is always increasing, the facilities of a country's health-care system are struggling to keep up, especially in a developing country you can easily notice the shortage in healthcare services, equipment, and even staff.

As a result, some curable diseases may go unnoticed and a situation that could be easily managed might escalate to a more serious problem.

According to recent studies, skin and subcutaneous diseases are the fourth leading cause of nonfatal disease burden globally, affecting 30–70% of individuals and prevalent in all age groups. In addition to that Diagnostic accuracy of non-specialists is only 24–70%.

## 1.2 Project Objectives

Our team took notice of that and we started thinking how we could integrate computer science and machine learning with the medical field to help mitigate the load on the healthcare system.

Researchers have been trying to leverage the benefits of AI technology for a few decades now and since we are passionate about solving problems, especially ones that are directly affecting human lives, we are trying to address this problem by providing a solution that can help both the patient and the professional healthcare provider.

### **The following list shows the main objectives of the project:**

- To use Artificial Intelligence tools as a promising method of diagnosing commonly known diseases and to be a relatively easier and a cheaper added asset to help with the lack of healthcare services and staff.
- To develop a system that can diagnose skin diseases with high accuracy using AI models that are deployed to the cloud.
- To make use of the abundance of data to be provided by users with their permission to increase the AI models accuracy.
- To develop an easy-to-use mobile application connected to our online system to be the interface of our system, which will in turn be the entry

point of metadata and images from the users to be scanned.

- To provide a follow-up with the users with information and possibly off-the-shelf medicine to help with their diagnosis.

## 1.3 Project Scope

“DermaAI” is an application that can provide reliable diagnosis of 620+ skin diseases. We believe this will help mitigate the load on the healthcare system and provide the public with an alternative when there are no options left.

### **The process of diagnosis goes as follows:**

First the patient requests a new scan which is followed by a couple of simple questions, like the affected place on the body for example. Secondly, he is to be asked to provide an image of the area related to the diagnosis, he may also be asked to crop out only that particular area to make it easier to detect.

Finally, the patient is asked to confirm his input. The result will be the highest predicted diseases, in addition to photos of similar cases and information about the disease and what the patient can and can't do to take care of the affected area.

## 1.4 Project Timeline

- **Identifying project objectives**
  - Diagnose skin diseases with high accuracy using Deep Learning.
  - Ease of providing drugs related to dermatology through the App.

- Ease of booking an appointment with a specialist for the patient's condition.

- **Project implementation is divided into 4 phases**

- First Phase (15 Oct - 7 Jan)
  - \* Brainstorm for Requirement Analysis
    - 1-Sprint
    - 15th Oct To 1st Nov
  - \* Design Document & Prototype
    - 2-Sprints
    - 1st Nov To 1st Dec - 2 Sprints
  - \* Development Demo with first Layer of models
    - 1-Sprint
    - 1 Dec To 15 Dec
  - \* Quality Assurance & 1st version Deployment
    - 1-Sprint
    - 15 Dec To 30 Dec
  - \* Risk Management 7 days.
- Second Phase (7 Jan - 30 Feb)
  - \* Brainstorm, Design Document
    - 1-Sprint
    - 7 Jan To 23 Jan
  - \* Development of 8 DL models in the second layer
    - 1-Sprint
    - 23 Jan To 7 Feb
  - \* Quality Assurance for test demo for live data & Deployment for second version
    - 1-Sprint
    - 7 Feb to 23 Feb.
  - \* Risk Management 7 days.
- Third Phase (30 Feb - 23 Apr)
  - \* Brainstorm, Design Document
    - 1-Sprint

- 30 Feb to 14 Mar
- \* Development Demo with of 16 DL models in the second layer
  - 1-Sprint
  - 14 Mar to 30 Mar
- \* Quality Assurance for test demo for live data & Deployment for third version
  - 1-Sprint
  - 1 Apr to 15 Apr.
- \* Risk Management 7 days.
- Fourth Phase (23 Apr - 30 Jun)
  - \* Brainstorm, Design Document
    - 1-Sprint
    - 23 Apr to 7 May
  - \* Development Demo with of 23 DL models in the second layer
    - 1-Sprint
    - 7 May to 23 May
  - \* Quality Assurance for test demo for live data & Deployment for final version
    - 1-Sprint
    - 23 May to 7 Jun.
  - \* Completing Full Documentation
    - 1-Sprint
    - 7 Jun to 23 Jun
  - \* Risk Management 7 days.
- Addition Risk Management on overall plan 15 days

## 1.5 Document Organization

This project consists of six chapters in addition to one appendix. These chapters are organized to reflect the scientific steps toward our main objective. A brief description about the contents of each chapter is given in the following

paragraphs:

### **1.5.1 Chapter 1 :**

, Introduction, introduces the project objectives, the motivation of the project, the approach used in this project, and the scope of the project.

### **1.5.2 Chapter 2 :**

This chapter provides coverage of common techniques and techniques used in This project, an overview of related works related to our app and what's new in Our application, then it will show the advantages and disadvantages of these applications and Through which we inspired the idea of our application in order to make it more These features solve most of these shortcomings. Also provide a list of the libraries and tools that We used to build our app.

### **1.5.3 Chapter 3 :**

This chapter will introduce the project analysis process which includes an observation of the functions to be used in the project and shows detailed explanation about our application. Also shows some figures such as use case diagram, sequence diagram and system architecture which is a generic discipline to handle systems.

### **1.5.4 Chapter 4 :**

This chapter, we will be keen on showing some detailed ERD for our application, class diagram, and some detailed screens on the application, with

an explanation of the importance of each screen and the technology used to build it.

### **1.5.5 Chapter 5 :**

This chapter shows the implementation of the system, shows the process of mapping design into implementation, as well as the chapter will discuss test/achieved results.

### **1.5.6 Chapter 6 :**

Conclusion and future work, summarizes the entire research, and addresses the suggested improvements for the system.



# Part I

## Literature Review

# Chapter 2

## Literature Review

### 2.1 Introduction

The skin is the largest organ in the human body in the region, and is exposed to several external and intrinsic factors that make it prey to a number of diseases. Some are dangerous. Skin diseases have many causes, including those related to biological changes that occur in the human body, such as hormonal disorders, for example. Including what is related to external influences that change the nature of the skin, the most important of which are climatic influences, pollution of the surrounding environment, and so on. However, dietary habits, smoking, lack of sleep as well as psychological stress are all factors that strongly affect the integrity of the skin, and because the freshness of the skin is related to its integrity, it is necessary to pay attention to the health of the skin first. There are many diseases that affect the skin, and they vary according to the diversity of geographical areas. Therefore, in this paper, we presented a complete diagnostic health care system that includes a variety of tools that help patients in the rapid diagnosis and knowledge of the disease and how to prevent it. Many doctors around the world can identify many skin diseases by examining it directly. But with the advancement of technology, there were a lot of scientists who searched and

did research in diagnosing skin diseases, as they presented

### 2.1.1 In paper[?]

This was a retrospective study that was an attempt to develop CAD for a more general dermatology that may be of great interest, especially for general practitioners. This was an image-based study using multitasking learning for binary classification.

All images were diagnosed by AUH-trained dermatologists according to the International Classification of Diseases, 10th Edition (ICD-10). For the ICD-10 codes included in each disease category, the CTCL diagnosis was histologically verified. Best performance was obtained by training the VGG-16 on 16,543 non-standard images. The image data was distributed in the training set (80%), the validation set (10%), and the test set (10%).

All images were collected from a clinical database of a Danish population attending one dermatology department. Patients classified with ICD-10 codes related to acne, rosacea, psoriasis, eczema, and cutaneous T-cell lymphoma were included.

Acne was distinguished from rosacea with a sensitivity of 85.42%, a confidence interval of 72.24-93.93%, a specificity of 89.53%, a confidence interval of 83.97-93.68%. A specificity of 84.09% CI 80.83-86.99%, Eczema Psoriasis with a sensitivity of 81.79% CI 78.51-84.76% and a specificity of 73.57% CI 69.76-77.13%. All results were based on the test set. Notably, this model discriminated between diseases in all three tasks with an accuracy above 77%, indicating an accuracy of clinical relevance compared to the diagnostic accuracy reported in dermatology in general for primary care physicians

(48–77%).

Reported performance rates were equal to or higher than those reported for general practitioners with dermatological training, suggesting that computer-aided diagnostic models based on convolutional neural network could potentially be used for the diagnosis of multi-lesional dermatoses.

### 2.1.2 In paper[?]

In this study, inflammatory skin disease refers to a cutaneous disorder that involves infiltration of inflammatory cells and severe elevation of inflammatory cytokines.

Inflammatory skin diseases affect more than 1/5 of the world's population worldwide. Inflammatory skin diseases include psoriasis (Pso), eczema (Ecz), and atopic dermatitis (AD), dermatologists usually diagnose these diseases by "first impression" and then follow pathological examinations and laboratory tests to confirm the "first impression". However, less experienced dermatologists and young dermatologists are especially prone to errors since Pso, Ecz, and AD are easily misdiagnosed. [Fig. 1] To solve this problem and help dermatologists, in this study, they developed a comprehensive deep learning model, which is based on clinical skin images, for automated diagnosis of Pso, Ecz, and AD.

Based on the EfficientNet-b4 CNN algorithm, they developed the Artificial Intelligence Dermatology Diagnostic Assistant (AIDDA) for Healthy Skin (HC), Pso, Ecz and AD.




Figure 2.1: The images for Pso, AD, and Ecz. Pso, psoriasis; Ecz, eczema; AD, atopic dermatitis.

The proposed CNN model was trained based on 4,740 clinical images, and performance was evaluated on expert-confirmed clinical images grouped into 3 different diagnostic classifications prescribed by dermatologists (HC, Pso, Ecz & AD).

The overall diagnostic accuracy for AIDDA was  $95.80\% \pm 0.09\%$ , with a sensitivity of  $94.40\% \pm 0.12\%$  and specificity of  $97.20\% \pm 0.06\%$ . AIDDA showed an accuracy for Pso of  $89.46\%$ , with a sensitivity of  $91.4\%$  and a specificity of  $95.48\%$ , and an accuracy for AD & Ecz of  $92.57\%$ , with a sensitivity of  $94.56\%$  and a specificity of  $94.41\%$ .

Thus, AIDDA is already making an impact in diagnosing inflammatory skin diseases, and highlights how deep learning network tools can help advance clinical practice.

### 2.1.3 In paper[?]

Skin diseases affect 1.9 billion people. Because of the shortage of dermatologists, most cases are examined by general practitioners who have lower diagnostic accuracy.

They introduced a deep learning system (DLS) to provide a differential diagnosis of dermatology using 16,114 unidentified cases (photographs and clinical data) from a remote dermatology practice serving 17 sites.

The DLS distinguishes between 26 common skin conditions, representing 80% of cases seen in primary care, while also providing a secondary predictor covering 419 skin conditions.

In 963 validation cases, in which a rotating panel of three board-certified dermatologists set the reference standard, DLS was not inferior to six other dermatologists and superior to six primary care physicians (PCPs) and six nurse practitioners (NPs) (top- 1 Accuracy: 0.66 DLS, 0.63 dermatologists, 0.44 PCPs and 0.40 NPs).

#### **2.1.4 In paper[?]**

In this study, training and testing data were obtained from Dermnet NZ, a dermatological information archive launched and maintained by a group of New Zealand dermatologists. The site provides open source images with labels. To go away, they selected 18 high-level categories (Table 5) each of which included sufficient data, besides including erythema as one of their common symptoms.

Using a web crawler, they collected a total of 15,851 images. Among the images obtained through Dermnet, the dermatologists hid my erythema 100 images for use as a base fact. For segmentation, 60 images were used for training, and 40 images were used for testing.

For classification, 13473 images were used for training, and 2378 images were used for testing. In addition, the classification test set was split before hash cropping to prevent single image subsections from appearing in both the training and test sets. They selected 100 images for segmentation in a balanced manner from each category, to minimize any bias that could occur during the classification phase.

They showed that even without a large data set and high-quality images, it is possible to achieve sufficient resolutions. In addition, they show that current latest CNN models can outperform models generated by previous research, through data preprocessing, self-supervised learning, transfer learning, and proprietary CNN architecture techniques. Moreover, through careful segmentation, they gain knowledge of disease location, which is useful in preprocessing the data used for classification, as it allows the CNN model to focus on the area of interest.

Our method provides a solution to classify multiple diseases in a single image. With higher quality and greater amount of data, it will be possible to use the latest models to enable the use of CAD in the field of dermatology.

### **2.1.5 In paper[?]**

In this study, a data sample from the complete data set used to train the system model is presented in [Fig. 2]. The database is divided into; Training set, validation/test set. A training set is adopted to learn to fit the parameters and is specifically applied to vary the variable weights and errors of the system in each training session. The validation/test set adjusts the parameters and is only used to evaluate the effectiveness and efficiency of the system.



Figure 1: Training Data Set

Figure 2.2: Training Data Set

The method uses computer vision related techniques to distinguish between different types of dermal skin abnormalities. They used different types of deep learning algorithms (Inception\_v3, MobileNet, Resnet, xception) for feature extraction and a learning algorithm (preferably Random Forest or Logistic Regression) for training and testing purpose.

Using modern architecture greatly increases efficiency up to 88 percent. Moreover, by using feature set mapping, combining trained models with Inception V3, MobileNet, Resnet and Xception, a voting-based model will be compiled and thus increase efficiency.

In order to improve performance and choose the optimal architecture for the application, they have used logistic regression technology. In this method,



the division mode is set to 90% to train the data, and 10% to validate/test the data. To characterize the efficiency of a classification model (or "classifier") on a set of test data that has true values.

In this work, a model for predicting skin diseases was made using deep learning algorithms. It has been found that they can achieve a higher accuracy rate and can also predict many more diseases than any other previous models that have been performed before. Also, previous models performed in this field of application were able to report a maximum of six dermatological diseases with a maximum accuracy level of 75%. By applying a deep learning algorithm, they predicted up to 20 diseases with a higher accuracy level of 88%.

### **2.1.6 In paper[?]**

In this article, they report a Deep Learning System (DLS) to identify the 26 most common dermatological conditions in adults referred for teledermatology consultation. As a secondary predictor, DLS also produces predictions for the full cohort of the 419 skin conditions seen in this work. Their DLS offers many improvements over previous work.

First, rather than individual classification among a small number of conditions, their DLS provides a differential diagnosis across 26 conditions, including different skin conditions, dermatoses, pigmentary conditions, alopecia and lesions, to aid clinical decision-making.

Second, rather than relying solely on images, DLS makes use of the 45 types of data available to dermatologists in the remote dermatology service, such as demographic information and medical history.

Third, DLS supports a variable number of input images, and the usefulness of using multiple images has been evaluated. Finally, to understand the potential value of DLS, they compared its diagnostic accuracy with that of board-certified physicians with three different levels of training: dermatolo-

gists, PCPs and NPs. They used Inception-v4 modules with shared weights before applying an argument set and binding to metadata features.

The primary output of the DLS classification layer is the relative probability of 27 classes (26 skin conditions plus “others”). The byproduct is the relative probability of a complete set of 419 skin conditions seen in this work. Their DLS has two main components: a variable number of deep convolutional neural network modules for processing a flexible number of input images, and a shallow module for processing metadata such as demographic information and medical history

To develop and validate their DLS, they applied a chronological breakdown of 36 remote skin cases: the first 80% (years 2010–2017) to development and the last 20% (years 2017–2018) to validation.

The reference standard for each case was determined by the pooled opinions of dermatologists who reviewed the case independently (see Methods). After excluding cases with multiple skin diseases and those that could not be diagnosed, 16,114 (64,837 images) were used for development and 3,756 (14,883 images) for validation (validation set A; smaller subset B used for comparison with clinicians and described in sections related to). In all, 64,878 dermatological reviews were collected for development and 11,268 for validation. , where he found higher accuracy 1 = 0.71 & higher 1 sensitivity = 0.58 higher accuracy 0.93 & sensitivity = 0.83

In the following sections, we will explain the different libraries and tools that we used to create our integrated health system capable of diagnosing skin diseases and determining how to treat them.

## 2.2 Background

The system we are going to build, DermAI, will depend on artificial intelligence technologies, soft computing techniques and a mobile application to operate. The following subsections provide a brief background information about tools, and techniques needed to build our system including TensorFlow, Numpy, Jinja, Toml, Guzzle, Sanctum, and Programming Languages.

### 2.2.1 Keras

Keras is an open source software library that provides a Python interface for artificial neural networks. Keras acts as an interface to the TensorFlow library. Keras has supported several backends, including TensorFlow, Microsoft Cognitive Toolkit, Theano, and PlaidML.

### 2.2.2 TensorFlow

TensorFlow is a free and open-source software library for machine learning and artificial intelligence. It can be used across a range of tasks but has a particular focus on training and inference of deep neural networks.

### 2.2.3 Flask

Flask is a web framework that provides libraries to build lightweight web applications in python. It is developed by Armin Ronacher who leads an international group of python enthusiasts (POCCO). It is based on WSGI toolkit and jinja2 template engine. Flask is considered as a micro framework.

### **2.2.4 Numpy**

NumPy is a library for the Python programming language, adding support for large, multi-dimensional arrays and matrices, along with a large collection of high-level mathematical functions to operate on these arrays.

### **2.2.5 Jinja**

Jinja is a web template engine for the Python programming language. Jinja is similar to the Django template engine but provides Python-like expressions while ensuring that the templates are evaluated in a sandbox.

### **2.2.6 Toml**

Toml is the specified file format of PEP 518 which contains the build system requirements of Python project.

### **2.2.7 Laravel**

Laravel is an open-source PHP framework, which is robust and easy to understand. It follows a model-view-controller design pattern. Laravel reuses the existing components of different frameworks which helps in creating a web application.

### **2.2.8 Guzzle**

Guzzle is a PHP HTTP client that makes it easy to send HTTP requests and trivial to integrate with web services.

### 2.2.9 Sanctum

Sanctum is a simple package you may use to issue API tokens to your users without the complication of OAuth. This feature is inspired by GitHub and other applications which issue "personal access tokens". For example, imagine the "account settings" of your application has a screen where a user may generate an API token for their account. You may use Sanctum to generate and manage those tokens. These tokens typically have a very long expiration time (years), but may be manually revoked by the user at anytime.

### 2.2.10 Android

Android is a mobile operating system based on a modified version of the Linux kernel and other open source software, designed primarily for touchscreen mobile devices such as smartphones and tablets. we used java and kotlin.

## 2.3 Review of Relevant Work

After studying quite a few research papers in scientific journals, some of which were mentioned above, we came to the conclusion that the use of AI tools is a promising method for diagnosing common diseases and an additional, comparatively easier and cheaper additional asset.

To help the lack of health care services and personnel, but sometimes the accuracy of an independent model system may not suit all types of diseases, moreover, its accuracy may fluctuate depending on the disease. These problems make it difficult for this type of system to be independent of human intervention.

Therefore, we are going to review a bunch of applications related to this

work.

### 2.3.1 iDoc24

iDoc24 is an award-winning online dermatology service backed by scientific research. Patients do not have to wait in crowded waiting rooms to take the test.

iDoc24 has been featured on Wired, CNET, USA Today and Forbes, one of the oldest and largest online dermatology groups, screened and trained in teledermatology.

Diagnosis of 14 types of skin diseases. iDoc24 offers a research-backed product used by certified dermatologists that quickly treats unknown conditions at an affordable price.

#### Pros:

- Serving more than 160 countries in seven languages.
- iDoc24 responds within hours 24/7 online customer support.
- Accurate response treatment recommendations and triage decisions are delivered to patients.

#### Cons:

- Only 14 diseases diagnosed.
- Poor image quality.
- Inaccuracy of evaluation.




Figure 2.3: IDoc24

### 2.3.2 First Derm

The team behind iDoc24 also developed and operated the First Derm platform, which is very similar to the iDoc24 app: it allows access to a dermatologist through a connected device.

Launched in 2014 as an iOS app, available in six languages, it diagnoses 14 types of skin conditions and above all provides mothers with an on-the-go skin care assessment tool as a first step around skin care concerns within their families, including infants and children.

Worries only send pictures of mosquito bites or rashes of their young children to a licensed dermatologist connected via the app anonymously, the pictures will be reviewed and real dermatologists answer your query within hours. (And they don't use Dermatology AI - which is not accurate.)



Figure 2.4: First Derm

### 2.3.3 Cureskin (Acne, Pimples, Skin & Hairfall Treatment: CureSkin)

Cureskin is intended to help alleviate the situation. It can diagnose six types of common skin conditions - pimples, acne, scars, dark spots, pigmentation and dark circles.

The app's chatbot asks a few questions and poses artificial intelligence, based on the input. I recommend an eight-week skincare regimen.

CureSkin is a skin care app trusted by over 12 users for skin problems and hair loss. Once you place the order, your customized CureSkin set will be delivered.

Safe and tested products for pregnant women and new mothers.



**Pros:**

- Safe and Confidential - All your data remains 100% safe and confidential.
- With 100% accuracy.

**Cons:**

- Diagnosed only six types of common skin diseases.

### **2.3.4 SkinVision - Find Skin Cancer**

SkinVision is a regulated medical service that enables you to take charge of the health of your skin. With a smartphone app at the core of its service, SkinVision expands your ability to self-examine your skin, diagnose just one disease and provide fast and accurate skin cancer detection, along with the most reliable personal advice on skin health and health path recommendation.

**Pros:**

- With 95% accuracy.

**Cons:**

- Only one disease diagnosed.




Figure 2.5: SkinVision

### 2.3.5 Skin Diseases and Treatments

This app covered most of the dermatology as it provided a resource for people diagnosed with new skin diseases. You can recognize the disease just by seeing it in a good descriptive picture of each disease separately, and gives skin care tips (by experts)

#### Pros:

- Provides excellent and extensive satisfactory data.

#### Cons:

- Only 47 diseases diagnosed.




Figure 2.6: Skin Diseases and Treatments

### 2.3.6 Aysa, your answer to common skin conditions

Aysa is the easy-to-use app for getting personalized answers to your skin condition questions.

Aysa helps you check your skin symptoms and prepare for your practitioner visit. Use the phone's camera to take a picture of your skin problem and Aysa will quickly find a match for your symptoms to provide personalized and helpful information about your symptoms. Aysa is built on the resources of VisualDx, the award-winning clinical decision support program that has focused on equity in medicine for over 20 years. Its curated library of more than 120,000 medical images.

The workflow also allows you to select skin tone, ensuring the best possible information and images. Aysa's knowledge and recommendations are

based on the best available evidence required according to industry standard protocols, which are interpreted through expert opinion.

### Pros:

- Your privacy is protected with Apple's CoreML (Machine Learning).
- High accuracy.

### Cons:

- Only 200 skin diseases were diagnosed.




Figure 2.7: Aysa, your answer to common skin conditions

## 2.4 Relationship between the Relevant Work and Our Own Work

There have been a number of real applications running as we have previously reviewed, but they are limited to a small number of diseases and lack the precision to be independent. So a system aims to fix both problems, as we have a system that is able to diagnose more than **620 skin diseases** with better accuracy overall, plus the models can be updated without crashing the system as a whole.

Improving accuracy is detrimental to the application of disease diagnosis, and to achieve this, the models are divided into two layers.

**The first layer** is for classification which is simply to output which of the 23 general skin conditions the entry belongs to,

That is when **the second layer** begins whose function is to determine exactly what type of disease is being introduced.

New technologies are being taken into consideration such as cloud computing which will enable us to have a large number of independent models running simultaneously with virtually no delay in response.

**Last but not least**, the drastic changes in mobile devices and networks over the past two years enable us to use high-resolution images to feed our AI models, moreover, the preprocessing phase will be used to increase the accuracy of the models.

## 2.5 Summary

Our project presents a proposed solution that depends on the presence of any mobile device connected to the Internet.

**The diagnostic process goes as follows:**

**First:** the patient asks for a new examination followed by two simple questions, such as the affected place on the body for example.

**Second,** he will be asked to provide an image of the area related to the diagnosis, and he may also be asked to cut out only that particular area for easier detection.

**Finally,** the patient is asked to confirm their input.

The result will be on top of the expected illnesses, as well as pictures of similar cases and information about the disease and what the patient can and cannot do to care for the affected area.

We also discussed in this chapter academic researchers and scientists Existing papers that provide the same service, also show basic information, as we have explained the most important libraries, tools and software technologies used in our project.

**Finally,** we discuss the relationship between our intended project and related work process Taking into account all the advantages and disadvantages to reach our goal by developing and improving this service by increasing the number of diseases that we diagnose and increasing the accuracy of the models.

# Chapter 3

## System Analysis

### 3.1 Introduction

After we collected a lot of information about our users and competitors, In this chapter we provide detailed information about our system including functional requirements, non-functional requirements, user requirements, system architecture, use case, and sequencing diagrams.

### 3.2 System Requirements

Requirements are not about the solution ideas, but it is about what are the needs of the user and the ability of our project to implement these requirements. System requirements are the needed configurations for the system to operate efficiently. The

next three subsections will discuss the functional requirements, Nonfunctional requirements, and user requirements.

### **3.2.1 Functional Requirements**

In systems engineering, functional requirements are directly related to system services. Functional software requirements help you capture files of the system's intended behavior. This behavior can be expressed as functions, services, tasks, or any system required to perform. In this subsection, we list the functions that are required in our system.

#### **Permits the user to scan affected area**

The system provides a way to scan skin affected area through mobile application.

#### **Shows the matched results after processing**

Using deep learning, the system shows top matched results with the scanned photo.

#### **Explains how to deal with symptoms on the body**

After scan report, the system explains to the user more details about his case in a simple way to understand.



**Ordering medicines and Asking a doctor**

Provides the ability to order medicines and book an appointment with the dermatologist.

**Providing a database of more than 620 types of skin diseases**

The user can search for a disease by name and get the disease information, Self-care, Medicines that can be used, Additional information (causes and places of spread) and any other disease with the same symptoms.

**3.2.2 Non Functional Requirements**

The system needs to operate efficiently and meet the requirements. Any failure of the components of the systems may lead to one or more of functions to stop or be misused. A non-functional requirement is a requirement that specifies criteria that can be used to judge the operation of a system.

**Accessibility**

Easy design that is suited for different communities to use.

**Availability**

Available for low versions of android devices as well as high versions.

**Capacity**

Low storage space consumption.

**Minimize response time (high speed)**

System response within few seconds.

**Performance**

High (recognition and detection) tools and algorithms.

**Reliability and Safety**

System should be safe so patient can rely on.

**Usability**

Easy to use and understand for different users.

**Security**

Only user ( patient) can allow the system to keep and capture their diagnostic image and use it in the training process and make adjustments to their data.

**3.2.3 Design Objectives**

Without doubt, one of the most important objectives of this phase is to build an accessible, usable and engaging digital product that fills our users' needs.


### 3.2.4 User Requirements

The user of the application is a patient who wants to know the result of his medical test by capturing or upload a photo of an affected area with unknown symptoms on his body.

- 1 Log in to the system.
- 2 Scan affected area or upload a photo.
- 3 Answer some questions about the case.
- 4 Get the top matched results.
- 5 Select the most appropriate diagnosis for your case.
- 6 Get an explanation contains Self-care, Medicines that can be used, Additional information (causes and places of spread) and any other disease with the same symptoms.
- 7 Get the medicines
- 8 Book an appointment with the dermatologist.
- 9 Search for a skin disease you want to know about.
- 10 Contact technical support if there is a problem.

### 3.3 System Architecture

After determining the requirements of the system, we will describe its major Components, their relationships (structures), and how they interact with each other.



- **Subsystem-1:** user write about his medical history (if he didn't sign in before ) and answer some questions about his situation and take image for disease or (upload from gallery) then app will replay with the prediction of disease and some information about it .

Doctors will write information and medicines for diseases

on the website and they will insert in database.

- **Subsystem-2:** Middle-ware backend will process information from doctors and users beside information about users and doctors and it will be responsible of :
  - Communicate with categorization models API to categorise disease from images and choice between them.
  - Process answers of with storaged answers and information.
  - Reply disease and information about it to user.
- **Subsystem-3** microservices communicate with middle-ware to respond predictions of diseases.  
Microservices distributed between servires communicate with eath other.

### 3.4 Development Methodology

After we knew the basic structure of the system. We are going to view all of its functions, the relation between them and the sequence of their executions in the following subparts.

## Use Case Diagrams

First, with use case diagram, we will specify the expected behavior of the system. This helps us to design the system from end user's perspective.




Figure 3.1: Use case diagram

### Use Case Description

- Use Case : DermAI



- **Actors : Patient**
- **Goal : .....**
- **Description :** When user scan his skin disease image , the system analyzes it after the user asks some questions about his disease and explains the result in details. The system suggests to the user the appropriate medicine , contact the nearest doctor and he can search for any disease. He can also edit his profile.

### Sequence Diagram

The sequence diagrams will show you how an operation is done and the inner details of it . To use our system, the user must be authorized first by sign up if it the first time or by login if he he owns an account. Once the user logged in successfully, his/her corresponding record in the database.




Figure 3.2: Sequence Diagram

## 3.5 Tools and Languages

Developing our software application can be divided into main two parts, which are the design part, the implementation part.

The design part involves designing diagrams and designing user interface of the mobile application.

The implementation part involves programming languages, IDEs, frameworks, and libraries. The following list shows the needed tools for the software development and a brief description about their usages:

1. **Software Ideas Modeler** : it is used to draw the UML diagrams.
2. **Adobe XD** : it is used to design user interfaces and prototypes.
3. **Android Studio** : it is an IDE to build mobile application for Android OS.
4. **Postman** : it is an HTTP client that tests HTTP requests.
5. **Visual Studio** : it is a set of development tools available in the form of visual studio add-in.
6. **PhpMyAdmin** : Open source administration tool for MySQL and MariaDB.
7. **Skipper** : it is a visualization tool and code/schema generator for PHP ORM framework.

## 3.6 Summary

In this chapter we provide the reader with detailed knowledge about our system. Part 2 include system requirements Which is divided into functional , non-functional and user requirements which specify some different specifications for users. Part 3 includes system architecture which describe the main components of the system, their relationships, and how they interact with each other. Part 4 include development methodology which includes UML diagrams that shows the details of how will the system work. In the end of the chapter we listed the needed tools to build the system.

## Chapter 4

# System Design

## Part II

# Problem Definition and Proposed Approach

## Chapter 5

# System Implementation

## **Chapter 6**

### **Conclusion and Future Work**



## Part III

## Discussion

## Chapter 7

## Conclusion

