

Inspection Issue Log

Team Area 52

Project: Rat Sighting App

Inspection ID: App Eval

1

Meeting Date: 11/13/2017

Recorder: Eric Malavenda

Origin: Requirements, Design, Construction, Testing

Type: Missing, Wrong, Extra, Usability, Performance,

Style, Clarity, Question

Severity: Major, minor

Defects Found: 8 Major(M), 35 minor(m) Defects Corrected: 2 Major 15 minor

<u>Origin</u>	<u>Type</u>	<u>Severity</u>	<u>Location</u>	<u>Description</u>
1. Design	Clarity	m	CreateRatReport	controllers.CreateRatReport 1. +returnToRatReportList() • consider improving name
2. Design	Performance, clarity	m	CreateRatReport	(2) +createNewRatReport() • refactor for clarity, efficiency
3. Design	Missing	M	MainActivity	(3) controllers.MainActivity • encapsulation issues
4. Design	Style	m	MainActivity	((4), (5)) +setUpButtonsOnStartup() • delegate some of the logic to separate method(s) • rename method
5. Design	Style	m	MainActivity	
6. Design	Missing	M	RegistrationActivity	((6), (7)) controllers.RegistrationActivity • encapsulation issues • add JavaDocs
7. Constr	Missing	m	RegistrationActivity	
8. Constr	Wrong	m	ReportListActivity	(8 -> 12) controllers.ReportListActivity • ReportRecyclerView -> fix debug issue • RecyclerView attributes hard-coded • move sortRatReportByDates to RatReportManager or more appropriate class
9. Design	Style	m	ReportListActivity	• separate detailed view instead of just Toast for report details • make individual report attributes independently selectable
10. Design	Style	m	ReportListActivity	

11	Design	Usability	m	ReportListActivity
----	--------	-----------	---	--------------------

((12), (13))
controllers.WelcomeActivity

12	Design	Performance	M	WelcomeActivity
----	--------	-------------	---	-----------------

- AsyncTask for loadRatReports(), loadUsers()
- move this task to occur after user logs in

13	Design	Performance	M	WelcomeActivity
----	--------	-------------	---	-----------------

14	Design	Missing	M	Admin
15	Design	Style	m	Model

- (14) model.Admin
- add methods for functionality
- (15 -> 18) model.Model
- change name to UserManager

16	Constr	Performance	M	Model
----	--------	-------------	---	-------

- speed vs storage. New hash map each instance of app run is unnecessary. Data structures that contain same info lead to redundancy
- +addNewUser(user : User) - add to list and hash map... Necessary
- Default password creation is security concern
- efficiency problem creating a new copy of userList each addUser() instance

17	Constr	Wrong	M	Model
----	--------	-------	---	-------

18	Constr	Performance	M	Model
----	--------	-------------	---	-------

- (19) model.PersistenceManager
- +loadBinary(file : File) - remove debug message

19	Constr	Wrong	m	PersistenceManager
----	--------	-------	---	--------------------

20	Design	Style	m	RatReport
----	--------	-------	---	-----------

- (20) model.RatReport
- +setReportDate(date : Date)
 - Use DatePatternGenerator?

21	Constr	Extra	m	RatReportLoader
----	--------	-------	---	-----------------

- (21 -> 25) model.RatReportLoader

22	Design	Performance	m	RatReportLoader
----	--------	-------------	---	-----------------

- remove hanging JavaDocs
- +getRatReportsFromCSV(csv : InputStream) - improve implementation for efficiency
- contains() -> place in a utility class shared class usability, make it static
- +getRatReportDate() -> move to formatter to RatReport class
- +getReportLatitude(), +getReportLongitude() -> combine into a single method

23	Design	Performance	m	RatReportLoader
----	--------	-------------	---	-----------------

- (26 -> 27) model.RatReportManager
- external method to call

24	Design	Style	m	RatReportLoader
----	--------	-------	---	-----------------

25	<u>Design</u>	<u>Style</u>	<u>m</u>	<u>RatReportLoader</u>
26	<u>Design</u>	<u>Style</u>	<u>m</u>	<u>RatReportManager</u>
27	<u>Constr</u>	<u>Wrong</u>	<u>m</u>	<u>RatReportManager</u>
28	<u>Design</u>	<u>Style</u>	<u>m</u>	<u>ReportLocation</u>
29	<u>Constr</u>	<u>Wrong</u>	<u>m</u>	<u>ReportLocation</u>
30	<u>Constr</u>	<u>Style</u>	<u>m</u>	<u>User</u>
31	<u>Constr</u>	<u>Extra</u>	<u>m</u>	<u>DateRange</u>
32	<u>Design</u>	<u>Style</u>	<u>m</u>	<u>DateRange</u>

+loadRatReports() from Activi

Limited to this implementation

- fix typo in JavaDocs for +loadRatReports() method

(28 -> 29)model.ReportLocation

- create enum for Borough
- setZipCode() make public
- create enum for locationType

(30) model.User

- remove RegistrationActivity in creation from inside default no constructor

((31), (32)) model.DateRange

- remove comments in onCreate
- subtracting 1900 is needed because Date constructor is deprecated. non-dep constructor.
- move some of the logic in onCreate into separate method(s)

(33 -> 35) controllers.GraphActivity

- move some code out of +onCreate() 33 [Design, Style, m, GraphActivity]
- hist (Map) change add to put method calls, 34 [Design, Performance, m, GraphActivity]
nested for loop for year, month
- minor detail -> readability: change hist to histogram 35 [Design, Style, m, GraphActivity]

(36 -> 38) controllers.GraphSetUp

- find a way to re-use DateRange class instead of creating a new copy. 36 [Design, Performance, m, GraphSetUp]
- create a Model-type class for shared methods belonging to Graph classes 37 [Design, Performance, m, GraphSetUp]
- Remove hanging JavaDocs 38 [Constr, Extra, m, GraphSetUp]

(39 -> 43) controllers.MapsActivity

- outdated JavaDoc comment for +onMapReady() 39 [Constr, Wrong, m, MapActivity]
- line 51 move 40 [Constr, Wrong, m, MapsActivity]
- line 49 change to New York (from Sydney) 41 [Constr, Wrong, m, MapsActivity]
- consider renaming +getRatReportFilteredList() method 42 [Design, Style, m, MapsActivity]

shared method for access to DateRange, with GraphActivity class 43 40 [Design, Performance, m, MapsActivity]