ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Carl Leukefeld
University of Kentucky. Center on Drug and Alcohol Research

Variable Description and Frequencies for Restructuring Risky Relationships Intake

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #30842
Criminal Justice Drug Abuse Treatment Studies (CJDATS)
Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008
Part 1: RRR-HIV Intake Data

1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.

2) ALCPRB2 - ALCPRB8 & DRGPRB1 - DRGPRB8: The values for these variables in the codebook are not consistent with those in the data or the questionnaire.

ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Restructuring Risky Relationships Intake

CJDID	**Study site**

Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Study site

Value	Label	Unweighted Frequency	%
2100	RRR/HIV	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 2100.00
- Median: 2100.00
- Mode: 2100.00
- Minimum: 2100.00
- Maximum: 2100.00
- Standard Deviation: 0.00

RCTR	**Research Center**

Location:	5-6 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Research Center

Value	Label	Unweighted Frequency	%
2	University of Kentucky	279	62.8 %
3	Connecticut	48	10.8 %
5	University of Delaware	81	18.2 %
8	Rhode Island	36	8.1 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 3.14
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 8.00
- Standard Deviation: 1.84

SITE	**Research Site**

Location:	7-10 (width: 4; decimal: 0)

Variable Type:	numeric
Question:	Research Site

Value	Label	Unweighted Frequency	%
3	Site 3	48	10.8 %
4	Site 4	81	18.2 %
5	Site 5	279	62.8 %
6	Site 6	36	8.1 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 4.68
- Median: 5.00
- Mode: 5.00
- Minimum: 3.00
- Maximum: 6.00
- Standard Deviation: 0.77

WAVE	**Interview Visit/Wave**

Location:	11-12 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Interview Visit/Wave

Value	Label	Unweighted Frequency	%
0	Baseline	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

COND	**0=CC, 1=RRR**

Location:	13-14 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Study Condition

Value	Label	Unweighted Frequency	%
0	Control	218	49.1 %
1	Treatment	224	50.5 %
9	Unknown	2	0.5 %

- Study 30842 -

Based upon 444 valid cases out of 444 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.76

STAFFID	Interviewer ID number		
Location:	15-18 (width: 4; decimal: 0)		
Variable Type:	numeric		
Question:	Interviewer ID number		

Value	Unweighted Frequency	%
0	5	1.1 %
44	2	0.5 %
212	13	2.9 %
218	12	2.7 %
219	11	2.5 %
220	11	2.5 %
251	1	0.2 %
316	23	5.2 %
322	3	0.7 %
323	20	4.5 %
324	4	0.9 %
326	5	1.1 %
328	1	0.2 %
329	10	2.3 %
360	9	2.0 %
402	11	2.5 %
410	87	19.6 %
414	58	13.1 %
425	1	0.2 %
426	6	1.4 %
430	59	13.3 %
431	50	11.3 %
608	34	7.7 %
1326	6	1.4 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 401.93
- Median: 410.00
- Mode: 410.00
- Minimum: 0.00
- Maximum: 1326.00
- Standard Deviation: 149.14

CID	SubjectID

Location:	19-22 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Subject ID
	Based upon 444 valid cases out of 444 total cases.

- Mean: 5770.46
- Minimum: 5001.00
- Maximum: 8055.00
- Standard Deviation: 974.74

INTSTRT	StartTime

Location:	23-27 (width: 5; decimal: 0)
Variable Type:	character
Question:	Start time.
	Based upon 444 valid cases out of 444 total cases.

INTLOC	Interview location

Location:	28-31 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Interview location.

Value	Label	Unweighted Frequency	%
1	Prison	440	99.1 %
7	Other	2	0.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.40

INTLOC1	**Other interview location**

Location: 32-131 (width: 100; decimal: 0)

Variable Type: character

Range of Missing Values (M): -9

Question: Specify other interview location.

Value	Unweighted Frequency	%
	7	1.6 %
-9 (M)	437	98.4 %

Based upon 7 valid cases out of 444 total cases.

IDATE	**Date interview conducted**

Location: 132-142 (width: 11; decimal: 0)

Variable Type: character

Question: Date of interview.

Based upon 444 valid cases out of 444 total cases.

CSEX	**Client Gender**

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

Question: Client gender.

Value	Label	Unweighted Frequency	%
2	Female	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

STJAIL	**Date arrested this incarceration**

Location: 145-155 (width: 11; decimal: 0)

Variable Type: character

Question: What date were you arrested that resulted in this incarceration?

Based upon 444 valid cases out of 444 total cases.

PRE30JL	**Date 30 days prior to this arrest**

Location: 156-166 (width: 11; decimal: 0)

Variable Type:	character
Question:	Okay, so 30 days before that date (you were arrested) would be...
	Based upon 444 valid cases out of 444 total cases.

PRE180JL	**Date 6 mo prior to this arrest**
Location:	167-177 (width: 11; decimal: 0)
Variable Type:	character
Question:	And 6 months before that date (you were arrested) would be...
	Based upon 444 valid cases out of 444 total cases.

DY30FREE	**Number of days free 30 days**
Location:	178-181 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many of those 30 days were you free? Like not in jail or in prison?

Value	Unweighted Frequency	%
0	5	1.1 %
3	2	0.5 %
5	1	0.2 %
10	2	0.5 %
12	1	0.2 %
14	2	0.5 %
15	3	0.7 %
16	2	0.5 %
17	2	0.5 %
18	1	0.2 %
19	1	0.2 %
20	4	0.9 %
21	1	0.2 %
22	1	0.2 %
23	1	0.2 %
24	2	0.5 %
25	1	0.2 %
26	2	0.5 %
27	7	1.6 %
28	1	0.2 %
29	9	2.0 %
30	391	88.1 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 28.73
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.76

DY180FRE	Number of days free 6 mo
Location:	182-185 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many of the days in the 6 months we talked about were you free? Like not in jail or in prison?

Value	Unweighted Frequency	%
0	4	0.9 %
1	1	0.2 %
29	1	0.2 %
30	1	0.2 %
33	2	0.5 %
35	1	0.2 %
40	1	0.2 %
42	1	0.2 %
43	1	0.2 %
51	1	0.2 %
58	1	0.2 %
60	4	0.9 %
70	1	0.2 %
80	1	0.2 %
86	1	0.2 %
90	13	2.9 %
93	1	0.2 %
95	1	0.2 %
100	1	0.2 %
105	2	0.5 %
118	1	0.2 %
120	15	3.4 %
126	1	0.2 %
128	1	0.2 %
130	2	0.5 %
133	1	0.2 %
134	1	0.2 %
135	1	0.2 %
138	3	0.7 %

Value	Unweighted Frequency	%
143	1	0.2 %
146	1	0.2 %
147	1	0.2 %
149	2	0.5 %
150	17	3.8 %
152	2	0.5 %
153	1	0.2 %
155	3	0.7 %
159	2	0.5 %
160	5	1.1 %
161	2	0.5 %
162	1	0.2 %
163	3	0.7 %
164	2	0.5 %
165	2	0.5 %
166	5	1.1 %
167	1	0.2 %
168	2	0.5 %
169	1	0.2 %
170	1	0.2 %
171	2	0.5 %
172	2	0.5 %
173	4	0.9 %
174	3	0.7 %
175	1	0.2 %
176	1	0.2 %
177	6	1.4 %
178	5	1.1 %
179	10	2.3 %
180	287	64.6 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 163.05
- Median: 180.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 36.03

CDOB	CDOB

Location: 186-193 (width: 8; decimal: 0)

Variable Type: character

Question: What is your birthdate?

Value	Unweighted Frequency	%
Masked	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

CHISP	Hispanic

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

Question: Are you Hispanic or Latina?

Value	Label	Unweighted Frequency	%
0	No	425	95.7 %
1	Yes	16	3.6 %
3	Unknown	1	0.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.23

CHETHN	Hispanic Ethnic Group

Location: 195-198 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: What ethnic group do you consider yourself?

Value	Label	Unweighted Frequency	%
0	Unknown	8	1.8 %
5	Puerto Rican	13	2.9 %
7	Other (specify)	3	0.7 %
-9 (M)	Legitimate skip	418	94.1 %
. (M)	-	2	0.5 %

Based upon 24 valid cases out of 444 total cases.

- Mean: 3.58
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.67

CHETHN1	Other Hispanic Ethnic Group

Location:	199-298 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other ethnic group you consider yourself?

Value	Unweighted Frequency	%
	11	2.5 %
Masked	1	0.2 %
-9 (M)	432	97.3 %

Based upon 12 valid cases out of 444 total cases.

CBLACK	African American Race

Location:	299-300 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	What is your race or ethnic background? African American?

Value	Label	Unweighted Frequency	%
0	No	346	77.9 %
1	Yes	98	22.1 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

CASIAN	CASIAN

Location:	301-308 (width: 8; decimal: 2)
Variable Type:	numeric
Question:	What is your race or ethnic background? Asian?

Value	Label	Unweighted Frequency	%
. (M)	-	444	100.0 %

Based upon 0 valid cases out of 444 total cases.

CNATIVE	CNATIVE

Location:	309-316 (width: 8; decimal: 2)
Variable Type:	numeric
Question:	What is your race or ethnic background? Native American?

Value	Label	Unweighted Frequency	%
. (M)	-	444	100.0 %

Based upon 0 valid cases out of 444 total cases.

CWHITE	White Race

Location:	317-318 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	What is your race or ethnic background? White?

Value	Label	Unweighted Frequency	%
0	No	130	29.3 %
1	Yes	314	70.7 %

Based upon 444 valid cases out of 444 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

CPACISL	CPACISL

Location:	319-326 (width: 8; decimal: 2)
Variable Type:	numeric
Question:	What is your race or ethnic background? Pacific Islander?

Value	Label	Unweighted Frequency	%
. (M)	-	444	100.0 %

Based upon 0 valid cases out of 444 total cases.

COTHRAC	Other Race

Location:	327-328 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	What is your race or ethnic background? Other?

Value	Label	Unweighted Frequency	%
1	Yes	25	5.6 %
. (M)	-	419	94.4 %

Based upon 25 valid cases out of 444 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

CRACE1	**Other Race/Ethnicity**

Location:	329-428 (width: 100; decimal: 0)
Variable Type:	character
Question:	Specify other race or ethnic background.

Value	Unweighted Frequency	%
Masked	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

CLIVE	**Living Situation**

Location:	429-432 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	In the last 30 days prior to the arrest date on the timeline, where were you living most of the time?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Shelter	1	0.2 %
2	Street	28	6.3 %
3	Institution	9	2.0 %
4	Own/rent apt/house/room	165	37.2 %
5	Someone else apt/house/room	222	50.0 %
6	Halfway house	5	1.1 %
7	Residential Tx	4	0.9 %
8	Other	7	1.6 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 4.45
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.01

CLIVE1	Other living situation

Location:	433-532 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other living situation?

Value	Unweighted Frequency	%
	3	0.7 %
24	1	0.2 %
campground	1	0.2 %
hotel	2	0.5 %
hotel w/boyfriend	2	0.5 %
on the road	1	0.2 %
staying with friends that used wasn't staying at h	1	0.2 %
-9 (M)	433	97.5 %

Based upon 11 valid cases out of 444 total cases.

LNGLIV	Number months living situation

Location:	533-536 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How long had you been living there (at that place)? In months.

Value	Unweighted Frequency	%
0	2	0.5 %
1	43	9.7 %
2	42	9.5 %
3	32	7.2 %
4	20	4.5 %
5	16	3.6 %
6	37	8.3 %
7	6	1.4 %
8	14	3.2 %
9	8	1.8 %

Value	Unweighted Frequency	%
10	4	0.9 %
11	2	0.5 %
12	51	11.5 %
14	1	0.2 %
15	1	0.2 %
18	8	1.8 %
24	36	8.1 %
25	1	0.2 %
30	5	1.1 %
31	1	0.2 %
36	24	5.4 %
40	1	0.2 %
41	1	0.2 %
48	13	2.9 %
60	14	3.2 %
72	4	0.9 %
84	6	1.4 %
96	4	0.9 %
108	3	0.7 %
120	6	1.4 %
132	1	0.2 %
144	4	0.9 %
156	1	0.2 %
168	1	0.2 %
192	1	0.2 %
204	1	0.2 %
216	1	0.2 %
234	1	0.2 %
240	4	0.9 %
252	4	0.9 %
264	4	0.9 %
276	2	0.5 %
300	1	0.2 %
304	1	0.2 %
312	1	0.2 %
324	2	0.5 %
360	1	0.2 %
396	1	0.2 %
408	1	0.2 %
432	1	0.2 %

Value	Unweighted Frequency	%
1200	1	0.2 %
1825	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 43.02
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 1825.00
- Standard Deviation: 123.34

HOMLESS	**Number nights homeless shelter**

Location: 537-540 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: During the last 6 months prior to the arrest date on the timeline, how many nights did you spend in a homeless shelter?

Value	Label	Unweighted Frequency	%
0	-	425	95.7 %
3	-	1	0.2 %
4	-	1	0.2 %
7	-	1	0.2 %
14	-	1	0.2 %
17	-	1	0.2 %
20	-	1	0.2 %
30	-	3	0.7 %
31	-	1	0.2 %
35	-	1	0.2 %
48	-	1	0.2 %
61	-	1	0.2 %
100	-	1	0.2 %
120	-	1	0.2 %
146	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 1.58

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.00
- Standard Deviation: 11.33

SUPRLIV	**Number nights halfway house**

Location:	541-544 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the last 6 months prior to the arrest date on the timeline, how many nights did you spend in a supervised living situation, such as a halfway house or group home?

Value	Unweighted Frequency	%
0	409	92.1 %
2	3	0.7 %
4	1	0.2 %
5	1	0.2 %
7	1	0.2 %
8	1	0.2 %
15	1	0.2 %
20	1	0.2 %
30	4	0.9 %
35	1	0.2 %
60	5	1.1 %
90	3	0.7 %
92	1	0.2 %
120	2	0.5 %
137	1	0.2 %
147	1	0.2 %
149	1	0.2 %
150	1	0.2 %
170	1	0.2 %
180	3	0.7 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 5.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 25.34

LIVSP	**Live with partner**

Location:	545-546 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the last 6 months prior to the arrest date on the timeline, were you living with a spouse, significant other, or domestic partner?

Value	Label	Unweighted Frequency	%
0	No	187	42.1 %
1	Yes	254	57.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

JOBSP	**Partner**

Location:	547-550 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Which of the following most accurately described the employment status of your domestic partner/spouse?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Full-time	125	28.2 %
2	Part-time	20	4.5 %
3	Unemployed, looking	21	4.7 %
4	Not in labor force	89	20.0 %
-9 (M)	Legitimate skip	186	41.9 %
. (M)	-	2	0.5 %

Based upon 256 valid cases out of 444 total cases.

- Mean: 2.28
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00

- Standard Deviation: 1.38

NUMCH	Number children

Location:	551-554 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many children (including biological, step and adopted) do you have?

Value	Unweighted Frequency	%
0	69	15.5 %
1	76	17.1 %
2	118	26.6 %
3	86	19.4 %
4	44	9.9 %
5	21	4.7 %
6	16	3.6 %
7	8	1.8 %
8	1	0.2 %
9	1	0.2 %
10	1	0.2 %
11	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.80

MINORCH	Number biological children

Location:	555-558 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those children are biological?

Value	Label	Unweighted Frequency	%
0	-	3	0.7 %
1	-	79	17.8 %
2	-	125	28.2 %
3	-	93	20.9 %
4	-	35	7.9 %

Value	Label	Unweighted Frequency	%
5	-	21	4.7 %
6	-	9	2.0 %
7	-	5	1.1 %
8	-	1	0.2 %
9	-	1	0.2 %
11	-	1	0.2 %
-9 (M)	Legitimate skip	69	15.5 %
. (M)	-	2	0.5 %

Based upon 373 valid cases out of 444 total cases.

- Mean: 2.60
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.48

LIVCH		Number stepchildren	

Location:	559-562 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those are step-children?

Value	Label	Unweighted Frequency	%
0	-	341	76.8 %
1	-	11	2.5 %
2	-	12	2.7 %
3	-	1	0.2 %
4	-	6	1.4 %
-9 (M)	Legitimate skip	70	15.8 %
. (M)	-	3	0.7 %

Based upon 371 valid cases out of 444 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.64

SUPCH		Number children receiving financial support

Location:	563-566 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many received financial support from you for the majority of the last 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	175	39.4 %
1	-	79	17.8 %
2	-	55	12.4 %
3	-	42	9.5 %
4	-	17	3.8 %
5	-	1	0.2 %
6	-	3	0.7 %
7	-	1	0.2 %
-9 (M)	Legitimate skip	69	15.5 %
. (M)	-	2	0.5 %

Based upon 373 valid cases out of 444 total cases.

- Mean: 1.11
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.35

FOSTCH	Number of children foster care

Location:	567-570 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the last 6 months prior to the arrest date on the timeline, how many of your children were in foster care?

Value	Label	Unweighted Frequency	%
0	-	332	74.8 %
1	-	19	4.3 %
2	-	10	2.3 %
3	-	7	1.6 %
4	-	2	0.5 %
5	-	2	0.5 %
7	-	1	0.2 %
-9 (M)	Legitimate skip	69	15.5 %
. (M)	-	2	0.5 %

Based upon 373 valid cases out of 444 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.79

DEPEND	Number people financially support

Location:	571-574 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the last 6 months prior to the arrest date on the timeline, how many people (including children, spouse, others) were dependent on you for the majority of their food, shelter, etc? (Do not include self-supporting spouse or self.)

Value	Label	Unweighted Frequency	%
0	-	242	54.5 %
1	-	86	19.4 %
2	-	45	10.1 %
3	-	31	7.0 %
4	-	20	4.5 %
5	-	7	1.6 %
6	-	4	0.9 %
7	-	3	0.7 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	3	0.7 %

Based upon 438 valid cases out of 444 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.44

CMSTAT	Marital Status

Location:	575-578 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	What is your current legal marital status?

Value	Label	Unweighted Frequency	%
1	Never Married	202	45.5 %
2	Legally Married	50	11.3 %
3	Living as Married	9	2.0 %
4	Separated	60	13.5 %
5	Divorced	108	24.3 %
6	Widowed	13	2.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.69
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.80

LNGMST	**Number months in marital status**

Location:	579-582 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been (current marital status)?

Value	Label	Unweighted Frequency	%
0	-	3	0.7 %
1	-	2	0.5 %
2	-	1	0.2 %
3	-	1	0.2 %
5	-	3	0.7 %
6	-	1	0.2 %
7	-	1	0.2 %
8	-	2	0.5 %
9	-	3	0.7 %
10	-	3	0.7 %
11	-	1	0.2 %
12	-	11	2.5 %
13	-	1	0.2 %
14	-	2	0.5 %
15	-	1	0.2 %
17	-	1	0.2 %
18	-	4	0.9 %

Value	Label	Unweighted Frequency	%
23	-	2	0.5 %
24	-	24	5.4 %
28	-	1	0.2 %
30	-	3	0.7 %
32	-	2	0.5 %
34	-	2	0.5 %
36	-	17	3.8 %
38	-	1	0.2 %
45	-	1	0.2 %
48	-	16	3.6 %
54	-	2	0.5 %
60	-	11	2.5 %
72	-	11	2.5 %
76	-	1	0.2 %
78	-	1	0.2 %
84	-	9	2.0 %
96	-	8	1.8 %
108	-	6	1.4 %
120	-	14	3.2 %
121	-	1	0.2 %
132	-	1	0.2 %
144	-	11	2.5 %
156	-	9	2.0 %
168	-	5	1.1 %
180	-	4	0.9 %
192	-	6	1.4 %
204	-	10	2.3 %
216	-	2	0.5 %
240	-	7	1.6 %
252	-	1	0.2 %
276	-	1	0.2 %
288	-	1	0.2 %
300	-	2	0.5 %
312	-	2	0.5 %
324	-	1	0.2 %
384	-	3	0.7 %
910	-	1	0.2 %
8125	-	1	0.2 %
-9 (M)	Legitimate skip	200	45.0 %
. (M)	-	2	0.5 %

- Study 30842 -

Based upon 242 valid cases out of 444 total cases.

- Mean: 127.90
- Median: 60.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 8125.00
- Standard Deviation: 525.40

GRADE	Education Level (Years)

Location:	583-586 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	What is the highest level of education you have finished, whether or not you received a degree?

Value	Unweighted Frequency	%
0	1	0.2 %
1	7	1.6 %
5	1	0.2 %
6	5	1.1 %
7	5	1.1 %
8	33	7.4 %
9	51	11.5 %
10	59	13.3 %
11	77	17.3 %
12	103	23.2 %
13	44	9.9 %
14	32	7.2 %
15	8	1.8 %
16	14	3.2 %
17	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 11.02
- Median: 11.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 2.49

HS	High School Graduate

Location:	587-587 (width: 1; decimal: 0)
Variable Type:	numeric

Question: Have you graduated from high school?

Value	Label	Unweighted Frequency	%
0	No	267	60.1 %
1	Yes	175	39.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

VOTECH	**Votech Graduate**

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

Question: Have you completed a vocational or technical training program?

Value	Label	Unweighted Frequency	%
0	No	313	70.5 %
1	Yes	129	29.1 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

GED	**GED**

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Have you completed your GED?

Value	Label	Unweighted Frequency	%
0	No	150	33.8 %
1	Yes	120	27.0 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	172	38.7 %
. (M)	-	2	0.5 %

Based upon 270 valid cases out of 444 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

WORKGED	Working on GED

Location:	591-592 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Are you currently working on your GED or any type of vocational/technical training degree?

Value	Label	Unweighted Frequency	%
0	No	168	37.8 %
1	Yes	98	22.1 %
2	Unknown	1	0.2 %
-9 (M)	Legitimate skip	175	39.4 %
. (M)	-	2	0.5 %

Based upon 267 valid cases out of 444 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.49

LNGVTCH	Days enrolled votech

Location:	593-596 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	In the last 6 months prior to the arrest date on the timeline, how many days were you enrolled in a vocational or job training program?

Value	Unweighted Frequency	%
0	424	95.5 %
1	1	0.2 %

Value	Unweighted Frequency	%
30	5	1.1 %
35	1	0.2 %
56	1	0.2 %
60	2	0.5 %
90	5	1.1 %
120	1	0.2 %
180	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 17.30

LNGEDUC	**Days enrolled education program**

Location:	597-600 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	In the last 6 months prior to the arrest date on the timeline, how many days were you enrolled in a literacy or educational program?

Value	Unweighted Frequency	%
0	413	93.0 %
2	1	0.2 %
4	1	0.2 %
26	1	0.2 %
30	4	0.9 %
45	1	0.2 %
56	1	0.2 %
60	3	0.7 %
69	1	0.2 %
72	1	0.2 %
90	4	0.9 %
92	1	0.2 %
130	1	0.2 %
150	2	0.5 %
180	7	1.6 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 6.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 27.89

DRVLIC	Drivers license

Location:	601-602 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Prior to the arrest date on the timeline, did you have a valid drivers license?

Value	Label	Unweighted Frequency	%
0	No	225	50.7 %
1	Yes	214	48.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

JOB	Employment Status

Location:	603-606 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During most of the last 6 months prior to the arrest date on the timeline, which of the following best described your employment status?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Full time	127	28.6 %
2	Part time	60	13.5 %
3	Unemployed-looking	59	13.3 %
4	Disabled	65	14.6 %
5	Volunteer	1	0.2 %
7	Unemployed-not looking	92	20.7 %

Value	Label	Unweighted Frequency	%
8	In school	6	1.4 %
9	Armed Forces	1	0.2 %
10	Homemaker	19	4.3 %
11	Other	11	2.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.85
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.87

JOB1	**Other employment**

Location:	607-706 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other employment status.

Value	Unweighted Frequency	%
	7	1.6 %
court ordered rehab	1	0.2 %
disabled	1	0.2 %
home incarceration	1	0.2 %
in jail	1	0.2 %
in treatment or jail	1	0.2 %
jail	1	0.2 %
on the run	1	0.2 %
pension insurance	1	0.2 %
self employed	1	0.2 %
self-employed	1	0.2 %
spousal death benefit	1	0.2 %
-9 (M)	426	95.9 %

Based upon 18 valid cases out of 444 total cases.

FINSUP1	**Number months financial support from job**

Location:	707-710 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many of those 6 months did you get any money, food, shelter, etc. from your job or employment?

Value	Unweighted Frequency	%
0	231	52.0 %
1	13	2.9 %
2	22	5.0 %
3	23	5.2 %
4	33	7.4 %
5	16	3.6 %
6	104	23.4 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.56

AMTSUP1	Amount money received from job

Location:	711-714 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	In the last 30 days prior to this incarceration, how much money did you receive from employment?

Value	Label	Unweighted Frequency	%
0	-	62	14.0 %
20	-	1	0.2 %
80	-	1	0.2 %
100	-	1	0.2 %
200	-	6	1.4 %
250	-	2	0.5 %
271	-	1	0.2 %
300	-	1	0.2 %
350	-	1	0.2 %
400	-	11	2.5 %
450	-	5	1.1 %
480	-	1	0.2 %
500	-	8	1.8 %
540	-	1	0.2 %
600	-	13	2.9 %
700	-	3	0.7 %

Value	Label	Unweighted Frequency	%
705	-	1	0.2 %
750	-	1	0.2 %
800	-	17	3.8 %
850	-	2	0.5 %
900	-	7	1.6 %
960	-	1	0.2 %
980	-	1	0.2 %
1000	-	17	3.8 %
1100	-	2	0.5 %
1200	-	12	2.7 %
1300	-	2	0.5 %
1350	-	1	0.2 %
1400	-	2	0.5 %
1480	-	1	0.2 %
1500	-	6	1.4 %
1600	-	3	0.7 %
1800	-	1	0.2 %
2000	-	6	1.4 %
2100	-	1	0.2 %
2200	-	1	0.2 %
2280	-	1	0.2 %
2400	-	1	0.2 %
2500	-	3	0.7 %
3000	-	4	0.9 %
3380	-	1	0.2 %
4000	-	4	0.9 %
4600	-	1	0.2 %
-9 (M)	Legitimate skip	224	50.5 %
. (M)	-	2	0.5 %

Based upon 218 valid cases out of 444 total cases.

- Mean: 785.67
- Median: 600.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4600.00
- Standard Deviation: 875.84

FINSUP2	Number months financial support spouse

Location: 715-718 (width: 4; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from your spouse or ex-spouse (including child support)?

Value	Label	Unweighted Frequency	%
0	-	361	81.3 %
1	-	3	0.7 %
2	-	2	0.5 %
3	-	5	1.1 %
4	-	3	0.7 %
5	-	2	0.5 %
6	-	63	14.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.15

FINSUP3	Number months financial support sex partner

Location:	719-722 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from a sexual partner (other than a spouse) or a friend?

Value	Label	Unweighted Frequency	%
0	-	244	55.0 %
1	-	11	2.5 %
2	-	17	3.8 %
3	-	13	2.9 %
4	-	9	2.0 %
5	-	4	0.9 %
6	-	140	31.5 %
120	-	1	0.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 2.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 6.25

FINSUP4	**Number months financial support family**

Location:	723-726 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from your family?

Value	Label	Unweighted Frequency	%
0	-	269	60.6 %
1	-	18	4.1 %
2	-	16	3.6 %
3	-	16	3.6 %
4	-	5	1.1 %
5	-	3	0.7 %
6	-	112	25.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 1.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.59

FINSUP5	**Number months financial support unemployment**

Location:	727-730 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from unemployment compensation (for being laid off)?

Value	Label	Unweighted Frequency	%
0	-	434	97.7 %
1	-	1	0.2 %

Value	Label	Unweighted Frequency	%
4	-	1	0.2 %
6	-	3	0.7 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.53

AMTSUP5	**Amount money received unemployment**

Location:	731-734 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	In the last 30 days prior to the arrest date on the timeline, how much money did you receive from unemployment?

Value	Label	Unweighted Frequency	%
0	-	14	3.2 %
32	-	1	0.2 %
52	-	1	0.2 %
666	-	1	0.2 %
1300	-	1	0.2 %
-9 (M)	Legitimate skip	424	95.5 %
. (M)	-	2	0.5 %

Based upon 18 valid cases out of 444 total cases.

- Mean: 113.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1300.00
- Standard Deviation: 334.65

FINSUP6	**Number months financial support retirement**

Location:	735-738 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question:
How many of those 6 months did you get any money, food, shelter, etc. from retirement?

Value	Label	Unweighted Frequency	%
0	-	438	98.6 %
6	-	3	0.7 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.49

AMTSUP6	Amount money received retirement

Location: 739-742 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question:
In the last 30 days prior to the arrest date on the timeline, how much money did you receive from retirement?

Value	Label	Unweighted Frequency	%
0	-	13	2.9 %
1249	-	1	0.2 %
2000	-	1	0.2 %
3672	-	1	0.2 %
-9 (M)	Legitimate skip	426	95.9 %
. (M)	-	2	0.5 %

Based upon 16 valid cases out of 444 total cases.

- Mean: 432.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3672.00
- Standard Deviation: 1034.40

FINSUP7	Number months financial support disability

Location: 743-746 (width: 4; decimal: 0)

Variable Type: numeric

Question: How many of those 6 months did you get any money, food, shelter, etc. from disability?

Value	Unweighted Frequency	%
0	375	84.5 %
1	1	0.2 %
2	3	0.7 %
3	2	0.5 %
4	1	0.2 %
6	60	13.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.07

AMTSUP7	Amount money received disability

Location: 747-750 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: In the last 30 days prior to the arrest date on the timeline, how much money did you receive from disability?

Value	Label	Unweighted Frequency	%
0	-	13	2.9 %
320	-	1	0.2 %
375	-	1	0.2 %
376	-	1	0.2 %
453	-	1	0.2 %
470	-	1	0.2 %
481	-	1	0.2 %
500	-	1	0.2 %
530	-	1	0.2 %
546	-	1	0.2 %
547	-	1	0.2 %
549	-	1	0.2 %
564	-	1	0.2 %
569	-	1	0.2 %
573	-	1	0.2 %
575	-	2	0.5 %

Value	Label	Unweighted Frequency	%
581	-	1	0.2 %
585	-	1	0.2 %
586	-	1	0.2 %
600	-	2	0.5 %
602	-	1	0.2 %
603	-	1	0.2 %
605	-	1	0.2 %
606	-	1	0.2 %
612	-	1	0.2 %
618	-	1	0.2 %
623	-	5	1.1 %
625	-	1	0.2 %
627	-	1	0.2 %
630	-	2	0.5 %
632	-	3	0.7 %
638	-	1	0.2 %
642	-	1	0.2 %
649	-	1	0.2 %
653	-	2	0.5 %
660	-	1	0.2 %
680	-	3	0.7 %
682	-	1	0.2 %
692	-	1	0.2 %
694	-	1	0.2 %
700	-	3	0.7 %
750	-	1	0.2 %
900	-	1	0.2 %
951	-	1	0.2 %
972	-	1	0.2 %
1000	-	1	0.2 %
1200	-	1	0.2 %
1243	-	1	0.2 %
1300	-	1	0.2 %
1400	-	1	0.2 %
1550	-	1	0.2 %
2520	-	1	0.2 %
2700	-	1	0.2 %
5000	-	1	0.2 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 671.41
- Median: 620.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5000.00
- Standard Deviation: 669.65

FINSUP8	Number months financial support welfare

Location:	751-754 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many of those 6 months did you get any money, food, shelter, etc. from welfare or public assistance (food stamps, housing assistance, AFDC, TANF, general relief, Medicaid, SSI)?

Value	Unweighted Frequency	%
0	262	59.0 %
1	9	2.0 %
2	13	2.9 %
3	17	3.8 %
4	10	2.3 %
5	6	1.4 %
6	122	27.5 %
9	1	0.2 %
12	1	0.2 %
36	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 3.16

AMTSUP8	Amount money received welfare

Location:	755-758 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	In the last 30 days prior to the arrest date on the timeline, how much money did you receive from public assistance?

Value	Label
-9 (M)	Legitimate skip

Based upon 189 valid cases out of 444 total cases.

- Mean: 254.99
- Median: 160.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1261.00
- Standard Deviation: 253.37

FINSUP9	**Number months financial support drugs**

Location:	759-762 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from selling drugs?

Value	Label	Unweighted Frequency	%
0	-	266	59.9 %
1	-	13	2.9 %
2	-	20	4.5 %
3	-	22	5.0 %
4	-	13	2.9 %
5	-	5	1.1 %
6	-	99	22.3 %
9	-	1	0.2 %
10	-	1	0.2 %
12	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 1.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.60

FINSUP10	**Number months financial support sex work**

Location:	763-766 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9 , .		
Question:	How many of those 6 months did you get any money, food, shelter, etc. from selling, pimping or trading sex (prostitution)?		

Value	Label	Unweighted Frequency	%
0	-	304	68.5 %
1	-	22	5.0 %
2	-	21	4.7 %
3	-	23	5.2 %
4	-	6	1.4 %
5	-	3	0.7 %
6	-	62	14.0 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.16

FINSUP11	**Number months financial support other illegal activity**

Location:	767-770 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many of those 6 months did you get any money, food, shelter, etc. from any other kind of illegal activities (other than prostitution)?

Value	Unweighted Frequency	%
0	359	80.9 %
1	13	2.9 %
2	8	1.8 %
3	13	2.9 %
4	10	2.3 %
5	2	0.5 %
6	37	8.3 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.81

AMTSUP11	Amount money received other illegal activity

Location: 771-775 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: In the last 30 days prior to the arrest date on the timeline, how much money did you receive from other illegal activities?

Value	Label	Unweighted Frequency	%
0	-	17	3.8 %
200	-	1	0.2 %
300	-	2	0.5 %
353	-	1	0.2 %
400	-	5	1.1 %
450	-	1	0.2 %
500	-	9	2.0 %
600	-	3	0.7 %
700	-	1	0.2 %
800	-	3	0.7 %
900	-	2	0.5 %
1000	-	9	2.0 %
1100	-	1	0.2 %
1200	-	1	0.2 %
1500	-	6	1.4 %
2000	-	8	1.8 %
2400	-	1	0.2 %
3000	-	4	0.9 %
3500	-	1	0.2 %
3700	-	1	0.2 %
4000	-	2	0.5 %
5000	-	7	1.6 %
6000	-	2	0.5 %
7000	-	1	0.2 %
8000	-	1	0.2 %
9000	-	1	0.2 %
10000	-	2	0.5 %
12000	-	1	0.2 %
20000	-	1	0.2 %
26000	-	1	0.2 %

Value	Label	Unweighted Frequency	%
30000	-	1	0.2 %
70000	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 3364.32
- Median: 1000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 70000.00
- Standard Deviation: 8321.71

FINSUP12	Number months financial support jail

Location:	776-779 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from jail/prison, residential treatment program, or hospital?

Value	Label	Unweighted Frequency	%
0	-	379	85.4 %
1	-	16	3.6 %
2	-	12	2.7 %
3	-	6	1.4 %
4	-	5	1.1 %
5	-	3	0.7 %
6	-	3	0.7 %
9	-	1	0.2 %
500	-	1	0.2 %
-9 (M)	Legitimate skip	15	3.4 %
. (M)	-	3	0.7 %

Based upon 426 valid cases out of 444 total cases.

- Mean: 1.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 24.23

FINSUP13	Number months financial support other

Location:	780-783 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of those 6 months did you get any money, food, shelter, etc. from anything else?

Value	Label	Unweighted Frequency	%
0	-	417	93.9 %
1	-	2	0.5 %
3	-	2	0.5 %
5	-	1	0.2 %
6	-	4	0.9 %
-9 (M)	Legitimate skip	15	3.4 %
. (M)	-	3	0.7 %

Based upon 426 valid cases out of 444 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.66

FINSP13A	Other financial support

Location:	784-883 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9

Value	Unweighted Frequency	%
	16	3.6 %
0	2	0.5 %
boyfriend	1	0.2 %
father's SSI check ($900)	1	0.2 %
inheritance	1	0.2 %
others selling drugs	1	0.2 %
pawning personal stuff	1	0.2 %
shoplifting	1	0.2 %
spouse	1	0.2 %
utility check $15	1	0.2 %
-9 (M)	418	94.1 %

Based upon 26 valid cases out of 444 total cases.

MAJSUP	Major source financial support

Location:	884-887 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Which one of these was your major (or largest) source of support during those 6 months? Enter number corresponding with items above.

Value	Label	Unweighted Frequency	%
0	Unknown	4	0.9 %
1	Job	91	20.5 %
2	(Ex)Spouse	15	3.4 %
3	Sex partner	41	9.2 %
4	Family	24	5.4 %
6	Retirement	3	0.7 %
7	Disability	34	7.7 %
8	Welfare	22	5.0 %
9	Selling drugs	98	22.1 %
10	Sex work	60	13.5 %
11	Other illegal activity	37	8.3 %
12	Jail	4	0.9 %
13	Other	4	0.9 %
-9 (M)	Legitimate skip	4	0.9 %
. (M)	-	3	0.7 %

Based upon 437 valid cases out of 444 total cases.

- Mean: 6.32
- Median: 8.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 3.80

FMREL1	Got Along

Location:	888-891 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you got along together.

Value	Label	Unweighted Frequency	%
1	Never	5	1.1 %
2	Rarely	33	7.4 %
3	Sometimes	102	23.0 %

Value	Label	Unweighted Frequency	%
4	Often	141	31.8 %
5	Always	113	25.5 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.82
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.98

FMREL2	Enjoyed Being Together

Location:	892-895 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you really enjoyed being together.

Value	Label	Unweighted Frequency	%
1	Never	9	2.0 %
2	Rarely	32	7.2 %
3	Sometimes	100	22.5 %
4	Often	104	23.4 %
5	Always	149	33.6 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.89
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

FMREL3	Drank Together

Location:	896-899 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question: I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you drank together.

Value	Label	Unweighted Frequency	%
1	Never	140	31.5 %
2	Rarely	53	11.9 %
3	Sometimes	58	13.1 %
4	Often	60	13.5 %
5	Always	82	18.5 %
-9 (M)	N/A	49	11.0 %
. (M)	-	2	0.5 %

Based upon 393 valid cases out of 444 total cases.

- Mean: 2.72
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.57

FMREL4 — Got Drunk Together

Location: 900-903 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you got drunk together.

Value	Label	Unweighted Frequency	%
1	Never	159	35.8 %
2	Rarely	56	12.6 %
3	Sometimes	56	12.6 %
4	Often	49	11.0 %
5	Always	73	16.4 %
-9 (M)	N/A	49	11.0 %
. (M)	-	2	0.5 %

Based upon 393 valid cases out of 444 total cases.

- Mean: 2.54
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.56

FMREL5	Used Drugs Together

Location:	904-907 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you used other (illegal) drugs together.

Value	Label	Unweighted Frequency	%
1	Never	115	25.9 %
2	Rarely	20	4.5 %
3	Sometimes	45	10.1 %
4	Often	63	14.2 %
5	Always	151	34.0 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.29
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.68

FMREL6	Had Talks about Needs

Location:	908-911 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you had serious talks about each others interests and needs?

Value	Label	Unweighted Frequency	%
1	Never	38	8.6 %
2	Rarely	70	15.8 %
3	Sometimes	99	22.3 %
4	Often	89	20.0 %
5	Always	98	22.1 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.35
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.29

FMREL7	Helped with Problems

Location:	912-915 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you helped each other with problems.

Value	Label	Unweighted Frequency	%
1	Never	40	9.0 %
2	Rarely	50	11.3 %
3	Sometimes	105	23.6 %
4	Often	88	19.8 %
5	Always	111	25.0 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.46
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

FMREL8	Blamed or fussed

Location:	916-919 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you got blamed or fussed at about things YOU did or did not do.

Value	Label	Unweighted Frequency	%
1	Never	40	9.0 %
2	Rarely	58	13.1 %
3	Sometimes	96	21.6 %

Value	Label	Unweighted Frequency	%
4	Often	97	21.8 %
5	Always	103	23.2 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.42
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.29

FMREL9	**Disagreements**

Location:	920-923 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you had disagreements.

Value	Label	Unweighted Frequency	%
1	Never	10	2.3 %
2	Rarely	47	10.6 %
3	Sometimes	131	29.5 %
4	Often	115	25.9 %
5	Always	91	20.5 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 3.58
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.05

FMREL10	**Big arguments/fights**

Location:	924-927 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

| | Question: | I am going to ask questions about your relationship with your spouse, significant other, or domestic partner during those months? Tell me how often you had big arguments or fights. |

Value	Label	Unweighted Frequency	%
1	Never	58	13.1 %
2	Rarely	107	24.1 %
3	Sometimes	97	21.8 %
4	Often	66	14.9 %
5	Always	66	14.9 %
-9 (M)	N/A	48	10.8 %
. (M)	-	2	0.5 %

Based upon 394 valid cases out of 444 total cases.

- Mean: 2.94
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.30

| **PRREL1** | **Got Along** |

Location:	928-931 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you got along together.

Value	Label	Unweighted Frequency	%
1	Never	23	5.2 %
2	Rarely	25	5.6 %
3	Sometimes	85	19.1 %
4	Often	96	21.6 %
5	Always	120	27.0 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 3.76
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

PRREL2	Enjoyed Being Together

Location:	932-935 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you really enjoyed being together.

Value	Label	Unweighted Frequency	%
1	Never	25	5.6 %
2	Rarely	35	7.9 %
3	Sometimes	76	17.1 %
4	Often	75	16.9 %
5	Always	138	31.1 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 3.76
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.27

PRREL3	Drank Together

Location:	936-939 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you drank together.

Value	Label	Unweighted Frequency	%
1	Never	270	60.8 %
2	Rarely	24	5.4 %
3	Sometimes	33	7.4 %
4	Often	15	3.4 %
5	Always	7	1.6 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 1.47

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

PRREL4	Got Drunk Together

Location:	940-943 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you got drunk together.

Value	Label	Unweighted Frequency	%
1	Never	285	64.2 %
2	Rarely	22	5.0 %
3	Sometimes	24	5.4 %
4	Often	13	2.9 %
5	Always	5	1.1 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.88

PRREL5	Used Drugs Together

Location:	944-947 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you used other (illegal) drugs together.

Value	Label	Unweighted Frequency	%
1	Never	287	64.6 %
2	Rarely	15	3.4 %
3	Sometimes	25	5.6 %
4	Often	15	3.4 %
5	Always	7	1.6 %

Value	Label	Unweighted Frequency	%
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.94

PRREL6	**Had Talks about Needs**

Location:	948-951 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you had serious talks about each others interests and needs.

Value	Label	Unweighted Frequency	%
1	Never	48	10.8 %
2	Rarely	58	13.1 %
3	Sometimes	98	22.1 %
4	Often	66	14.9 %
5	Always	79	17.8 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 3.20
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.33

PRREL7	**Helped with Problems**

Location:	952-955 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question:

Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you helped each other with problems.

Value	Label	Unweighted Frequency	%
1	Never	41	9.2 %
2	Rarely	44	9.9 %
3	Sometimes	93	20.9 %
4	Often	76	17.1 %
5	Always	95	21.4 %
-9 (M)	N/A	93	20.9 %
. (M)	-	2	0.5 %

Based upon 349 valid cases out of 444 total cases.

- Mean: 3.40
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.32

PRREL8	**Blamed or fussed**

Location: 956-959 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question:

Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you got blamed or fussed at about things YOU did or did not do.

Value	Label	Unweighted Frequency	%
1	Never	46	10.4 %
2	Rarely	56	12.6 %
3	Sometimes	86	19.4 %
4	Often	72	16.2 %
5	Always	90	20.3 %
-9 (M)	N/A	92	20.7 %
. (M)	-	2	0.5 %

Based upon 350 valid cases out of 444 total cases.

- Mean: 3.30
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00

- Standard Deviation: 1.36

PRREL9	Disagreements

Location: 960-963 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you had disagreements.

Value	Label	Unweighted Frequency	%
1	Never	22	5.0 %
2	Rarely	43	9.7 %
3	Sometimes	131	29.5 %
4	Often	85	19.1 %
5	Always	69	15.5 %
-9 (M)	N/A	92	20.7 %
. (M)	-	2	0.5 %

Based upon 350 valid cases out of 444 total cases.

- Mean: 3.39
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.12

PRREL10	Big arguments/fights

Location: 964-967 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Now, please tell me about your relationship with your parents or parental figures (i.e., grandparents) during those 6 months before your arrest? Tell me how often you had big arguments or fights.

Value	Label	Unweighted Frequency	%
1	Never	105	23.6 %
2	Rarely	82	18.5 %
3	Sometimes	89	20.0 %
4	Often	40	9.0 %
5	Always	34	7.7 %
-9 (M)	N/A	92	20.7 %
. (M)	-	2	0.5 %

Based upon 350 valid cases out of 444 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.29

SBREL1	Got Along

Location:	968-971 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you got along together?

Value	Label	Unweighted Frequency	%
1	Never	37	8.3 %
2	Rarely	25	5.6 %
3	Sometimes	87	19.6 %
4	Often	102	23.0 %
5	Always	103	23.2 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 3.59
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.26

SBREL2	Enjoyed Being Together

Location:	972-975 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you really enjoyed being together.

Value	Label	Unweighted Frequency	%
1	Never	41	9.2 %
2	Rarely	37	8.3 %
3	Sometimes	84	18.9 %
4	Often	69	15.5 %

Value	Label	Unweighted Frequency	%
5	Always	123	27.7 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 3.55
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

SBREL3	**Drank Together**

Location:	976-979 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you drank together.

Value	Label	Unweighted Frequency	%
1	Never	214	48.2 %
2	Rarely	26	5.9 %
3	Sometimes	61	13.7 %
4	Often	28	6.3 %
5	Always	24	5.4 %
-9 (M)	N/A	89	20.0 %
. (M)	-	2	0.5 %

Based upon 353 valid cases out of 444 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.31

SBREL4	**Got Drunk Together**

Location:	980-983 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you got drunk together.	

Value	Label	Unweighted Frequency	%
1	Never	229	51.6 %
2	Rarely	30	6.8 %
3	Sometimes	46	10.4 %
4	Often	25	5.6 %
5	Always	23	5.2 %
-9 (M)	N/A	89	20.0 %
. (M)	-	2	0.5 %

Based upon 353 valid cases out of 444 total cases.

- Mean: 1.82
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.27

SBREL5	**Used Drugs Together**

Location:	984-987 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you used other (illegal) drugs together.

Value	Label	Unweighted Frequency	%
1	Never	206	46.4 %
2	Rarely	21	4.7 %
3	Sometimes	65	14.6 %
4	Often	33	7.4 %
5	Always	28	6.3 %
-9 (M)	N/A	89	20.0 %
. (M)	-	2	0.5 %

Based upon 353 valid cases out of 444 total cases.

- Mean: 2.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

SBREL6	Had Talks about Needs

Location:	988-991 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you had serious talks about each others interests and needs.

Value	Label	Unweighted Frequency	%
1	Never	76	17.1 %
2	Rarely	68	15.3 %
3	Sometimes	84	18.9 %
4	Often	56	12.6 %
5	Always	70	15.8 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.41

SBREL7	Helped with Problems

Location:	992-995 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you helped each other with problems.

Value	Label	Unweighted Frequency	%
1	Never	59	13.3 %
2	Rarely	38	8.6 %
3	Sometimes	107	24.1 %
4	Often	69	15.5 %
5	Always	81	18.2 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 3.21

- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

SBREL8	Blamed or fussed

Location: 996-999 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: What was your relationship with your siblings like during those 6 months? Tell me how often you got blamed or fussed at about things YOU did or did not do.

Value	Label	Unweighted Frequency	%
1	Never	91	20.5 %
2	Rarely	75	16.9 %
3	Sometimes	90	20.3 %
4	Often	38	8.6 %
5	Always	60	13.5 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 2.72
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.40

SBREL9	Disagreements

Location: 1000-1003 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: What was your relationship with your siblings like during those 6 months? Tell me how often you had disagreements.

Value	Label	Unweighted Frequency	%
1	Never	50	11.3 %
2	Rarely	57	12.8 %
3	Sometimes	129	29.1 %
4	Often	67	15.1 %
5	Always	51	11.5 %

Value	Label	Unweighted Frequency	%
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.22

SBREL10		**Big arguments/fights**	

Location:	1004-1007 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What was your relationship with your siblings like during those 6 months? Tell me how often you had big arguments or fights.

Value	Label	Unweighted Frequency	%
1	Never	119	26.8 %
2	Rarely	83	18.7 %
3	Sometimes	87	19.6 %
4	Often	34	7.7 %
5	Always	31	7.0 %
-9 (M)	N/A	88	19.8 %
. (M)	-	2	0.5 %

Based upon 354 valid cases out of 444 total cases.

- Mean: 2.36
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.28

FRCHR1		**Worked regularly**	

Location:	1008-1011 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they worked regularly on a job.

Value	Label	Unweighted Frequency	%
1	Never	132	29.7 %
2	Rarely	64	14.4 %
3	Sometimes	85	19.1 %
4	Often	43	9.7 %
5	Always	83	18.7 %
-9 (M)	N/A	35	7.9 %
. (M)	-	2	0.5 %

Based upon 407 valid cases out of 444 total cases.

- Mean: 2.71
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.52

| **FRCHR2** | | **Felt hopeful for future** | |

Location:	1012-1015 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they felt hopeful about their future.

Value	Label	Unweighted Frequency	%
1	Never	83	18.7 %
2	Rarely	90	20.3 %
3	Sometimes	139	31.3 %
4	Often	51	11.5 %
5	Always	47	10.6 %
-9 (M)	N/A	32	7.2 %
. (M)	-	2	0.5 %

Based upon 410 valid cases out of 444 total cases.

- Mean: 2.73
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.24

| **FRCHR3** | | **Spent time families** | |

Location:	1016-1019 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they spent time with their families.

Value	Label	Unweighted Frequency	%
1	Never	52	11.7 %
2	Rarely	98	22.1 %
3	Sometimes	127	28.6 %
4	Often	78	17.6 %
5	Always	55	12.4 %
-9 (M)	N/A	32	7.2 %
. (M)	-	2	0.5 %

Based upon 410 valid cases out of 444 total cases.

- Mean: 2.97
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.21

FRCHR4	**Liked being with family**

Location:	1020-1023 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they liked being with their families.

Value	Label	Unweighted Frequency	%
1	Never	52	11.7 %
2	Rarely	78	17.6 %
3	Sometimes	153	34.5 %
4	Often	69	15.5 %
5	Always	56	12.6 %
-9 (M)	N/A	34	7.7 %
. (M)	-	2	0.5 %

Based upon 408 valid cases out of 444 total cases.

- Mean: 3.00
- Median: 3.00

- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.19

FRCHR5	Loud arguments/fights

Location:	1024-1027 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they got into loud arguments or fights.

Value	Label	Unweighted Frequency	%
1	Never	41	9.2 %
2	Rarely	87	19.6 %
3	Sometimes	131	29.5 %
4	Often	105	23.6 %
5	Always	42	9.5 %
-9 (M)	N/A	36	8.1 %
. (M)	-	2	0.5 %

Based upon 406 valid cases out of 444 total cases.

- Mean: 3.05
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.14

FRCHR6	Got drunk

Location:	1028-1031 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they got drunk.

Value	Label	Unweighted Frequency	%
1	Never	59	13.3 %
2	Rarely	41	9.2 %
3	Sometimes	105	23.6 %
4	Often	127	28.6 %
5	Always	78	17.6 %
-9 (M)	N/A	32	7.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 410 valid cases out of 444 total cases.

- Mean: 3.30
- Median: 3.50
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.29

FRCHR7	**Used illegal drugs**

Location: 1032-1035 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they used other (illegal) drugs.

Value	Label	Unweighted Frequency	%
1	Never	51	11.5 %
2	Rarely	19	4.3 %
3	Sometimes	62	14.0 %
4	Often	99	22.3 %
5	Always	177	39.9 %
-9 (M)	N/A	34	7.7 %
. (M)	-	2	0.5 %

Based upon 408 valid cases out of 444 total cases.

- Mean: 3.81
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.37

FRCHR8	**Sold/dealt drugs**

Location: 1036-1039 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they traded, sold, or dealt drugs.

Value	Label	Unweighted Frequency	%
1	Never	88	19.8 %
2	Rarely	21	4.7 %
3	Sometimes	68	15.3 %
4	Often	95	21.4 %
5	Always	137	30.9 %
-9 (M)	N/A	33	7.4 %
. (M)	-	2	0.5 %

Based upon 409 valid cases out of 444 total cases.

- Mean: 3.42
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.52

FRCHR9	Against the law

Location:	1040-1043 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they did other things against the law.

Value	Label	Unweighted Frequency	%
1	Never	66	14.9 %
2	Rarely	27	6.1 %
3	Sometimes	85	19.1 %
4	Often	89	20.0 %
5	Always	142	32.0 %
-9 (M)	N/A	33	7.4 %
. (M)	-	2	0.5 %

Based upon 409 valid cases out of 444 total cases.

- Mean: 3.52
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.43

FRCHR10	Spent time gangs

Location:	1044-1047 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they spent time with gangs.

Value	Label	Unweighted Frequency	%
1	Never	318	71.6 %
2	Rarely	25	5.6 %
3	Sometimes	29	6.5 %
4	Often	12	2.7 %
5	Always	25	5.6 %
-9 (M)	N/A	33	7.4 %
. (M)	-	2	0.5 %

Based upon 409 valid cases out of 444 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.14

FRCHR11	**Got arrested**

Location:	1048-1051 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Describe your friends, roommates or the people you spent the majority of your time with during those 6 months. Tell me how often they got arrested or had problems with the law.

Value	Label	Unweighted Frequency	%
1	Never	84	18.9 %
2	Rarely	53	11.9 %
3	Sometimes	109	24.5 %
4	Often	96	21.6 %
5	Always	69	15.5 %
-9 (M)	N/A	31	7.0 %
. (M)	-	2	0.5 %

Based upon 411 valid cases out of 444 total cases.

- Mean: 3.03
- Median: 3.00

- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.36

GANGEV	Ever gang member

Location:	1052-1052 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Prior to the arrest date on the timeline, had you ever been a gang member?

Value	Label	Unweighted Frequency	%
0	No	420	94.6 %
1	Yes	22	5.0 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

GANGC	Currently gang member

Location:	1053-1053 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Are you currently a gang member?

Value	Label	Unweighted Frequency	%
0	No	438	98.6 %
1	Yes	4	0.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

ARSTLF	Number lifetime arrests

- Study 30842 -

Location:	1054-1057 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Altogether, about how many TIMES during your life have you ever been arrested?

Value	Unweighted Frequency	%
1	9	2.0 %
2	31	7.0 %
3	46	10.4 %
4	38	8.6 %
5	45	10.1 %
6	31	7.0 %
7	24	5.4 %
8	21	4.7 %
9	12	2.7 %
10	34	7.7 %
11	6	1.4 %
12	7	1.6 %
13	3	0.7 %
14	4	0.9 %
15	16	3.6 %
16	4	0.9 %
17	3	0.7 %
18	3	0.7 %
20	29	6.5 %
21	2	0.5 %
23	3	0.7 %
24	1	0.2 %
25	8	1.8 %
26	2	0.5 %
27	1	0.2 %
28	1	0.2 %
30	12	2.7 %
31	1	0.2 %
32	1	0.2 %
35	3	0.7 %
36	1	0.2 %
39	1	0.2 %
40	3	0.7 %
41	1	0.2 %
42	1	0.2 %
44	1	0.2 %
50	9	2.0 %

Value	Unweighted Frequency	%
51	2	0.5 %
55	1	0.2 %
56	2	0.5 %
58	1	0.2 %
60	2	0.5 %
70	2	0.5 %
75	1	0.2 %
100	8	1.8 %
112	1	0.2 %
126	1	0.2 %
176	1	0.2 %
200	1	0.2 %
365	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 15.78
- Median: 7.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 27.66

ARSTDRG	Number arrests using/getting drugs

Location: 1058-1061 (width: 4; decimal: 0)

Variable Type: numeric

Question: About how many of these arrests were for things you did while using drugs or trying to get drugs?

Value	Unweighted Frequency	%
0	35	7.9 %
1	26	5.9 %
2	54	12.2 %
3	36	8.1 %
4	34	7.7 %
5	35	7.9 %
6	24	5.4 %
7	17	3.8 %
8	18	4.1 %
9	11	2.5 %
10	28	6.3 %

- Study 30842 -

Value	Unweighted Frequency	%
11	6	1.4 %
12	6	1.4 %
13	3	0.7 %
14	3	0.7 %
15	12	2.7 %
16	4	0.9 %
17	1	0.2 %
18	2	0.5 %
20	24	5.4 %
21	3	0.7 %
22	1	0.2 %
23	3	0.7 %
25	9	2.0 %
27	1	0.2 %
28	1	0.2 %
29	1	0.2 %
30	13	2.9 %
31	1	0.2 %
32	1	0.2 %
35	1	0.2 %
36	1	0.2 %
38	1	0.2 %
40	3	0.7 %
42	1	0.2 %
45	1	0.2 %
50	5	1.1 %
58	1	0.2 %
60	1	0.2 %
75	1	0.2 %
92	1	0.2 %
100	8	1.8 %
126	1	0.2 %
156	1	0.2 %
176	1	0.2 %
365	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 12.95
- Median: 6.00

- Mode: 2.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 26.38

AGE1AR	Age at first arrest
Location:	1062-1065 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old were you the first time you were arrested?

Value	Unweighted Frequency	%
9	1	0.2 %
10	2	0.5 %
11	1	0.2 %
12	17	3.8 %
13	25	5.6 %
14	20	4.5 %
15	23	5.2 %
16	31	7.0 %
17	17	3.8 %
18	72	16.2 %
19	24	5.4 %
20	22	5.0 %
21	13	2.9 %
22	16	3.6 %
23	16	3.6 %
24	8	1.8 %
25	17	3.8 %
26	18	4.1 %
27	8	1.8 %
28	9	2.0 %
29	6	1.4 %
30	14	3.2 %
31	8	1.8 %
32	8	1.8 %
33	6	1.4 %
34	6	1.4 %
35	7	1.6 %
36	5	1.1 %
37	4	0.9 %
38	4	0.9 %
40	3	0.7 %

Value	Unweighted Frequency	%
41	2	0.5 %
42	2	0.5 %
43	1	0.2 %
44	2	0.5 %
45	2	0.5 %
46	1	0.2 %
49	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 21.59
- Median: 19.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 49.00
- Standard Deviation: 7.57

ARSTJV	**Number arrests before 18**

Location:	1066-1069 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times were you arrested before you turned 18?

Value	Label	Unweighted Frequency	%
0	-	234	52.7 %
1	-	52	11.7 %
2	-	20	4.5 %
3	-	14	3.2 %
4	-	3	0.7 %
5	-	11	2.5 %
6	-	5	1.1 %
7	-	2	0.5 %
8	-	2	0.5 %
10	-	6	1.4 %
13	-	1	0.2 %
14	-	1	0.2 %
15	-	4	0.9 %
20	-	2	0.5 %
23	-	1	0.2 %
30	-	3	0.7 %

Value	Label	Unweighted Frequency	%
40	-	1	0.2 %
45	-	1	0.2 %
47	-	1	0.2 %
50	-	3	0.7 %
63	-	1	0.2 %
-9 (M)	Legitimate skip	72	16.2 %
. (M)	-	4	0.9 %

Based upon 368 valid cases out of 444 total cases.

- Mean: 2.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 63.00
- Standard Deviation: 7.73

ARST6M	**Number arrests last 6 mo**

Location: 1070-1073 (width: 4; decimal: 0)

Variable Type: numeric

Question: Altogether, how many TIMES were you arrested during the last 6 months prior to the arrest date on the timeline? [INCLUDING ARREST THAT LED TO THIS INCARCERATION]

Value	Unweighted Frequency	%
0	59	13.3 %
1	263	59.2 %
2	77	17.3 %
3	22	5.0 %
4	4	0.9 %
5	6	1.4 %
6	4	0.9 %
7	3	0.7 %
8	1	0.2 %
15	1	0.2 %
20	1	0.2 %
25	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.45
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 1.94

ARST30D	Number arrests last 30 days

Location: 1074-1077 (width: 4; decimal: 0)

Variable Type: numeric

Question: How many TIMES in the last 30 days prior to the arrest date on the timeline, were you arrested?

Value	Unweighted Frequency	%
0	98	22.1 %
1	313	70.5 %
2	27	6.1 %
3	2	0.5 %
5	1	0.2 %
6	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.61

JAIL30D	Number nights in jail 30 days

Location: 1078-1081 (width: 4; decimal: 0)

Variable Type: numeric

Question: How many nights did you spend in jail during those 30 days?

Value	Unweighted Frequency	%
0	377	84.9 %
1	12	2.7 %
2	3	0.7 %
3	8	1.8 %
4	2	0.5 %
5	1	0.2 %
6	4	0.9 %
7	2	0.5 %
8	1	0.2 %

Value	Unweighted Frequency	%
9	1	0.2 %
10	4	0.9 %
12	1	0.2 %
13	2	0.5 %
14	7	1.6 %
15	4	0.9 %
18	1	0.2 %
20	3	0.7 %
27	2	0.5 %
30	7	1.6 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.20

C1CMLF	**Times committed PI LT**

Location:	1082-1087 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in public intoxication from alcohol or drugs.
	Based upon 442 valid cases out of 444 total cases.

- Mean: 8005.25
- Median: 1825.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 657000.00
- Standard Deviation: 37039.18

C1CM6M	**Times committed PI 6 mo**

Location:	1088-1093 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in public intoxication from alcohol or drugs.

Value	Label
-9 (M)	Legitimate skip

Based upon 418 valid cases out of 444 total cases.

- Mean: 360.46
- Median: 120.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 17280.00
- Standard Deviation: 1242.76

C1CM30	Times committed PI 30 days

Location:	1094-1097 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in public intoxication from alcohol or drugs.

Value	Label	Unweighted Frequency	%
0	-	81	18.2 %
1	-	17	3.8 %
2	-	11	2.5 %
3	-	2	0.5 %
4	-	9	2.0 %
5	-	4	0.9 %
6	-	2	0.5 %
7	-	2	0.5 %
8	-	8	1.8 %
10	-	13	2.9 %
12	-	5	1.1 %
13	-	1	0.2 %
14	-	3	0.7 %
15	-	12	2.7 %
16	-	11	2.5 %
17	-	1	0.2 %
18	-	1	0.2 %
20	-	13	2.9 %
21	-	1	0.2 %
22	-	1	0.2 %
23	-	1	0.2 %
24	-	1	0.2 %
25	-	6	1.4 %
26	-	2	0.5 %
27	-	3	0.7 %

Value	Label	Unweighted Frequency	%
28	-	2	0.5 %
29	-	1	0.2 %
30	-	143	32.2 %
40	-	1	0.2 %
45	-	2	0.5 %
48	-	2	0.5 %
60	-	1	0.2 %
75	-	3	0.7 %
90	-	6	1.4 %
113	-	1	0.2 %
120	-	7	1.6 %
132	-	1	0.2 %
140	-	1	0.2 %
150	-	5	1.1 %
174	-	1	0.2 %
180	-	4	0.9 %
206	-	1	0.2 %
210	-	2	0.5 %
240	-	5	1.1 %
284	-	1	0.2 %
290	-	1	0.2 %
300	-	3	0.7 %
330	-	1	0.2 %
336	-	1	0.2 %
560	-	1	0.2 %
600	-	3	0.7 %
704	-	1	0.2 %
750	-	1	0.2 %
900	-	2	0.5 %
1200	-	1	0.2 %
1482	-	1	0.2 %
2880	-	1	0.2 %
-9 (M)	Legitimate skip	24	5.4 %
. (M)	-	2	0.5 %

Based upon 418 valid cases out of 444 total cases.

- Mean: 59.56
- Median: 27.00
- Mode: 30.00
- Minimum: 0.00

- Maximum: 2880.00
- Standard Deviation: 197.42

C2CMLF	Times committed DUI LT

Location: 1098-1103 (width: 6; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in driving under the influence of alcohol or drugs.

Based upon 442 valid cases out of 444 total cases.

- Mean: 2587.44
- Median: 100.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 219000.00
- Standard Deviation: 11668.25

C2CM6M	Times committed DUI 6 mo

Location: 1104-1107 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in driving under the influence of alcohol or drugs.

Value	Label	Unweighted Frequency	%
0	-	107	24.1 %
1	-	14	3.2 %
2	-	10	2.3 %
3	-	7	1.6 %
4	-	4	0.9 %
5	-	9	2.0 %
6	-	3	0.7 %
7	-	1	0.2 %
8	-	2	0.5 %
9	-	1	0.2 %
10	-	13	2.9 %
12	-	2	0.5 %
15	-	2	0.5 %
20	-	7	1.6 %
24	-	3	0.7 %
25	-	1	0.2 %
30	-	4	0.9 %
32	-	1	0.2 %

Value	Label	Unweighted Frequency	%
40	-	2	0.5 %
45	-	1	0.2 %
48	-	3	0.7 %
50	-	5	1.1 %
60	-	7	1.6 %
64	-	1	0.2 %
70	-	1	0.2 %
72	-	2	0.5 %
75	-	1	0.2 %
78	-	4	0.9 %
79	-	1	0.2 %
80	-	3	0.7 %
84	-	1	0.2 %
90	-	11	2.5 %
96	-	1	0.2 %
100	-	5	1.1 %
104	-	2	0.5 %
120	-	11	2.5 %
130	-	1	0.2 %
133	-	1	0.2 %
135	-	1	0.2 %
140	-	1	0.2 %
150	-	4	0.9 %
152	-	2	0.5 %
154	-	1	0.2 %
160	-	1	0.2 %
170	-	2	0.5 %
177	-	1	0.2 %
179	-	1	0.2 %
180	-	52	11.7 %
192	-	1	0.2 %
300	-	1	0.2 %
304	-	1	0.2 %
325	-	1	0.2 %
335	-	1	0.2 %
360	-	3	0.7 %
403	-	1	0.2 %
405	-	1	0.2 %
440	-	1	0.2 %
502	-	1	0.2 %

Value	Label	Unweighted Frequency	%
540	-	4	0.9 %
720	-	2	0.5 %
795	-	1	0.2 %
870	-	1	0.2 %
900	-	1	0.2 %
1080	-	1	0.2 %
1440	-	3	0.7 %
1920	-	1	0.2 %
2016	-	1	0.2 %
5400	-	1	0.2 %
8786	-	1	0.2 %
-9 (M)	Legitimate skip	91	20.5 %
. (M)	-	3	0.7 %

Based upon 350 valid cases out of 444 total cases.

- Mean: 147.56
- Median: 17.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8786.00
- Standard Deviation: 592.23

C2CM30	Times committed DUI 30 days

Location: 1108-1111 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in driving under the influence of alcohol or drugs.

Value	Label	Unweighted Frequency	%
0	-	142	32.0 %
1	-	22	5.0 %
2	-	8	1.8 %
3	-	5	1.1 %
4	-	8	1.8 %
5	-	7	1.6 %
6	-	5	1.1 %
7	-	1	0.2 %
8	-	5	1.1 %
10	-	9	2.0 %

Value	Label	Unweighted Frequency	%
12	-	7	1.6 %
14	-	4	0.9 %
15	-	12	2.7 %
16	-	3	0.7 %
17	-	1	0.2 %
20	-	14	3.2 %
24	-	1	0.2 %
25	-	3	0.7 %
30	-	65	14.6 %
60	-	3	0.7 %
68	-	1	0.2 %
75	-	1	0.2 %
85	-	1	0.2 %
90	-	3	0.7 %
120	-	5	1.1 %
140	-	1	0.2 %
150	-	3	0.7 %
180	-	3	0.7 %
240	-	3	0.7 %
320	-	1	0.2 %
336	-	1	0.2 %
750	-	1	0.2 %
900	-	1	0.2 %
1482	-	1	0.2 %
-9 (M)	Legitimate skip	91	20.5 %
. (M)	-	2	0.5 %

Based upon 351 valid cases out of 444 total cases.

- Mean: 28.25
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1482.00
- Standard Deviation: 107.70

C2CMIN	Number injured DUI

Location: 1112-1115 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , .

Question:		How many people were injured as a result of your involvement in driving under the influence of alcohol or drugs during the 6 months prior to the arrest date on the timeline?	

Value	Label	Unweighted Frequency	%
0	-	327	73.6 %
1	-	14	3.2 %
2	-	3	0.7 %
1000	-	1	0.2 %
8760	-	1	0.2 %
-9 (M)	Legitimate skip	95	21.4 %
. (M)	-	3	0.7 %

Based upon 346 valid cases out of 444 total cases.

- Mean: 28.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8760.00
- Standard Deviation: 473.84

C2CMDT — Number died DUI

Location:	1116-1119 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in driving under the influence of alcohol or drugs during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	344	77.5 %
1	-	1	0.2 %
300	-	1	0.2 %
-9 (M)	Legitimate skip	95	21.4 %
. (M)	-	3	0.7 %

Based upon 346 valid cases out of 444 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 16.13

C3CMLF — Times committed possession LT

Location:	1120-1128 (width: 9; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in use or possession of illegal drugs.
	Based upon 442 valid cases out of 444 total cases.

- Mean: 511531.59
- Minimum: 0.00
- Maximum: 219018030.00
- Standard Deviation: 10416966.75

C3CM6M	**Times committed possession 6 mo**
Location:	1129-1133 (width: 5; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in use or possession of illegal drugs.

Value	Label
-9 (M)	Legitimate skip

Based upon 426 valid cases out of 444 total cases.

- Mean: 739.27
- Median: 180.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 21780.00
- Standard Deviation: 1852.58

C3CM30	**Times committed possession 30 days**
Location:	1134-1137 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in use or possession of illegal drugs.

Value	Label	Unweighted Frequency	%
0	-	54	12.2 %
1	-	9	2.0 %
2	-	7	1.6 %
3	-	4	0.9 %
4	-	2	0.5 %
5	-	3	0.7 %
7	-	2	0.5 %
8	-	7	1.6 %

Value	Label	Unweighted Frequency	%
10	-	8	1.8 %
12	-	2	0.5 %
13	-	1	0.2 %
14	-	2	0.5 %
15	-	7	1.6 %
16	-	4	0.9 %
18	-	1	0.2 %
20	-	13	2.9 %
22	-	2	0.5 %
24	-	1	0.2 %
25	-	8	1.8 %
26	-	1	0.2 %
27	-	4	0.9 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	145	32.7 %
32	-	1	0.2 %
40	-	1	0.2 %
48	-	1	0.2 %
50	-	1	0.2 %
60	-	9	2.0 %
64	-	1	0.2 %
80	-	1	0.2 %
90	-	15	3.4 %
104	-	1	0.2 %
120	-	16	3.6 %
140	-	1	0.2 %
150	-	23	5.2 %
174	-	1	0.2 %
180	-	6	1.4 %
206	-	1	0.2 %
210	-	4	0.9 %
240	-	6	1.4 %
241	-	1	0.2 %
284	-	1	0.2 %
290	-	1	0.2 %
300	-	9	2.0 %
330	-	1	0.2 %
336	-	1	0.2 %
350	-	1	0.2 %

Value	Label	Unweighted Frequency	%
360	-	2	0.5 %
390	-	1	0.2 %
430	-	1	0.2 %
450	-	6	1.4 %
510	-	1	0.2 %
560	-	1	0.2 %
600	-	5	1.1 %
720	-	1	0.2 %
750	-	2	0.5 %
900	-	3	0.7 %
1140	-	1	0.2 %
1200	-	1	0.2 %
1350	-	1	0.2 %
1452	-	1	0.2 %
1470	-	1	0.2 %
1500	-	1	0.2 %
1680	-	1	0.2 %
2100	-	1	0.2 %
3140	-	1	0.2 %
4380	-	1	0.2 %
-9 (M)	Legitimate skip	16	3.6 %
. (M)	-	2	0.5 %

Based upon 426 valid cases out of 444 total cases.

- Mean: 127.37
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 4380.00
- Standard Deviation: 349.70

C4CMLF	Times committed poss/intent distribute LT

Location: 1138-1143 (width: 6; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in possession with intent to distribute.

Based upon 442 valid cases out of 444 total cases.

- Mean: 7493.00
- Median: 22.50
- Mode: 0.00
- Minimum: 0.00

- Maximum: 657000.00
- Standard Deviation: 47429.30

C4CM6M	Times committed poss/intent distribute 6 mo

Location:	1144-1147 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in possession with intent to distribute.

Value	Label	Unweighted Frequency	%
0	-	85	19.1 %
1	-	5	1.1 %
2	-	6	1.4 %
3	-	1	0.2 %
4	-	2	0.5 %
6	-	3	0.7 %
9	-	1	0.2 %
10	-	3	0.7 %
12	-	1	0.2 %
14	-	1	0.2 %
20	-	1	0.2 %
30	-	6	1.4 %
33	-	1	0.2 %
37	-	1	0.2 %
43	-	1	0.2 %
45	-	1	0.2 %
50	-	2	0.5 %
51	-	1	0.2 %
60	-	12	2.7 %
70	-	2	0.5 %
72	-	2	0.5 %
80	-	3	0.7 %
90	-	8	1.8 %
95	-	1	0.2 %
100	-	3	0.7 %
108	-	1	0.2 %
120	-	8	1.8 %
150	-	2	0.5 %
154	-	1	0.2 %
160	-	1	0.2 %
163	-	2	0.5 %

Value	Label	Unweighted Frequency	%
170	-	1	0.2 %
179	-	1	0.2 %
180	-	49	11.0 %
240	-	1	0.2 %
266	-	1	0.2 %
300	-	2	0.5 %
360	-	2	0.5 %
400	-	1	0.2 %
520	-	1	0.2 %
540	-	2	0.5 %
600	-	1	0.2 %
644	-	1	0.2 %
720	-	4	0.9 %
750	-	1	0.2 %
900	-	1	0.2 %
1134	-	1	0.2 %
1170	-	1	0.2 %
1236	-	1	0.2 %
1260	-	1	0.2 %
1300	-	1	0.2 %
1620	-	1	0.2 %
1680	-	1	0.2 %
1800	-	5	1.1 %
2190	-	1	0.2 %
2340	-	1	0.2 %
2400	-	2	0.5 %
2700	-	1	0.2 %
3000	-	1	0.2 %
3500	-	1	0.2 %
3600	-	2	0.5 %
3650	-	1	0.2 %
4500	-	1	0.2 %
5400	-	1	0.2 %
6120	-	1	0.2 %
7200	-	1	0.2 %
9000	-	1	0.2 %
-9 (M)	Legitimate skip	178	40.1 %
. (M)	-	2	0.5 %

Based upon 264 valid cases out of 444 total cases.

- Mean: 393.02
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9000.00
- Standard Deviation: 1077.84

C4CM30	Times committed poss/intent distribute 30 days

Location:	1148-1151 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in possession with intent to distribute.

Value	Label	Unweighted Frequency	%
0	-	109	24.5 %
1	-	6	1.4 %
2	-	4	0.9 %
4	-	1	0.2 %
5	-	2	0.5 %
6	-	1	0.2 %
7	-	1	0.2 %
9	-	1	0.2 %
10	-	5	1.1 %
12	-	2	0.5 %
14	-	1	0.2 %
15	-	5	1.1 %
17	-	1	0.2 %
20	-	4	0.9 %
25	-	1	0.2 %
28	-	1	0.2 %
30	-	78	17.6 %
40	-	1	0.2 %
52	-	1	0.2 %
60	-	2	0.5 %
90	-	3	0.7 %
100	-	2	0.5 %
110	-	1	0.2 %
120	-	4	0.9 %
150	-	1	0.2 %
180	-	1	0.2 %
185	-	1	0.2 %

Value	Label	Unweighted Frequency	%
200	-	1	0.2 %
206	-	1	0.2 %
210	-	1	0.2 %
240	-	1	0.2 %
270	-	2	0.5 %
280	-	1	0.2 %
300	-	4	0.9 %
390	-	1	0.2 %
450	-	1	0.2 %
500	-	1	0.2 %
600	-	4	0.9 %
900	-	1	0.2 %
1200	-	1	0.2 %
1500	-	3	0.7 %
3000	-	1	0.2 %
-9 (M)	Legitimate skip	178	40.1 %
. (M)	-	2	0.5 %

Based upon 264 valid cases out of 444 total cases.

- Mean: 78.43
- Median: 13.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3000.00
- Standard Deviation: 272.15

C5CMLF	Times committed poss paraphernalia LT

Location:	1152-1157 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in possession of drug paraphernalia.

Based upon 442 valid cases out of 444 total cases.

- Mean: 15786.47
- Median: 2500.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 657000.00
- Standard Deviation: 50682.29

C5CM6M	Times committed poss paraphernalia 6 mo

| Location: | 1158-1162 (width: 5; decimal: 0) |

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in possession of drug paraphernalia.

Value	Label
-9 (M)	Legitimate skip

Based upon 379 valid cases out of 444 total cases.

- Mean: 669.19
- Median: 180.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 17280.00
- Standard Deviation: 1620.03

C5CM30	Times committed poss paraphernalia 30 days

Location:	1163-1166 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in possession of drug paraphernalia.

Value	Label	Unweighted Frequency	%
0	-	59	13.3 %
1	-	9	2.0 %
2	-	5	1.1 %
3	-	4	0.9 %
4	-	2	0.5 %
5	-	2	0.5 %
6	-	1	0.2 %
7	-	1	0.2 %
8	-	6	1.4 %
10	-	5	1.1 %
12	-	1	0.2 %
13	-	1	0.2 %
14	-	2	0.5 %
15	-	8	1.8 %
16	-	3	0.7 %
18	-	1	0.2 %
20	-	11	2.5 %
22	-	2	0.5 %
25	-	5	1.1 %
26	-	1	0.2 %

Value	Label	Unweighted Frequency	%
27	-	2	0.5 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	132	29.7 %
32	-	1	0.2 %
35	-	1	0.2 %
40	-	1	0.2 %
50	-	1	0.2 %
60	-	6	1.4 %
80	-	1	0.2 %
90	-	10	2.3 %
104	-	1	0.2 %
110	-	1	0.2 %
120	-	14	3.2 %
150	-	17	3.8 %
174	-	1	0.2 %
180	-	5	1.1 %
206	-	1	0.2 %
210	-	4	0.9 %
240	-	4	0.9 %
284	-	1	0.2 %
290	-	1	0.2 %
300	-	10	2.3 %
330	-	1	0.2 %
336	-	1	0.2 %
350	-	1	0.2 %
360	-	1	0.2 %
390	-	1	0.2 %
430	-	1	0.2 %
450	-	7	1.6 %
510	-	1	0.2 %
560	-	1	0.2 %
600	-	5	1.1 %
720	-	1	0.2 %
750	-	2	0.5 %
900	-	3	0.7 %
1350	-	1	0.2 %
1452	-	1	0.2 %
1470	-	1	0.2 %
1500	-	1	0.2 %

Value	Label	Unweighted Frequency	%
1680	-	1	0.2 %
2880	-	1	0.2 %
3140	-	1	0.2 %
-9 (M)	Legitimate skip	63	14.2 %
. (M)	-	2	0.5 %

Based upon 379 valid cases out of 444 total cases.

- Mean: 119.49
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 3140.00
- Standard Deviation: 304.93

C6CMLF	**Times committed manufacture drugs LT**

Location: 1167-1170 (width: 4; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in manufacture or growing of drugs.

Value	Unweighted Frequency	%
0	348	78.4 %
1	19	4.3 %
2	4	0.9 %
3	2	0.5 %
4	2	0.5 %
5	9	2.0 %
6	1	0.2 %
9	1	0.2 %
10	4	0.9 %
15	2	0.5 %
20	3	0.7 %
24	1	0.2 %
30	2	0.5 %
33	1	0.2 %
36	1	0.2 %
42	1	0.2 %
78	1	0.2 %
90	1	0.2 %
100	1	0.2 %
104	1	0.2 %

Value	Unweighted Frequency	%
120	1	0.2 %
150	2	0.5 %
160	1	0.2 %
180	3	0.7 %
200	3	0.7 %
250	1	0.2 %
312	1	0.2 %
365	1	0.2 %
460	1	0.2 %
520	1	0.2 %
540	1	0.2 %
545	1	0.2 %
730	1	0.2 %
780	1	0.2 %
858	1	0.2 %
950	1	0.2 %
980	1	0.2 %
999	1	0.2 %
1000	1	0.2 %
1095	2	0.5 %
1100	1	0.2 %
1460	1	0.2 %
1716	1	0.2 %
1800	1	0.2 %
1825	2	0.5 %
3060	1	0.2 %
3285	1	0.2 %
5300	1	0.2 %
5475	1	0.2 %
6570	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 107.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6570.00
- Standard Deviation: 568.11

C6CM6M	Times committed manufacture drugs 6 mo

Location: 1171-1174 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in manufacture or growing of drugs.

Value	Label	Unweighted Frequency	%
0	-	62	14.0 %
1	-	4	0.9 %
2	-	3	0.7 %
3	-	2	0.5 %
5	-	2	0.5 %
30	-	3	0.7 %
42	-	1	0.2 %
48	-	2	0.5 %
50	-	2	0.5 %
60	-	1	0.2 %
78	-	1	0.2 %
90	-	1	0.2 %
100	-	1	0.2 %
120	-	1	0.2 %
150	-	1	0.2 %
180	-	5	1.1 %
540	-	1	0.2 %
1236	-	1	0.2 %
-9 (M)	Legitimate skip	348	78.4 %
. (M)	-	2	0.5 %

Based upon 94 valid cases out of 444 total cases.

- Mean: 38.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1236.00
- Standard Deviation: 143.69

C6CM30	Times committed manufacture drugs 30 days

Location: 1175-1178 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question:

How many times in the last 30 days prior to the arrest date on the timeline were you involved in manufacture or growing of drugs.

Value	Label	Unweighted Frequency	%
0	-	67	15.1 %
1	-	2	0.5 %
2	-	1	0.2 %
3	-	1	0.2 %
5	-	1	0.2 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	3	0.7 %
12	-	1	0.2 %
15	-	2	0.5 %
30	-	11	2.5 %
50	-	1	0.2 %
90	-	1	0.2 %
206	-	1	0.2 %
-9 (M)	Legitimate skip	348	78.4 %
. (M)	-	2	0.5 %

Based upon 94 valid cases out of 444 total cases.

- Mean: 8.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 206.00
- Standard Deviation: 24.89

C7CMLF	**Times committed selling drugs LT**

Location:	1179-1184 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Tell me how many times in your lifetime you were involved in sale or distribution of drugs.

Value	Label
-9 (M)	Legitimate skip

Based upon 441 valid cases out of 444 total cases.

- Mean: 9719.63
- Median: 50.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 657000.00

- Standard Deviation: 57047.74

C7CM6M	Times committed selling drugs 6 mo
Location:	1185-1189 (width: 5; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in sale or distribution of drugs.

Value	Label	Unweighted Frequency	%
0	-	81	18.2 %
1	-	4	0.9 %
2	-	6	1.4 %
3	-	1	0.2 %
4	-	2	0.5 %
5	-	1	0.2 %
6	-	2	0.5 %
10	-	3	0.7 %
11	-	1	0.2 %
12	-	1	0.2 %
14	-	1	0.2 %
17	-	1	0.2 %
20	-	3	0.7 %
25	-	2	0.5 %
30	-	7	1.6 %
36	-	1	0.2 %
37	-	1	0.2 %
48	-	1	0.2 %
50	-	1	0.2 %
51	-	1	0.2 %
60	-	13	2.9 %
70	-	2	0.5 %
72	-	2	0.5 %
80	-	2	0.5 %
90	-	7	1.6 %
95	-	1	0.2 %
100	-	4	0.9 %
120	-	9	2.0 %
150	-	1	0.2 %
163	-	2	0.5 %
170	-	1	0.2 %
180	-	49	11.0 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
200	-	2	0.5 %
240	-	2	0.5 %
266	-	1	0.2 %
300	-	2	0.5 %
360	-	2	0.5 %
400	-	1	0.2 %
540	-	2	0.5 %
580	-	1	0.2 %
600	-	2	0.5 %
644	-	1	0.2 %
720	-	3	0.7 %
750	-	1	0.2 %
900	-	1	0.2 %
1080	-	1	0.2 %
1134	-	1	0.2 %
1170	-	1	0.2 %
1236	-	1	0.2 %
1260	-	1	0.2 %
1300	-	1	0.2 %
1620	-	1	0.2 %
1680	-	1	0.2 %
1800	-	5	1.1 %
2016	-	1	0.2 %
2340	-	1	0.2 %
2400	-	1	0.2 %
2700	-	1	0.2 %
3000	-	1	0.2 %
3500	-	1	0.2 %
3600	-	3	0.7 %
3650	-	1	0.2 %
4500	-	2	0.5 %
5400	-	2	0.5 %
6120	-	1	0.2 %
7200	-	1	0.2 %
9000	-	1	0.2 %
21900	-	1	0.2 %
39000	-	1	0.2 %
-9 (M)	Legitimate skip	175	39.4 %
. (M)	-	2	0.5 %

Based upon 267 valid cases out of 444 total cases.

- Mean: 661.61
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 39000.00
- Standard Deviation: 2932.22

C7CM30	Times committed selling drugs 30 days

Location:	1190-1193 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in sale or distribution of drugs.

Value	Label	Unweighted Frequency	%
0	-	104	23.4 %
1	-	5	1.1 %
2	-	5	1.1 %
3	-	1	0.2 %
5	-	2	0.5 %
6	-	2	0.5 %
7	-	2	0.5 %
9	-	1	0.2 %
10	-	8	1.8 %
11	-	1	0.2 %
12	-	2	0.5 %
14	-	1	0.2 %
15	-	6	1.4 %
17	-	1	0.2 %
20	-	4	0.9 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	75	16.9 %
40	-	1	0.2 %
52	-	1	0.2 %
60	-	2	0.5 %
90	-	3	0.7 %
100	-	2	0.5 %
120	-	3	0.7 %
150	-	1	0.2 %
180	-	4	0.9 %
200	-	1	0.2 %

Value	Label	Unweighted Frequency	%
206	-	1	0.2 %
210	-	1	0.2 %
240	-	1	0.2 %
270	-	2	0.5 %
280	-	1	0.2 %
300	-	4	0.9 %
336	-	1	0.2 %
390	-	1	0.2 %
450	-	1	0.2 %
600	-	5	1.1 %
750	-	1	0.2 %
900	-	2	0.5 %
1200	-	1	0.2 %
1500	-	3	0.7 %
3000	-	1	0.2 %
6000	-	1	0.2 %
-9 (M)	Legitimate skip	175	39.4 %
. (M)	-	2	0.5 %

Based upon 267 valid cases out of 444 total cases.

- Mean: 108.24
- Median: 14.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 457.21

C8CMLF	Times committed forgery LT

Location:	1194-1199 (width: 6; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many times in your lifetime you were involved in forgery/fraud (bad checks, credit card fraud).

Value	Label	Unweighted Frequency	%
0	-	235	52.9 %
1	-	42	9.5 %
2	-	14	3.2 %
3	-	9	2.0 %
4	-	10	2.3 %

Value	Label	Unweighted Frequency	%
5	-	9	2.0 %
6	-	6	1.4 %
7	-	1	0.2 %
8	-	7	1.6 %
9	-	1	0.2 %
10	-	11	2.5 %
11	-	2	0.5 %
12	-	8	1.8 %
13	-	2	0.5 %
15	-	2	0.5 %
16	-	1	0.2 %
18	-	2	0.5 %
20	-	8	1.8 %
22	-	1	0.2 %
25	-	5	1.1 %
26	-	3	0.7 %
29	-	1	0.2 %
30	-	6	1.4 %
35	-	1	0.2 %
36	-	1	0.2 %
39	-	1	0.2 %
40	-	3	0.7 %
42	-	1	0.2 %
50	-	9	2.0 %
52	-	1	0.2 %
60	-	1	0.2 %
68	-	1	0.2 %
70	-	1	0.2 %
90	-	1	0.2 %
91	-	1	0.2 %
100	-	6	1.4 %
104	-	1	0.2 %
175	-	1	0.2 %
200	-	3	0.7 %
240	-	1	0.2 %
300	-	3	0.7 %
306	-	1	0.2 %
365	-	1	0.2 %
500	-	1	0.2 %
730	-	1	0.2 %

Value	Label	Unweighted Frequency	%
800	-	2	0.5 %
864	-	1	0.2 %
960	-	1	0.2 %
1000	-	1	0.2 %
1635	-	1	0.2 %
1820	-	1	0.2 %
2000	-	1	0.2 %
2190	-	2	0.5 %
4380	-	1	0.2 %
21900	-	1	0.2 %
43800	-	1	0.2 %
120975	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 481.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120975.00
- Standard Deviation: 6211.29

C8CM6M	**Times committed forgery 6 mo**

Location:	1200-1203 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in forgery/fraud (bad checks, credit card fraud).

Value	Label	Unweighted Frequency	%
0	-	123	27.7 %
1	-	17	3.8 %
2	-	9	2.0 %
3	-	4	0.9 %
4	-	4	0.9 %
5	-	2	0.5 %
6	-	2	0.5 %
7	-	1	0.2 %
8	-	1	0.2 %

Value	Label	Unweighted Frequency	%
9	-	1	0.2 %
10	-	6	1.4 %
12	-	6	1.4 %
13	-	1	0.2 %
15	-	2	0.5 %
18	-	2	0.5 %
20	-	4	0.9 %
25	-	1	0.2 %
30	-	2	0.5 %
36	-	1	0.2 %
42	-	1	0.2 %
45	-	1	0.2 %
50	-	3	0.7 %
91	-	1	0.2 %
100	-	1	0.2 %
104	-	1	0.2 %
150	-	1	0.2 %
178	-	1	0.2 %
180	-	2	0.5 %
200	-	1	0.2 %
210	-	1	0.2 %
360	-	1	0.2 %
432	-	1	0.2 %
2700	-	1	0.2 %
-9 (M)	Legitimate skip	236	53.2 %
. (M)	-	2	0.5 %

Based upon 206 valid cases out of 444 total cases.

- Mean: 27.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2700.00
- Standard Deviation: 193.85

C8CM30	Times committed forgery 30 days

Location: 1204-1207 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in forgery/fraud (bad checks, credit card fraud).

Value	Label	Unweighted Frequency	%
0	-	149	33.6 %
1	-	11	2.5 %
2	-	11	2.5 %
3	-	2	0.5 %
4	-	2	0.5 %
5	-	4	0.9 %
6	-	2	0.5 %
9	-	1	0.2 %
10	-	4	0.9 %
11	-	1	0.2 %
15	-	1	0.2 %
18	-	1	0.2 %
20	-	3	0.7 %
25	-	1	0.2 %
30	-	5	1.1 %
36	-	1	0.2 %
40	-	1	0.2 %
42	-	1	0.2 %
50	-	1	0.2 %
72	-	1	0.2 %
75	-	1	0.2 %
91	-	1	0.2 %
450	-	1	0.2 %
-9 (M)	Legitimate skip	236	53.2 %
. (M)	-	2	0.5 %

Based upon 206 valid cases out of 444 total cases.

- Mean: 6.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 450.00
- Standard Deviation: 33.41

C9CMLF	Times committed fencing LT

Location: 1208-1213 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Tell me how many times in your lifetime you were involved in fencing (buying or selling stolen property).

Value	Label	Unweighted Frequency	%
0	-	285	64.2 %
1	-	8	1.8 %
2	-	4	0.9 %
3	-	5	1.1 %
4	-	4	0.9 %
5	-	10	2.3 %
6	-	2	0.5 %
7	-	3	0.7 %
10	-	7	1.6 %
11	-	1	0.2 %
12	-	2	0.5 %
15	-	4	0.9 %
17	-	1	0.2 %
20	-	4	0.9 %
22	-	1	0.2 %
24	-	1	0.2 %
25	-	5	1.1 %
30	-	4	0.9 %
40	-	4	0.9 %
48	-	1	0.2 %
50	-	8	1.8 %
60	-	3	0.7 %
63	-	1	0.2 %
72	-	1	0.2 %
80	-	1	0.2 %
90	-	1	0.2 %
100	-	8	1.8 %
108	-	1	0.2 %
150	-	1	0.2 %
200	-	2	0.5 %
240	-	1	0.2 %
250	-	1	0.2 %
260	-	1	0.2 %
270	-	1	0.2 %
300	-	2	0.5 %
360	-	2	0.5 %
365	-	3	0.7 %
400	-	3	0.7 %
500	-	5	1.1 %

Value	Label	Unweighted Frequency	%
545	-	1	0.2 %
600	-	1	0.2 %
728	-	1	0.2 %
730	-	3	0.7 %
736	-	1	0.2 %
800	-	2	0.5 %
900	-	1	0.2 %
960	-	1	0.2 %
1000	-	2	0.5 %
1152	-	1	0.2 %
1248	-	1	0.2 %
1820	-	1	0.2 %
1825	-	1	0.2 %
1872	-	1	0.2 %
2000	-	1	0.2 %
2160	-	1	0.2 %
2190	-	1	0.2 %
2400	-	1	0.2 %
2500	-	1	0.2 %
3060	-	1	0.2 %
3072	-	1	0.2 %
3276	-	1	0.2 %
3650	-	1	0.2 %
4380	-	1	0.2 %
4680	-	1	0.2 %
6205	-	1	0.2 %
7300	-	3	0.7 %
7665	-	2	0.5 %
14235	-	1	0.2 %
18980	-	1	0.2 %
29200	-	1	0.2 %
240900	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 926.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 240900.00
- Standard Deviation: 11630.62

C9CM6M	Times committed fencing 6 mo
Location:	1214-1217 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in fencing (buying or selling stolen property).

Value	Label	Unweighted Frequency	%
0	-	64	14.4 %
1	-	8	1.8 %
2	-	6	1.4 %
3	-	5	1.1 %
4	-	1	0.2 %
5	-	8	1.8 %
6	-	1	0.2 %
10	-	6	1.4 %
11	-	1	0.2 %
12	-	1	0.2 %
18	-	1	0.2 %
20	-	8	1.8 %
22	-	1	0.2 %
25	-	1	0.2 %
30	-	3	0.7 %
40	-	1	0.2 %
42	-	1	0.2 %
50	-	3	0.7 %
54	-	1	0.2 %
60	-	4	0.9 %
78	-	1	0.2 %
90	-	3	0.7 %
100	-	1	0.2 %
120	-	4	0.9 %
130	-	1	0.2 %
133	-	1	0.2 %
150	-	1	0.2 %
180	-	9	2.0 %
200	-	1	0.2 %
258	-	1	0.2 %
270	-	1	0.2 %

Value	Label	Unweighted Frequency	%
400	-	1	0.2 %
525	-	1	0.2 %
540	-	3	0.7 %
547	-	1	0.2 %
1440	-	1	0.2 %
6300	-	1	0.2 %
-9 (M)	Legitimate skip	285	64.2 %
. (M)	-	2	0.5 %

Based upon 157 valid cases out of 444 total cases.

- Mean: 98.92
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6300.00
- Standard Deviation: 521.95

C9CM30	Times committed fencing 30 days

Location:	1218-1221 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in fencing (buying or selling stolen property).

Value	Label	Unweighted Frequency	%
0	-	81	18.2 %
1	-	7	1.6 %
2	-	10	2.3 %
3	-	5	1.1 %
5	-	7	1.6 %
6	-	3	0.7 %
8	-	1	0.2 %
9	-	1	0.2 %
10	-	5	1.1 %
11	-	1	0.2 %
12	-	2	0.5 %
14	-	1	0.2 %
15	-	3	0.7 %
20	-	3	0.7 %
25	-	1	0.2 %

Value	Label	Unweighted Frequency	%
30	-	16	3.6 %
60	-	1	0.2 %
90	-	5	1.1 %
120	-	1	0.2 %
182	-	1	0.2 %
240	-	1	0.2 %
1050	-	1	0.2 %
-9 (M)	Legitimate skip	285	64.2 %
. (M)	-	2	0.5 %

Based upon 157 valid cases out of 444 total cases.

- Mean: 18.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1050.00
- Standard Deviation: 88.28

C10CMLF	**Times committed gambling LT**

Location: 1222-1225 (width: 4; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in illegal gambling (running numbers).

Value	Unweighted Frequency	%
0	410	92.3 %
1	1	0.2 %
2	2	0.5 %
4	1	0.2 %
5	2	0.5 %
6	1	0.2 %
10	3	0.7 %
20	2	0.5 %
30	1	0.2 %
50	1	0.2 %
100	6	1.4 %
104	1	0.2 %
300	1	0.2 %
360	1	0.2 %
384	2	0.5 %
730	1	0.2 %

Value	Unweighted Frequency	%
1248	1	0.2 %
1664	1	0.2 %
1825	1	0.2 %
2912	1	0.2 %
4019	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 33.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4019.00
- Standard Deviation: 273.54

C10CM6M	Times committed gambling 6 mo

Location:	1226-1229 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in illegal gambling (running numbers).

Value	Label	Unweighted Frequency	%
0	-	12	2.7 %
2	-	2	0.5 %
3	-	1	0.2 %
4	-	2	0.5 %
5	-	4	0.9 %
6	-	2	0.5 %
12	-	1	0.2 %
20	-	1	0.2 %
30	-	1	0.2 %
48	-	3	0.7 %
180	-	2	0.5 %
260	-	1	0.2 %
-9 (M)	Legitimate skip	410	92.3 %
. (M)	-	2	0.5 %

Based upon 32 valid cases out of 444 total cases.

- Mean: 27.28

- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 260.00
- Standard Deviation: 61.48

C10CM30	Times committed gambling 30 days

Location: 1230-1233 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in illegal gambling (running numbers).

Value	Label	Unweighted Frequency	%
0	-	17	3.8 %
1	-	3	0.7 %
2	-	3	0.7 %
3	-	1	0.2 %
4	-	1	0.2 %
8	-	2	0.5 %
10	-	1	0.2 %
30	-	3	0.7 %
120	-	1	0.2 %
-9 (M)	Legitimate skip	410	92.3 %
. (M)	-	2	0.5 %

Based upon 32 valid cases out of 444 total cases.

- Mean: 7.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 120.00
- Standard Deviation: 22.28

C11CMLF	Times committed prostitution LT

Location: 1234-1239 (width: 6; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in prostitution or pimping.

Value	Unweighted Frequency	%
0	270	60.8 %
1	6	1.4 %
2	1	0.2 %

Value	Unweighted Frequency	%
3	2	0.5 %
4	1	0.2 %
5	4	0.9 %
6	5	1.1 %
7	3	0.7 %
8	1	0.2 %
10	3	0.7 %
14	1	0.2 %
15	2	0.5 %
20	5	1.1 %
26	1	0.2 %
30	2	0.5 %
33	1	0.2 %
35	1	0.2 %
40	3	0.7 %
50	8	1.8 %
60	4	0.9 %
75	1	0.2 %
80	1	0.2 %
85	1	0.2 %
90	3	0.7 %
100	9	2.0 %
120	1	0.2 %
150	3	0.7 %
180	3	0.7 %
182	1	0.2 %
190	1	0.2 %
200	1	0.2 %
215	1	0.2 %
240	1	0.2 %
288	1	0.2 %
300	6	1.4 %
350	1	0.2 %
365	3	0.7 %
400	3	0.7 %
417	1	0.2 %
468	1	0.2 %
469	1	0.2 %
500	4	0.9 %
576	1	0.2 %

- Study 30842 -

Value	Unweighted Frequency	%
700	1	0.2 %
702	1	0.2 %
730	2	0.5 %
775	1	0.2 %
869	1	0.2 %
936	1	0.2 %
960	3	0.7 %
999	1	0.2 %
1000	2	0.5 %
1080	1	0.2 %
1095	3	0.7 %
1300	1	0.2 %
1440	1	0.2 %
1460	2	0.5 %
1560	1	0.2 %
1825	1	0.2 %
1916	1	0.2 %
2000	1	0.2 %
2160	1	0.2 %
2190	2	0.5 %
2555	1	0.2 %
2600	1	0.2 %
2920	1	0.2 %
3000	1	0.2 %
3240	1	0.2 %
3285	1	0.2 %
3328	1	0.2 %
3600	1	0.2 %
4200	1	0.2 %
4250	1	0.2 %
4380	1	0.2 %
4680	1	0.2 %
4704	1	0.2 %
4745	1	0.2 %
5000	1	0.2 %
5475	2	0.5 %
6570	1	0.2 %
6840	1	0.2 %
7300	3	0.7 %
7500	1	0.2 %

Value	Unweighted Frequency	%
7665	1	0.2 %
8160	1	0.2 %
9125	1	0.2 %
10950	2	0.5 %
14600	2	0.5 %
17472	1	0.2 %
18250	1	0.2 %
21900	1	0.2 %
25550	1	0.2 %
27375	1	0.2 %
35040	1	0.2 %
36500	1	0.2 %
73000	1	0.2 %
84000	1	0.2 %
361350	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 2120.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 361350.00
- Standard Deviation: 18313.76

C11CM6M	**Times committed prostitution 6 mo**

Location:	1240-1244 (width: 5; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in prostitution or pimping.

Value	Label	Unweighted Frequency	%
0	-	34	7.7 %
1	-	12	2.7 %
2	-	6	1.4 %
3	-	1	0.2 %
4	-	1	0.2 %
5	-	5	1.1 %
6	-	3	0.7 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
7	-	1	0.2 %
8	-	4	0.9 %
9	-	1	0.2 %
10	-	4	0.9 %
12	-	2	0.5 %
14	-	1	0.2 %
15	-	3	0.7 %
16	-	1	0.2 %
20	-	3	0.7 %
21	-	1	0.2 %
25	-	1	0.2 %
30	-	9	2.0 %
31	-	1	0.2 %
34	-	1	0.2 %
35	-	1	0.2 %
40	-	1	0.2 %
45	-	1	0.2 %
50	-	5	1.1 %
52	-	1	0.2 %
60	-	6	1.4 %
70	-	2	0.5 %
78	-	1	0.2 %
90	-	2	0.5 %
100	-	3	0.7 %
120	-	3	0.7 %
130	-	1	0.2 %
139	-	1	0.2 %
150	-	1	0.2 %
160	-	1	0.2 %
166	-	1	0.2 %
177	-	1	0.2 %
178	-	1	0.2 %
179	-	1	0.2 %
180	-	15	3.4 %
240	-	2	0.5 %
300	-	1	0.2 %
354	-	1	0.2 %
360	-	3	0.7 %
450	-	1	0.2 %
500	-	1	0.2 %

Value	Label	Unweighted Frequency	%
540	-	3	0.7 %
672	-	2	0.5 %
900	-	3	0.7 %
1000	-	1	0.2 %
1080	-	1	0.2 %
1120	-	1	0.2 %
1200	-	1	0.2 %
1330	-	1	0.2 %
1500	-	1	0.2 %
1800	-	3	0.7 %
3600	-	1	0.2 %
20168	-	1	0.2 %
-9 (M)	Legitimate skip	270	60.8 %
. (M)	-	2	0.5 %

Based upon 172 valid cases out of 444 total cases.

- Mean: 300.85
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20168.00
- Standard Deviation: 1583.86

C11CM30	**Times committed prostitution 30 days**
Location:	1245-1248 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in prostitution or pimping.

Value	Label	Unweighted Frequency	%
0	-	65	14.6 %
1	-	12	2.7 %
2	-	9	2.0 %
3	-	2	0.5 %
4	-	3	0.7 %
5	-	3	0.7 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	2	0.5 %

Value	Label	Unweighted Frequency	%
12	-	2	0.5 %
13	-	1	0.2 %
14	-	2	0.5 %
15	-	6	1.4 %
20	-	7	1.6 %
21	-	1	0.2 %
25	-	3	0.7 %
27	-	1	0.2 %
30	-	27	6.1 %
32	-	1	0.2 %
40	-	1	0.2 %
50	-	1	0.2 %
60	-	3	0.7 %
75	-	1	0.2 %
90	-	3	0.7 %
100	-	1	0.2 %
112	-	2	0.5 %
120	-	1	0.2 %
140	-	1	0.2 %
150	-	3	0.7 %
180	-	2	0.5 %
300	-	2	0.5 %
600	-	1	0.2 %
3360	-	1	0.2 %
-9 (M)	Legitimate skip	270	60.8 %
. (M)	-	2	0.5 %

Based upon 172 valid cases out of 444 total cases.

- Mean: 46.09
- Median: 2.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3360.00
- Standard Deviation: 262.07

C12CMLF	Times committed burglary LT

Location:	1249-1252 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question:	Tell me how many times in your lifetime you were involved in burglary/attempted burglary/breaking and entering (home, auto, business).		

Value	Label	Unweighted Frequency	%
0	-	343	77.3 %
1	-	35	7.9 %
2	-	23	5.2 %
3	-	6	1.4 %
4	-	2	0.5 %
5	-	4	0.9 %
6	-	2	0.5 %
7	-	1	0.2 %
10	-	3	0.7 %
12	-	2	0.5 %
16	-	1	0.2 %
20	-	1	0.2 %
25	-	2	0.5 %
30	-	3	0.7 %
40	-	1	0.2 %
45	-	1	0.2 %
50	-	2	0.5 %
75	-	2	0.5 %
100	-	1	0.2 %
200	-	1	0.2 %
365	-	1	0.2 %
500	-	1	0.2 %
545	-	1	0.2 %
736	-	1	0.2 %
1456	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 10.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1456.00
- Standard Deviation: 87.50

C12CM6M	**Times committed burglary 6 mo**

Location:	1253-1256 (width: 4; decimal: 0)

Variable Type:	numeric	
Range of Missing Values (M):	-9 , .	
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in burglary/attempted burglary/breaking and entering (home, auto, business).	

Value	Label	Unweighted Frequency	%
0	-	62	14.0 %
1	-	17	3.8 %
2	-	2	0.5 %
3	-	1	0.2 %
4	-	3	0.7 %
5	-	1	0.2 %
6	-	1	0.2 %
7	-	1	0.2 %
10	-	4	0.9 %
12	-	1	0.2 %
20	-	1	0.2 %
45	-	1	0.2 %
50	-	1	0.2 %
90	-	1	0.2 %
133	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 4.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 133.00
- Standard Deviation: 17.42

C12CM30	**Times committed burlary 30 days**

Location:	1257-1260 (width: 4; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9 , .	
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in burglary/attempted burglary/breaking and entering (home, auto, business).	

Value	Label	Unweighted Frequency	%
0	-	75	16.9 %
1	-	8	1.8 %
2	-	2	0.5 %

Value	Label	Unweighted Frequency	%
3	-	2	0.5 %
4	-	1	0.2 %
5	-	4	0.9 %
7	-	2	0.5 %
14	-	1	0.2 %
30	-	1	0.2 %
45	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	3	0.7 %

Based upon 97 valid cases out of 444 total cases.

- Mean: 1.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 5.73

C13CMLF	Times committed shoplifting LT

Location: 1261-1266 (width: 6; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in shoplifting/larceny/embezzlement.

Value	Unweighted Frequency	%
0	219	49.3 %
1	32	7.2 %
2	15	3.4 %
3	13	2.9 %
4	6	1.4 %
5	10	2.3 %
6	7	1.6 %
7	4	0.9 %
8	1	0.2 %
10	17	3.8 %
12	2	0.5 %
13	1	0.2 %
15	3	0.7 %
16	1	0.2 %
17	1	0.2 %
20	5	1.1 %

- Study 30842 -

Value	Unweighted Frequency	%
25	5	1.1 %
30	6	1.4 %
35	1	0.2 %
38	1	0.2 %
40	3	0.7 %
50	10	2.3 %
60	2	0.5 %
70	1	0.2 %
72	1	0.2 %
90	2	0.5 %
100	14	3.2 %
104	1	0.2 %
120	2	0.5 %
150	5	1.1 %
160	1	0.2 %
180	2	0.5 %
200	4	0.9 %
250	1	0.2 %
300	2	0.5 %
500	7	1.6 %
520	1	0.2 %
600	1	0.2 %
728	1	0.2 %
730	1	0.2 %
800	1	0.2 %
988	1	0.2 %
1000	2	0.5 %
1456	2	0.5 %
1800	1	0.2 %
1817	1	0.2 %
1825	1	0.2 %
1872	1	0.2 %
2000	2	0.5 %
2880	1	0.2 %
2920	1	0.2 %
3060	1	0.2 %
3072	1	0.2 %
3600	1	0.2 %
4380	1	0.2 %
5475	1	0.2 %

Value	Unweighted Frequency	%
6205	1	0.2 %
7280	1	0.2 %
7300	3	0.7 %
7665	1	0.2 %
10950	1	0.2 %
14235	1	0.2 %
18980	1	0.2 %
36500	1	0.2 %
240900	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 952.12
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 240900.00
- Standard Deviation: 11672.84

C13CM6M	Times committed shoplifting 6 mo

Location: 1267-1270 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in shoplifting/larceny/embezzlement.

Value	Label	Unweighted Frequency	%
0	-	125	28.2 %
1	-	9	2.0 %
2	-	9	2.0 %
3	-	5	1.1 %
4	-	1	0.2 %
5	-	10	2.3 %
6	-	4	0.9 %
10	-	3	0.7 %
11	-	1	0.2 %
12	-	1	0.2 %
15	-	1	0.2 %
18	-	3	0.7 %
20	-	1	0.2 %

Value	Label	Unweighted Frequency	%
24	-	1	0.2 %
25	-	2	0.5 %
30	-	6	1.4 %
40	-	3	0.7 %
48	-	1	0.2 %
50	-	7	1.6 %
60	-	1	0.2 %
70	-	1	0.2 %
75	-	1	0.2 %
78	-	1	0.2 %
90	-	2	0.5 %
100	-	2	0.5 %
120	-	5	1.1 %
150	-	2	0.5 %
177	-	1	0.2 %
180	-	7	1.6 %
200	-	1	0.2 %
400	-	1	0.2 %
547	-	1	0.2 %
1050	-	1	0.2 %
1440	-	1	0.2 %
6300	-	1	0.2 %
-9 (M)	Legitimate skip	220	49.5 %
. (M)	-	2	0.5 %

Based upon 222 valid cases out of 444 total cases.

- Mean: 62.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6300.00
- Standard Deviation: 440.86

C13CM30	Times committed shoplifting 30 days

Location: 1271-1274 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9 , .
Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in shoplifting/larceny/embezzlement.

Value	Label	Unweighted Frequency	%
0	-	150	33.8 %
1	-	10	2.3 %
2	-	5	1.1 %
3	-	4	0.9 %
4	-	3	0.7 %
5	-	5	1.1 %
6	-	2	0.5 %
8	-	1	0.2 %
10	-	5	1.1 %
11	-	1	0.2 %
12	-	1	0.2 %
14	-	1	0.2 %
15	-	3	0.7 %
20	-	4	0.9 %
25	-	1	0.2 %
27	-	1	0.2 %
30	-	16	3.6 %
35	-	1	0.2 %
60	-	3	0.7 %
90	-	1	0.2 %
120	-	2	0.5 %
240	-	1	0.2 %
1050	-	1	0.2 %
-9 (M)	Legitimate skip	220	49.5 %
. (M)	-	2	0.5 %

Based upon 222 valid cases out of 444 total cases.

- Mean: 12.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1050.00
- Standard Deviation: 73.57

C14CMLF	**Times committed auto theft LT**

Location:	1275-1278 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in auto theft/car jacking.

Value	Unweighted Frequency	%
0	385	86.7 %
1	29	6.5 %
2	6	1.4 %
3	5	1.1 %
4	2	0.5 %
5	5	1.1 %
7	1	0.2 %
8	2	0.5 %
10	1	0.2 %
15	1	0.2 %
25	1	0.2 %
96	1	0.2 %
100	1	0.2 %
545	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 2.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 545.00
- Standard Deviation: 26.79

C14CM6M	Times committed auto theft 6 mo

Location: 1279-1282 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in auto theft/car jacking.

Value	Label	Unweighted Frequency	%
0	-	35	7.9 %
1	-	12	2.7 %
2	-	2	0.5 %
3	-	3	0.7 %
5	-	2	0.5 %
8	-	1	0.2 %
60	-	1	0.2 %
-9 (M)	Legitimate skip	386	86.9 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 1.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 8.06

C14CM30	**Times committed auto theft 30 days**

Location: | 1283-1286 (width: 4; decimal: 0)
Variable Type: | numeric
Range of Missing Values (M): | -9 , .
Question: | How many times in the last 30 days prior to the arrest date on the timeline were you involved in auto theft/car jacking.

Value	Label	Unweighted Frequency	%
0	-	44	9.9 %
1	-	8	1.8 %
2	-	2	0.5 %
4	-	1	0.2 %
30	-	1	0.2 %
-9 (M)	Legitimate skip	386	86.9 %
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.03

C14CMIN	**Number people injured auto theft**

Location: | 1287-1290 (width: 4; decimal: 0)
Variable Type: | numeric
Range of Missing Values (M): | -9 , .
Question: | How many people were injured as a result of your involvement in auto theft/car jacking during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	53	11.9 %
2	-	1	0.2 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.27

C14CMDT		Number people died auto theft

Location:	1291-1294 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in auto theft/car jacking during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	54	12.2 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C15CMLF		Times committed robbery LT

Location:	1295-1298 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in robbery/attempted robbery/mugging.

Value	Unweighted Frequency	%
0	403	90.8 %
1	18	4.1 %

Value	Unweighted Frequency	%
2	4	0.9 %
3	1	0.2 %
5	2	0.5 %
10	2	0.5 %
15	3	0.7 %
20	2	0.5 %
50	4	0.9 %
100	1	0.2 %
144	1	0.2 %
365	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 19.84

C15CM6M	Times committed robbery 6 mo

Location:	1299-1302 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in robbery/attempted robbery/mugging.

Value	Label	Unweighted Frequency	%
0	-	21	4.7 %
1	-	7	1.6 %
2	-	2	0.5 %
5	-	3	0.7 %
6	-	1	0.2 %
10	-	2	0.5 %
15	-	1	0.2 %
48	-	1	0.2 %
50	-	1	0.2 %
-9 (M)	Legitimate skip	403	90.8 %
. (M)	-	2	0.5 %

Based upon 39 valid cases out of 444 total cases.

- Mean: 4.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 11.07

C15CM30	Times committed robbery 30 days

Location: 1303-1306 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in robbery/attempted robbery/mugging.

Value	Label	Unweighted Frequency	%
0	-	27	6.1 %
1	-	8	1.8 %
2	-	1	0.2 %
5	-	1	0.2 %
10	-	1	0.2 %
26	-	1	0.2 %
-9 (M)	Legitimate skip	403	90.8 %
. (M)	-	2	0.5 %

Based upon 39 valid cases out of 444 total cases.

- Mean: 1.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 4.43

C15CMIN	Number people injured robbery

Location: 1307-1310 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people were injured as a result of your involvement in robbery/attempted robbery/mugging during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	33	7.4 %
1	-	1	0.2 %
2	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10	-	1	0.2 %
12	-	1	0.2 %
20	-	1	0.2 %
30	-	1	0.2 %
-9 (M)	Legitimate skip	403	90.8 %
. (M)	-	2	0.5 %

Based upon 39 valid cases out of 444 total cases.

- Mean: 1.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.08

C15CMDT	Number people died robbery

Location: 1311-1314 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people died as a result of your involvement in robbery/attempted robbery/mugging during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	38	8.6 %
1	-	1	0.2 %
-9 (M)	Legitimate skip	403	90.8 %
. (M)	-	2	0.5 %

Based upon 39 valid cases out of 444 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

C16CMLF	Times committed assault LT

Location: 1315-1319 (width: 5; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in assault/aggravated assault/battery (DO NOT include rape or sexual assault).

Value	Unweighted Frequency	%
0	286	64.4 %
1	44	9.9 %
2	22	5.0 %
3	17	3.8 %
4	6	1.4 %
5	9	2.0 %
6	3	0.7 %
7	4	0.9 %
8	3	0.7 %
9	1	0.2 %
10	6	1.4 %
12	2	0.5 %
13	1	0.2 %
15	5	1.1 %
20	7	1.6 %
25	1	0.2 %
30	1	0.2 %
32	1	0.2 %
36	1	0.2 %
37	1	0.2 %
40	2	0.5 %
50	6	1.4 %
51	1	0.2 %
70	1	0.2 %
96	1	0.2 %
100	3	0.7 %
150	1	0.2 %
200	1	0.2 %
588	1	0.2 %
600	1	0.2 %
1092	1	0.2 %
1440	1	0.2 %
29565	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 79.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 29565.00
- Standard Deviation: 1408.90

C16CM6M		Times committed assault 6 mo		
Location:		1320-1323 (width: 4; decimal: 0)		
Variable Type:		numeric		
Range of Missing Values (M):		-9 , .		
Question:		Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in assault/aggravated assault/battery (DO NOT include rape or sexual assault).		

Value	Label	Unweighted Frequency	%
0	-	86	19.4 %
1	-	34	7.7 %
2	-	16	3.6 %
3	-	3	0.7 %
4	-	5	1.1 %
5	-	1	0.2 %
10	-	1	0.2 %
15	-	3	0.7 %
20	-	1	0.2 %
30	-	1	0.2 %
60	-	2	0.5 %
90	-	1	0.2 %
120	-	1	0.2 %
540	-	1	0.2 %
-9 (M)	Legitimate skip	286	64.4 %
. (M)	-	2	0.5 %

Based upon 156 valid cases out of 444 total cases.

- Mean: 6.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 540.00
- Standard Deviation: 45.17

C16CM30	Times committed assault 30 days
Location:	1324-1327 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in assault/aggravated assault/battery (DO NOT include rape or sexual assault).

Value	Label	Unweighted Frequency	%
0	-	112	25.2 %
1	-	28	6.3 %
2	-	5	1.1 %
3	-	1	0.2 %
4	-	2	0.5 %
8	-	2	0.5 %
10	-	2	0.5 %
15	-	2	0.5 %
30	-	1	0.2 %
90	-	1	0.2 %
-9 (M)	Legitimate skip	286	64.4 %
. (M)	-	2	0.5 %

Based upon 156 valid cases out of 444 total cases.

- Mean: 1.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 7.83

C16CMIN	**Number people injured assault**

Location:	1328-1332 (width: 5; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people were injured as a result of your involvement in assault/aggravated assault/battery (DO NOT include rape or sexual assault) during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	85	19.1 %
1	-	29	6.5 %
2	-	15	3.4 %
3	-	4	0.9 %
4	-	4	0.9 %
5	-	3	0.7 %
6	-	1	0.2 %
7	-	1	0.2 %
10	-	2	0.5 %
20	-	1	0.2 %
30	-	2	0.5 %

Value	Label	Unweighted Frequency	%
35	-	1	0.2 %
36	-	1	0.2 %
40	-	1	0.2 %
50	-	2	0.5 %
100	-	1	0.2 %
588	-	1	0.2 %
29565	-	1	0.2 %
-9 (M)	Legitimate skip	287	64.6 %
. (M)	-	2	0.5 %

Based upon 155 valid cases out of 444 total cases.

- Mean: 197.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29565.00
- Standard Deviation: 2374.63

C16CMDT			Number people died assault

Location:	1333-1336 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in assault/aggravated assault/battery (DO NOT include rape or sexual assault) during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	153	34.5 %
1	-	2	0.5 %
-9 (M)	Legitimate skip	287	64.6 %
. (M)	-	2	0.5 %

Based upon 155 valid cases out of 444 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

C17CMLF			Times committed kidnap LT

Location:	1337-1340 (width: 4; decimal: 0)

Variable Type:	numeric	
Question:	Tell me how many times in your lifetime you were involved in kidnapping/hostage taking.	

Value	Unweighted Frequency	%
0	436	98.2 %
1	4	0.9 %
2	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.16

C17CM6M — Times committed kidnap 6 mo

Location:	1341-1344 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in kidnapping/hostage taking.

Value	Label	Unweighted Frequency	%
0	-	4	0.9 %
1	-	2	0.5 %
-9 (M)	Legitimate skip	436	98.2 %
. (M)	-	2	0.5 %

Based upon 6 valid cases out of 444 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.52

C17CM30 — Times committed kidnap 30 days

Location:	1345-1348 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in kidnapping/hostage taking.

Value	Label	Unweighted Frequency	%
0	-	6	1.4 %
-9 (M)	Legitimate skip	436	98.2 %
. (M)	-	2	0.5 %

Based upon 6 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C17CMIN	Number people injured kidnap

Location: 1349-1352 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people were injured as a result of your involvement in kidnapping/hostage taking during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	2	0.5 %
1	-	1	0.2 %
2	-	2	0.5 %
-9 (M)	Legitimate skip	437	98.4 %
. (M)	-	2	0.5 %

Based upon 5 valid cases out of 444 total cases.

- Mean: 1.00
- Median: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 1.00

C17CMDT	Number people died kidnap

Location: 1353-1356 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people died as a result of your involvement in kidnapping/hostage taking during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	5	1.1 %
-9 (M)	Legitimate skip	437	98.4 %
. (M)	-	2	0.5 %

Based upon 5 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C18CMLF	**Times committed terrorist threat LT**

Location: 1357-1360 (width: 4; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in terrorist threats/acts.

Value	Unweighted Frequency	%
0	388	87.4 %
1	18	4.1 %
2	2	0.5 %
3	3	0.7 %
4	4	0.9 %
5	3	0.7 %
6	1	0.2 %
10	4	0.9 %
13	1	0.2 %
20	2	0.5 %
25	1	0.2 %
30	2	0.5 %
50	2	0.5 %
60	1	0.2 %
100	4	0.9 %
200	3	0.7 %
240	1	0.2 %
1000	1	0.2 %
1095	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 8.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1095.00
- Standard Deviation: 73.73

C18CM6M	**Times committed terrorist threat 6 mo**

Location:	1361-1364 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in terrorist threats/acts.

Value	Label	Unweighted Frequency	%
0	-	30	6.8 %
1	-	4	0.9 %
2	-	5	1.1 %
3	-	2	0.5 %
4	-	1	0.2 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	4	0.9 %
30	-	1	0.2 %
33	-	1	0.2 %
60	-	2	0.5 %
100	-	1	0.2 %
180	-	1	0.2 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 10.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 29.69

C18CM30	**Times committed terrorist threat 30 days**

Location:	1365-1368 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M): -9 , .

Question: How many times in the last 30 days prior to the arrest date on the timeline were you involved in terrorist threats/acts.

Value	Label	Unweighted Frequency	%
0	-	34	7.7 %
1	-	4	0.9 %
2	-	4	0.9 %
3	-	1	0.2 %
4	-	4	0.9 %
5	-	1	0.2 %
10	-	2	0.5 %
20	-	1	0.2 %
30	-	3	0.7 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 3.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.41

C18CMIN	Number people injured terrorist threat

Location: 1369-1372 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people were injured as a result of your involvement in terrorist threats/acts during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	48	10.8 %
1	-	1	0.2 %
2	-	3	0.7 %
4	-	1	0.2 %
50	-	1	0.2 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 6.81

C18CMDT	Number people died terrorist threat

Location:	1373-1376 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in terrorist threats/acts during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	54	12.2 %
-9 (M)	Legitimate skip	388	87.4 %
. (M)	-	2	0.5 %

Based upon 54 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C19CMLF	Times committed homicide LT

Location:	1377-1380 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in homicide/manslaughter/attempted homicide.

Value	Unweighted Frequency	%
0	430	96.8 %
1	10	2.3 %
2	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.03
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.20

C19CM6M	Times committed homicide 6 mo
Location:	1381-1384 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in homicide/manslaughter/attempted homicide.

Value	Label	Unweighted Frequency	%
0	-	9	2.0 %
1	-	3	0.7 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

C19CM30	Times committed homicide 30 days
Location:	1385-1388 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in homicide/manslaughter/attempted homicide.

Value	Label	Unweighted Frequency	%
0	-	9	2.0 %
1	-	3	0.7 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

C19CMIN	Number people injured homicide

Location:	1389-1392 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people were injured as a result of your involvement in homicide/manslaughter/attempted homicide during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	7	1.6 %
1	-	3	0.7 %
2	-	2	0.5 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.79

C19CMDT	Number people died homicide

Location:	1393-1396 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in homicide/manslaughter/attempted homicide during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	4	0.9 %
1	-	8	1.8 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

C20CMLF	Times committed arson LT

Location: 1397-1400 (width: 4; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in arson offenses.

Value	Unweighted Frequency	%
0	430	96.8 %
1	9	2.0 %
2	1	0.2 %
3	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.26

C20CM6M	Times committed arson 6 mo

Location: 1401-1404 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in arson offenses.

Value	Label	Unweighted Frequency	%
0	-	11	2.5 %
1	-	1	0.2 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.29

C20CM30	Times committed arson 30 days

Location:	1405-1408 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in arson offenses.

Value	Label	Unweighted Frequency	%
0	-	11	2.5 %
1	-	1	0.2 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.29

C20CMIN	Number people injured arson

Location:	1409-1412 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people were injured as a result of your involvement in arson offenses during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	12	2.7 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C20CMDT	**Number people died arson**

Location:	1413-1416 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many people died as a result of your involvement in arson offenses during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	12	2.7 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C21CMLF	**Times committed weapons offense LT**

Location:	1417-1420 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in weapons offenses.

Value	Unweighted Frequency	%
0	386	86.9 %
1	25	5.6 %
2	5	1.1 %
3	6	1.4 %
4	2	0.5 %
5	2	0.5 %
9	1	0.2 %
10	1	0.2 %
25	1	0.2 %
50	1	0.2 %
120	1	0.2 %
312	1	0.2 %
324	1	0.2 %
365	1	0.2 %
460	1	0.2 %
500	1	0.2 %

Value	Unweighted Frequency	%
730	2	0.5 %
2000	1	0.2 %
2160	1	0.2 %
4380	1	0.2 %
4745	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 38.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4745.00
- Standard Deviation: 342.04

C21CM6M	**Times committed weapons offense 6 mo**

Location: 1421-1424 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in weapons offenses.

Value	Label	Unweighted Frequency	%
0	-	27	6.1 %
1	-	15	3.4 %
2	-	3	0.7 %
5	-	1	0.2 %
10	-	1	0.2 %
15	-	1	0.2 %
60	-	1	0.2 %
78	-	1	0.2 %
163	-	1	0.2 %
170	-	1	0.2 %
180	-	4	0.9 %
-9 (M)	Legitimate skip	386	86.9 %
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 22.18
- Median: 1.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 55.20

C21CM30	Times committed weapons offense 30 days

Location:	1425-1428 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in weapon offenses.

Value	Label	Unweighted Frequency	%
0	-	35	7.9 %
1	-	11	2.5 %
3	-	1	0.2 %
8	-	1	0.2 %
12	-	1	0.2 %
15	-	1	0.2 %
17	-	1	0.2 %
30	-	5	1.1 %
-9 (M)	Legitimate skip	386	86.9 %
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 3.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.95

C22CMLF	Times committed vandalism LT

Location:	1429-1432 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in vandalism/property damage/tagging.

Value	Unweighted Frequency	%
0	392	88.3 %
1	20	4.5 %
2	4	0.9 %
3	5	1.1 %
4	2	0.5 %

Value	Unweighted Frequency	%
5	2	0.5 %
8	1	0.2 %
10	3	0.7 %
15	1	0.2 %
20	3	0.7 %
22	1	0.2 %
48	1	0.2 %
50	1	0.2 %
52	1	0.2 %
75	1	0.2 %
100	3	0.7 %
500	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 25.74

C22CM6M	Times committed vandalism 6 mo

Location:	1433-1436 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in vandalism/property damage/tagging.

Value	Label	Unweighted Frequency	%
0	-	27	6.1 %
1	-	12	2.7 %
2	-	1	0.2 %
3	-	3	0.7 %
4	-	1	0.2 %
5	-	1	0.2 %
10	-	2	0.5 %
20	-	1	0.2 %
60	-	1	0.2 %
-9 (M)	Legitimate skip	393	88.5 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 49 valid cases out of 444 total cases.

- Mean: 2.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 9.05

C22CM30	Time committed vandalism 30 days

Location:	1437-1440 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in vandalism/property damage/tagging.

Value	Label	Unweighted Frequency	%
0	-	38	8.6 %
1	-	7	1.6 %
2	-	1	0.2 %
3	-	1	0.2 %
4	-	1	0.2 %
10	-	1	0.2 %
20	-	1	0.2 %
-9 (M)	Legitimate skip	392	88.3 %
. (M)	-	2	0.5 %

Based upon 50 valid cases out of 444 total cases.

- Mean: 0.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.17

C23CMLF	Times committed sex offense LT

Location:	1441-1444 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times in your lifetime you were involved in sex offenses (rape/aggravated sexual assault/sex with a minor).

Value	Unweighted Frequency	%
0	440	99.1 %
1	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

C23CM6M	**Times committed sex offense 6 mo**

Location:	1445-1448 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in sex offenses (rape/aggravated sexual assault/sex with a minor).

Value	Label	Unweighted Frequency	%
0	-	1	0.2 %
1	-	1	0.2 %
-9 (M)	Legitimate skip	440	99.1 %
. (M)	-	2	0.5 %

Based upon 2 valid cases out of 444 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.71

C23CM30	**Times committed sex offense 30 days**

Location:	1449-1452 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in Sex offenses (rape/aggravated sexual assault/sex with a minor).

Value	Label	Unweighted Frequency	%
0	-	1	0.2 %

Value	Label	Unweighted Frequency	%
1	-	1	0.2 %
-9 (M)	Legitimate skip	440	99.1 %
. (M)	-	2	0.5 %

Based upon 2 valid cases out of 444 total cases.

- Mean: 0.50
- Median: 0.50
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.71

C23CMIN	Number people injured sex offense

Location: 1453-1456 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people were injured as a result of your involvement in sex offenses (rape/aggravated sexual assault/sex with a minor) during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	2	0.5 %
-9 (M)	Legitimate skip	440	99.1 %
. (M)	-	2	0.5 %

Based upon 2 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C23CMDT	Number people died sex offense

Location: 1457-1460 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people died as a result of your involvement in sex offenses (rape/aggravated sexual assault/sex with a minor) during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	2	0.5 %
-9 (M)	Legitimate skip	440	99.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 2 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C24CMLF	**Times committed PV LT**

Location: 1461-1464 (width: 4; decimal: 0)

Variable Type: numeric

Question: Tell me how many times in your lifetime you were involved in probation/parole violations.

Value	Unweighted Frequency	%
0	97	21.8 %
1	155	34.9 %
2	78	17.6 %
3	44	9.9 %
4	24	5.4 %
5	9	2.0 %
6	6	1.4 %
7	3	0.7 %
8	5	1.1 %
9	3	0.7 %
10	1	0.2 %
15	2	0.5 %
16	1	0.2 %
17	2	0.5 %
18	1	0.2 %
20	3	0.7 %
25	1	0.2 %
29	1	0.2 %
50	2	0.5 %
100	1	0.2 %
200	1	0.2 %
1000	1	0.2 %
4745	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 16.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4745.00
- Standard Deviation: 230.66

C24CM6M	Times committed PV 6 mo

Location:	1465-1468 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in probation/parole violations.

Value	Label	Unweighted Frequency	%
0	-	79	17.8 %
1	-	211	47.5 %
2	-	30	6.8 %
3	-	10	2.3 %
4	-	2	0.5 %
5	-	2	0.5 %
6	-	4	0.9 %
7	-	1	0.2 %
10	-	1	0.2 %
20	-	1	0.2 %
44	-	1	0.2 %
160	-	1	0.2 %
180	-	2	0.5 %
-9 (M)	Legitimate skip	97	21.8 %
. (M)	-	2	0.5 %

Based upon 345 valid cases out of 444 total cases.

- Mean: 2.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 16.26

C24CM30	Times committed PV 30 days

Location:	1469-1472 (width: 4; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in probation/parole violations.

Value	Label	Unweighted Frequency	%
0	-	105	23.6 %
1	-	212	47.7 %
2	-	16	3.6 %
3	-	2	0.5 %
4	-	1	0.2 %
5	-	1	0.2 %
6	-	1	0.2 %
7	-	1	0.2 %
10	-	1	0.2 %
15	-	1	0.2 %
21	-	1	0.2 %
25	-	1	0.2 %
30	-	2	0.5 %
-9 (M)	Legitimate skip	97	21.8 %
. (M)	-	2	0.5 %

Based upon 345 valid cases out of 444 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.02

C25SPEC	**Other crime**

Location:	1473-1572 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other crime.

Value	Unweighted Frequency	%
	84	18.9 %
Driving without license	1	0.2 %
TBUT over $300	1	0.2 %
complicity to commit murder	1	0.2 %
computer hacking	2	0.5 %
criminal abuse	1	0.2 %

Value	Unweighted Frequency	%
criminal mischief, theft by unlawful taking	1	0.2 %
disorderly conduct	1	0.2 %
driving on suspended	1	0.2 %
driving on suspended license (dui)	1	0.2 %
escape	1	0.2 %
failure to appear in court (FDA)	1	0.2 %
panhandling	1	0.2 %
pick pocket	1	0.2 %
promoting gambling	1	0.2 %
receiving stolen property/escape	1	0.2 %
theft by unlawful taking	1	0.2 %
-9 (M)	343	77.3 %

Based upon 101 valid cases out of 444 total cases.

C25CMLF	Times committed other crime LT

Location:	1573-1576 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many times in your lifetime you were involved in other specified crime.

Value	Label	Unweighted Frequency	%
0	-	423	95.3 %
1	-	5	1.1 %
2	-	4	0.9 %
3	-	2	0.5 %
4	-	1	0.2 %
15	-	1	0.2 %
30	-	1	0.2 %
200	-	1	0.2 %
722	-	1	0.2 %
1500	-	1	0.2 %
-9 (M)	Legitimate skip	2	0.5 %
. (M)	-	2	0.5 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 5.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1500.00

- Standard Deviation: 79.84

C25CM6M	Times committed other crime 6 mo

Location:	1577-1580 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Look at this card and tell me how many times in the 6 months prior to the arrest date on the timeline you were involved in other specified crime.

Value	Label	Unweighted Frequency	%
0	-	9	2.0 %
1	-	4	0.9 %
2	-	2	0.5 %
3	-	1	0.2 %
300	-	1	0.2 %
-9 (M)	Legitimate skip	425	95.7 %
. (M)	-	2	0.5 %

Based upon 17 valid cases out of 444 total cases.

- Mean: 18.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 72.60

C25CM30	Times committed other 30 days

Location:	1581-1584 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times in the last 30 days prior to the arrest date on the timeline were you involved in other specified crime.

Value	Label	Unweighted Frequency	%
0	-	8	1.8 %
1	-	7	1.6 %
30	-	1	0.2 %
170	-	1	0.2 %
-9 (M)	Legitimate skip	425	95.7 %
. (M)	-	2	0.5 %

Based upon 17 valid cases out of 444 total cases.

- Mean: 12.18
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 170.00
- Standard Deviation: 41.30

C25CMIN	**Number people injured other crime**

Location: 1585-1588 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people were injured as a result of your involvement in other specified crime during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	17	3.8 %
-9 (M)	Legitimate skip	425	95.7 %
. (M)	-	2	0.5 %

Based upon 17 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

C25CMDT	**Number people died other crime**

Location: 1589-1592 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many people died as a result of your involvement in other specified crime during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	16	3.6 %
1	-	1	0.2 %
-9 (M)	Legitimate skip	425	95.7 %
. (M)	-	2	0.5 %

Based upon 17 valid cases out of 444 total cases.

- Mean: 0.06

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.24

JAILC	Currently incarcerated

Location: 1593-1593 (width: 1; decimal: 0)

Variable Type: numeric

Question: Interviewer: Is respondent currently incarcerated (e.g., jail, prison, work release, or community correctional facility)?

Value	Label	Unweighted Frequency	%
0	No	1	0.2 %
1	Yes	441	99.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

JAILCYR	Years in this facility

Location: 1594-1597 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How long have you been in this facility? Years.

Value	Label	Unweighted Frequency	%
0	-	368	82.9 %
1	-	29	6.5 %
2	-	6	1.4 %
3	-	3	0.7 %
6	-	1	0.2 %
7	-	4	0.9 %
9	-	1	0.2 %
16	-	1	0.2 %
17	-	1	0.2 %
-9 (M)	Legitiamte skip	28	6.3 %
. (M)	-	2	0.5 %

Based upon 414 valid cases out of 444 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.48

JAILCMO	**Months in this facility**

Location:	1598-1601 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been in this facility? Months.

Value	Label	Unweighted Frequency	%
0	-	36	8.1 %
1	-	75	16.9 %
2	-	85	19.1 %
3	-	60	13.5 %
4	-	45	10.1 %
5	-	27	6.1 %
6	-	23	5.2 %
7	-	14	3.2 %
8	-	17	3.8 %
9	-	16	3.6 %
10	-	13	2.9 %
11	-	13	2.9 %
12	-	6	1.4 %
13	-	1	0.2 %
15	-	1	0.2 %
17	-	1	0.2 %
18	-	1	0.2 %
28	-	1	0.2 %
108	-	1	0.2 %
-9 (M)	Legitimate skip	6	1.4 %
. (M)	-	2	0.5 %

Based upon 436 valid cases out of 444 total cases.

- Mean: 4.13
- Median: 3.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 108.00
- Standard Deviation: 6.07

JAILCDY	Days in this facility

Location:	1602-1605 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been in this facility? Days.

Value	Label	Unweighted Frequency	%
0	-	217	48.9 %
1	-	16	3.6 %
2	-	9	2.0 %
3	-	10	2.3 %
4	-	6	1.4 %
5	-	13	2.9 %
6	-	8	1.8 %
7	-	10	2.3 %
8	-	6	1.4 %
9	-	5	1.1 %
10	-	10	2.3 %
11	-	6	1.4 %
12	-	6	1.4 %
13	-	5	1.1 %
14	-	11	2.5 %
15	-	28	6.3 %
16	-	3	0.7 %
17	-	1	0.2 %
18	-	5	1.1 %
19	-	3	0.7 %
20	-	9	2.0 %
21	-	7	1.6 %
22	-	4	0.9 %
23	-	4	0.9 %
24	-	4	0.9 %
25	-	4	0.9 %
26	-	3	0.7 %
27	-	2	0.5 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	2	0.5 %

Value	Label	Unweighted Frequency	%
37	-	1	0.2 %
40	-	1	0.2 %
48	-	1	0.2 %
-9 (M)	Legitimate skip	19	4.3 %
. (M)	-	3	0.7 %

Based upon 422 valid cases out of 444 total cases.

- Mean: 6.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 8.49

JAILCNY	Years incarcerated this conviction

Location:	1606-1609 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been incarcerated on this conviction (include time at all jail and prison facilities)? Years.

Value	Label	Unweighted Frequency	%
0	-	260	58.6 %
1	-	109	24.5 %
2	-	18	4.1 %
3	-	14	3.2 %
4	-	1	0.2 %
5	-	3	0.7 %
7	-	4	0.9 %
9	-	1	0.2 %
10	-	1	0.2 %
12	-	1	0.2 %
16	-	1	0.2 %
18	-	1	0.2 %
-9 (M)	Legitimate skip	28	6.3 %
. (M)	-	2	0.5 %

Based upon 414 valid cases out of 444 total cases.

- Mean: 0.72
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 1.76

JAILCNM	Months incarcerated this conviction

Location:	1610-1613 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been incarcerated on this conviction (include time at all jail and prison facilities)? Months.

Value	Label	Unweighted Frequency	%
0	-	39	8.8 %
1	-	17	3.8 %
2	-	29	6.5 %
3	-	41	9.2 %
4	-	50	11.3 %
5	-	55	12.4 %
6	-	49	11.0 %
7	-	34	7.7 %
8	-	29	6.5 %
9	-	23	5.2 %
10	-	23	5.2 %
11	-	18	4.1 %
12	-	8	1.8 %
13	-	1	0.2 %
14	-	4	0.9 %
15	-	2	0.5 %
16	-	2	0.5 %
17	-	1	0.2 %
20	-	1	0.2 %
22	-	1	0.2 %
23	-	1	0.2 %
25	-	1	0.2 %
29	-	1	0.2 %
30	-	1	0.2 %
33	-	1	0.2 %
35	-	1	0.2 %
45	-	1	0.2 %
62	-	1	0.2 %
144	-	1	0.2 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	6	1.4 %
. (M)	-	2	0.5 %

Based upon 436 valid cases out of 444 total cases.

- Mean: 6.39
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 8.65

JAILCND	Days incarcerated this conviction

Location:	1614-1617 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been incarcerated on this conviction (include time at all jail and prison facilities)? Days.

Value	Label	Unweighted Frequency	%
0	-	249	56.1 %
1	-	16	3.6 %
2	-	10	2.3 %
3	-	9	2.0 %
4	-	6	1.4 %
5	-	10	2.3 %
6	-	7	1.6 %
7	-	9	2.0 %
8	-	5	1.1 %
9	-	4	0.9 %
10	-	12	2.7 %
11	-	4	0.9 %
12	-	6	1.4 %
13	-	3	0.7 %
14	-	11	2.5 %
15	-	14	3.2 %
16	-	4	0.9 %
17	-	1	0.2 %
18	-	7	1.6 %
19	-	1	0.2 %
20	-	8	1.8 %

Value	Label	Unweighted Frequency	%
21	-	3	0.7 %
22	-	2	0.5 %
23	-	3	0.7 %
24	-	4	0.9 %
25	-	3	0.7 %
26	-	2	0.5 %
27	-	1	0.2 %
29	-	2	0.5 %
30	-	2	0.5 %
37	-	1	0.2 %
40	-	1	0.2 %
45	-	1	0.2 %
75	-	1	0.2 %
90	-	1	0.2 %
-9 (M)	Legitimate skip	19	4.3 %
. (M)	-	2	0.5 %

Based upon 423 valid cases out of 444 total cases.

- Mean: 5.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.55

DGTXJLC	**Received drug tx this incarceration**

Location: 1618-1618 (width: 1; decimal: 0)

Variable Type: numeric

Question: Have you received drug or alcohol treatment since you have been incarcerated this time?

Value	Label	Unweighted Frequency	%
0	No	243	54.7 %
1	Yes	199	44.8 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.00
- Standard Deviation: 0.50

DGTXC	Currently in drug tx
Location:	1619-1619 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Are you currently in a drug or alcohol treatment program?

Value	Label	Unweighted Frequency	%
0	No	277	62.4 %
1	Yes	165	37.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

LDGTXCM	Months drug tx
Location:	1620-1623 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been in treatment during this incarceration? Months.

Value	Label	Unweighted Frequency	%
0	-	239	53.8 %
1	-	15	3.4 %
2	-	30	6.8 %
3	-	35	7.9 %
4	-	25	5.6 %
5	-	17	3.8 %
6	-	8	1.8 %
7	-	4	0.9 %
8	-	4	0.9 %
9	-	5	1.1 %
10	-	3	0.7 %
11	-	1	0.2 %
12	-	5	1.1 %
13	-	1	0.2 %

Value	Label	Unweighted Frequency	%
14	-	5	1.1 %
15	-	2	0.5 %
16	-	1	0.2 %
17	-	4	0.9 %
18	-	1	0.2 %
20	-	2	0.5 %
24	-	1	0.2 %
26	-	1	0.2 %
35	-	1	0.2 %
36	-	1	0.2 %
48	-	1	0.2 %
300	-	1	0.2 %
-9 (M)	Legitimate skip	26	5.9 %
. (M)	-	5	1.1 %

Based upon 413 valid cases out of 444 total cases.

- Mean: 3.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 15.53

LDGTXCD	Days drug tx

Location:	1624-1627 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long have you been in treatment during this incarceration? Days.

Value	Label	Unweighted Frequency	%
0	-	324	73.0 %
1	-	4	0.9 %
2	-	5	1.1 %
3	-	4	0.9 %
4	-	3	0.7 %
5	-	5	1.1 %
6	-	1	0.2 %
7	-	3	0.7 %
8	-	1	0.2 %
9	-	3	0.7 %

Value	Label	Unweighted Frequency	%
10	-	4	0.9 %
11	-	2	0.5 %
12	-	4	0.9 %
13	-	3	0.7 %
14	-	11	2.5 %
15	-	11	2.5 %
18	-	2	0.5 %
19	-	1	0.2 %
20	-	4	0.9 %
21	-	6	1.4 %
23	-	3	0.7 %
24	-	1	0.2 %
25	-	3	0.7 %
27	-	1	0.2 %
60	-	1	0.2 %
63	-	1	0.2 %
90	-	2	0.5 %
-9 (M)	Legitimate skip	26	5.9 %
. (M)	-	5	1.1 %

Based upon 413 valid cases out of 444 total cases.

- Mean: 3.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 9.41

JHUMED	Nights in hospital - medical problems

Location:	1628-1631 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of medical problems?

Value	Unweighted Frequency	%
0	393	88.5 %
1	15	3.4 %
2	9	2.0 %
3	7	1.6 %
4	6	1.4 %

Value	Unweighted Frequency	%
5	5	1.1 %
6	1	0.2 %
14	2	0.5 %
31	1	0.2 %
45	1	0.2 %
60	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.93

| **JHUEMOT** | **Nights in hospital - mental problems** |

Location: 1632-1635 (width: 4; decimal: 0)
Variable Type: numeric
Question: During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of mental or emotional problems?

Value	Unweighted Frequency	%
0	429	96.6 %
1	6	1.4 %
2	2	0.5 %
3	2	0.5 %
14	1	0.2 %
20	1	0.2 %
30	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 1.85

| **JHUMSA** | **Nights in hospital - substance abuse** |

Location:	1636-1639 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the time that you have been incarcerated in the past 6 months, how many nights did you spend in the hospital unit because of substance abuse (including detox)?

Value	Unweighted Frequency	%
0	426	95.9 %
1	3	0.7 %
2	2	0.5 %
3	2	0.5 %
4	2	0.5 %
6	1	0.2 %
7	2	0.5 %
10	1	0.2 %
14	2	0.5 %
90	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 4.45

JRESPRG	**Nights residential program**

Location:	1640-1643 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the time you have been incarcerated in the past 6 months, how many nights were you in a separate residential program, such as a drug program?

Value	Unweighted Frequency	%
0	381	85.8 %
1	2	0.5 %
6	1	0.2 %
7	1	0.2 %
10	1	0.2 %
14	1	0.2 %
21	2	0.5 %
28	1	0.2 %
32	2	0.5 %

Value	Unweighted Frequency	%
33	1	0.2 %
35	1	0.2 %
55	1	0.2 %
60	3	0.7 %
66	1	0.2 %
72	1	0.2 %
75	2	0.5 %
76	1	0.2 %
90	4	0.9 %
104	1	0.2 %
105	1	0.2 %
120	5	1.1 %
140	1	0.2 %
150	2	0.5 %
155	1	0.2 %
180	14	3.2 %
210	3	0.7 %
240	1	0.2 %
270	1	0.2 %
300	2	0.5 %
330	1	0.2 %
423	1	0.2 %
450	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 18.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 450.00
- Standard Deviation: 58.34

JIPSY	Number times saw mental health professional

Location:	1644-1647 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the time you have been incarcerated in the past 6 months, how many times did you visit a psychiatrist, psychologist, psychiatric social worker, or other mental health professional for a individual session because of mental or emotional problems?

Value	Unweighted Frequency	%
0	259	58.3 %
1	88	19.8 %
2	42	9.5 %
3	12	2.7 %
4	13	2.9 %
5	1	0.2 %
6	12	2.7 %
7	2	0.5 %
8	2	0.5 %
9	1	0.2 %
10	2	0.5 %
15	1	0.2 %
20	1	0.2 %
24	4	0.9 %
30	1	0.2 %
60	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.29

JGPSY	**Number times attended group session**

Location: 1648-1651 (width: 4; decimal: 0)

Variable Type: numeric

Question: During the time you have been incarcerated in the past 6 months, how many times did you attend a group session with a psychiatrist, psychologist, psychiatric social worker or other mental health professional because of mental or emotional problems?

Value	Unweighted Frequency	%
0	403	90.8 %
1	7	1.6 %
2	2	0.5 %
3	3	0.7 %
4	3	0.7 %
5	3	0.7 %
6	3	0.7 %

Value	Unweighted Frequency	%
7	1	0.2 %
8	1	0.2 %
9	1	0.2 %
10	3	0.7 %
12	3	0.7 %
13	1	0.2 %
16	2	0.5 %
24	3	0.7 %
40	1	0.2 %
48	1	0.2 %
180	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 9.43

JISA	Number times visited substance tx counselor

Location:	1652-1655 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	During the time you have been incarcerated in the past 6 months, how many times did you visit a substance abuse counselor for individual sessions?

Value	Unweighted Frequency	%
0	310	69.8 %
1	22	5.0 %
2	16	3.6 %
3	19	4.3 %
4	9	2.0 %
5	6	1.4 %
6	18	4.1 %
8	3	0.7 %
10	9	2.0 %
11	1	0.2 %
12	5	1.1 %
14	1	0.2 %

Value	Unweighted Frequency	%
15	2	0.5 %
17	1	0.2 %
19	1	0.2 %
20	1	0.2 %
22	2	0.5 %
23	1	0.2 %
24	5	1.1 %
30	1	0.2 %
32	1	0.2 %
40	2	0.5 %
75	1	0.2 %
88	1	0.2 %
90	1	0.2 %
180	1	0.2 %
200	1	0.2 %
210	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 210.00
- Standard Deviation: 18.16

JGSA	Number times attended group session substance tx

Location:	1656-1659 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the time you have been incarcerated in the past 6 months, how many times did you attend a group session primarily for substance abuse? (Do not include 12-step support groups that you attended in a residential program.)

Value	Label	Unweighted Frequency	%
0	-	293	66.0 %
1	-	5	1.1 %
2	-	3	0.7 %
3	-	3	0.7 %
4	-	2	0.5 %
6	-	8	1.8 %

Value	Label	Unweighted Frequency	%
7	-	1	0.2 %
8	-	5	1.1 %
9	-	3	0.7 %
10	-	7	1.6 %
12	-	6	1.4 %
15	-	1	0.2 %
16	-	3	0.7 %
22	-	1	0.2 %
23	-	1	0.2 %
24	-	7	1.6 %
25	-	1	0.2 %
27	-	1	0.2 %
30	-	4	0.9 %
32	-	1	0.2 %
33	-	1	0.2 %
40	-	2	0.5 %
44	-	1	0.2 %
45	-	2	0.5 %
48	-	1	0.2 %
58	-	1	0.2 %
60	-	4	0.9 %
64	-	2	0.5 %
66	-	1	0.2 %
70	-	1	0.2 %
72	-	2	0.5 %
73	-	1	0.2 %
75	-	2	0.5 %
78	-	1	0.2 %
80	-	2	0.5 %
84	-	3	0.7 %
88	-	1	0.2 %
90	-	2	0.5 %
96	-	2	0.5 %
100	-	4	0.9 %
104	-	1	0.2 %
105	-	2	0.5 %
106	-	1	0.2 %
120	-	7	1.6 %
130	-	1	0.2 %
144	-	2	0.5 %

Value	Label	Unweighted Frequency	%
150	-	3	0.7 %
160	-	1	0.2 %
165	-	1	0.2 %
180	-	5	1.1 %
200	-	2	0.5 %
210	-	2	0.5 %
250	-	1	0.2 %
300	-	2	0.5 %
320	-	3	0.7 %
350	-	1	0.2 %
360	-	1	0.2 %
390	-	1	0.2 %
400	-	1	0.2 %
420	-	1	0.2 %
445	-	2	0.5 %
480	-	1	0.2 %
540	-	1	0.2 %
675	-	1	0.2 %
700	-	1	0.2 %
800	-	1	0.2 %
2250	-	2	0.5 %
2425	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 50.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2425.00
- Standard Deviation: 210.74

JAILLF	Number times in prison LT

Location:	1660-1663 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many different TIMES during your whole life have you ever been in JAIL, PRISON, OR JUVENILE LOCKUP? [IN JAIL OR PRISON MEANS LOCKED BEHIND BARS FOR 24 HRS OR MORE]

- Study 30842 -

Value	Unweighted Frequency	%
1	30	6.8 %
2	54	12.2 %
3	58	13.1 %
4	51	11.5 %
5	28	6.3 %
6	26	5.9 %
7	15	3.4 %
8	22	5.0 %
9	12	2.7 %
10	24	5.4 %
11	4	0.9 %
12	5	1.1 %
13	5	1.1 %
14	3	0.7 %
15	13	2.9 %
16	3	0.7 %
17	3	0.7 %
18	5	1.1 %
20	21	4.7 %
23	2	0.5 %
24	1	0.2 %
25	8	1.8 %
26	1	0.2 %
27	1	0.2 %
30	10	2.3 %
32	1	0.2 %
33	1	0.2 %
35	3	0.7 %
36	1	0.2 %
40	2	0.5 %
43	2	0.5 %
44	1	0.2 %
47	1	0.2 %
50	8	1.8 %
53	1	0.2 %
60	2	0.5 %
70	1	0.2 %
75	2	0.5 %
85	1	0.2 %
100	5	1.1 %

Value	Unweighted Frequency	%
112	1	0.2 %
151	1	0.2 %
365	1	0.2 %
400	1	0.2 %
552	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 14.71
- Median: 5.50
- Mode: 3.00
- Minimum: 1.00
- Maximum: 552.00
- Standard Deviation: 39.90

AGE1JL	Age first time in prison

Location:	1664-1667 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old were you the first time you were in jail, prison, or juvenile lock-up?

Value	Unweighted Frequency	%
0	2	0.5 %
1	1	0.2 %
6	1	0.2 %
9	1	0.2 %
10	1	0.2 %
11	1	0.2 %
12	14	3.2 %
13	24	5.4 %
14	10	2.3 %
15	13	2.9 %
16	21	4.7 %
17	16	3.6 %
18	56	12.6 %
19	26	5.9 %
20	22	5.0 %
21	18	4.1 %
22	16	3.6 %
23	23	5.2 %
24	13	2.9 %

Value	Unweighted Frequency	%
25	19	4.3 %
26	22	5.0 %
27	12	2.7 %
28	7	1.6 %
29	8	1.8 %
30	20	4.5 %
31	8	1.8 %
32	7	1.6 %
33	6	1.4 %
34	5	1.1 %
35	3	0.7 %
36	9	2.0 %
37	5	1.1 %
38	6	1.4 %
39	4	0.9 %
40	5	1.1 %
41	2	0.5 %
42	2	0.5 %
43	1	0.2 %
44	2	0.5 %
45	3	0.7 %
46	1	0.2 %
47	2	0.5 %
48	1	0.2 %
49	1	0.2 %
67	1	0.2 %
95	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 23.17
- Median: 21.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 9.15

TOTJLTM	Months ever in prison

Location:	1668-1671 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):   -9 , .

Question: Altogether, how much time have you ever spent in jail, prison, or juvenile lock-up? In months.

Value	Label	Unweighted Frequency	%
0	-	10	2.3 %
1	-	1	0.2 %
2	-	6	1.4 %
3	-	9	2.0 %
4	-	11	2.5 %
5	-	12	2.7 %
6	-	19	4.3 %
7	-	20	4.5 %
8	-	8	1.8 %
9	-	7	1.6 %
10	-	13	2.9 %
11	-	12	2.7 %
12	-	20	4.5 %
13	-	8	1.8 %
14	-	15	3.4 %
15	-	10	2.3 %
16	-	8	1.8 %
17	-	6	1.4 %
18	-	10	2.3 %
19	-	7	1.6 %
20	-	4	0.9 %
21	-	3	0.7 %
22	-	5	1.1 %
23	-	6	1.4 %
24	-	23	5.2 %
25	-	6	1.4 %
26	-	5	1.1 %
27	-	6	1.4 %
28	-	5	1.1 %
29	-	4	0.9 %
30	-	8	1.8 %
31	-	8	1.8 %
32	-	6	1.4 %
33	-	5	1.1 %
34	-	3	0.7 %
35	-	3	0.7 %
36	-	18	4.1 %
37	-	1	0.2 %

Value	Label	Unweighted Frequency	%
38	-	1	0.2 %
39	-	2	0.5 %
40	-	4	0.9 %
42	-	7	1.6 %
44	-	2	0.5 %
45	-	3	0.7 %
46	-	3	0.7 %
48	-	8	1.8 %
49	-	4	0.9 %
50	-	2	0.5 %
51	-	3	0.7 %
52	-	4	0.9 %
53	-	1	0.2 %
54	-	4	0.9 %
55	-	3	0.7 %
56	-	1	0.2 %
57	-	1	0.2 %
58	-	2	0.5 %
60	-	11	2.5 %
66	-	1	0.2 %
67	-	2	0.5 %
68	-	1	0.2 %
69	-	1	0.2 %
70	-	2	0.5 %
71	-	1	0.2 %
72	-	5	1.1 %
75	-	1	0.2 %
78	-	1	0.2 %
84	-	3	0.7 %
86	-	1	0.2 %
88	-	1	0.2 %
92	-	1	0.2 %
96	-	2	0.5 %
108	-	1	0.2 %
111	-	1	0.2 %
114	-	1	0.2 %
120	-	2	0.5 %
130	-	1	0.2 %
140	-	1	0.2 %
144	-	2	0.5 %

Value	Label	Unweighted Frequency	%
151	-	1	0.2 %
156	-	1	0.2 %
163	-	1	0.2 %
168	-	1	0.2 %
175	-	1	0.2 %
183	-	1	0.2 %
192	-	2	0.5 %
216	-	1	0.2 %
240	-	1	0.2 %
300	-	1	0.2 %
-9 (M)	Legitimate skip	2	0.5 %
. (M)	-	2	0.5 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 31.24
- Median: 22.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 36.29

JAIL6M	Number times prison 6 mo

Location: 1672-1675 (width: 4; decimal: 0)

Variable Type: numeric

Question: In the last 6 months prior to the arrest date on the timeline, how many TIMES were you in jail or prison?

Value	Unweighted Frequency	%
0	265	59.7 %
1	119	26.8 %
2	32	7.2 %
3	8	1.8 %
4	7	1.6 %
5	2	0.5 %
6	1	0.2 %
7	1	0.2 %
8	2	0.5 %
11	1	0.2 %
25	1	0.2 %
45	1	0.2 %

Value	Unweighted Frequency	%
72	1	0.2 %
204	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 10.58

DYJL6M	**Days in prison 6 mo**
Location:	1676-1679 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, how many DAYS did you spend in jail or prison during those 6 months?

Value	Label	Unweighted Frequency	%
0	-	16	3.6 %
1	-	18	4.1 %
2	-	8	1.8 %
3	-	7	1.6 %
4	-	1	0.2 %
5	-	1	0.2 %
6	-	4	0.9 %
7	-	5	1.1 %
8	-	1	0.2 %
9	-	2	0.5 %
10	-	2	0.5 %
11	-	1	0.2 %
12	-	2	0.5 %
13	-	1	0.2 %
14	-	7	1.6 %
15	-	2	0.5 %
16	-	2	0.5 %
17	-	2	0.5 %
18	-	1	0.2 %
19	-	2	0.5 %
20	-	3	0.7 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
21	-	3	0.7 %
25	-	2	0.5 %
27	-	2	0.5 %
28	-	2	0.5 %
30	-	17	3.8 %
31	-	1	0.2 %
33	-	2	0.5 %
34	-	1	0.2 %
37	-	1	0.2 %
40	-	1	0.2 %
42	-	3	0.7 %
45	-	2	0.5 %
46	-	1	0.2 %
50	-	1	0.2 %
52	-	1	0.2 %
54	-	1	0.2 %
55	-	1	0.2 %
60	-	13	2.9 %
62	-	1	0.2 %
75	-	2	0.5 %
80	-	1	0.2 %
85	-	1	0.2 %
90	-	13	2.9 %
94	-	1	0.2 %
108	-	1	0.2 %
110	-	1	0.2 %
120	-	7	1.6 %
122	-	1	0.2 %
129	-	1	0.2 %
137	-	1	0.2 %
138	-	1	0.2 %
140	-	2	0.5 %
145	-	1	0.2 %
147	-	2	0.5 %
150	-	1	0.2 %
160	-	1	0.2 %
175	-	1	0.2 %
180	-	2	0.5 %
305	-	1	0.2 %
-9 (M)	Legitimate skip	256	57.7 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 186 valid cases out of 444 total cases.

- Mean: 42.02
- Median: 26.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 305.00
- Standard Deviation: 49.47

JAIL30D1	Days in prison 30 days

Location:	1680-1683 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	And what about the last 30 days (of that period)? That is, on how many of those 30 DAYS did you spend any time in jail or prison?

Value	Label	Unweighted Frequency	%
0	-	126	28.4 %
1	-	12	2.7 %
2	-	1	0.2 %
3	-	7	1.6 %
4	-	3	0.7 %
5	-	1	0.2 %
6	-	2	0.5 %
7	-	2	0.5 %
10	-	4	0.9 %
11	-	1	0.2 %
12	-	1	0.2 %
13	-	2	0.5 %
14	-	4	0.9 %
15	-	3	0.7 %
16	-	1	0.2 %
18	-	1	0.2 %
20	-	4	0.9 %
21	-	1	0.2 %
25	-	1	0.2 %
27	-	1	0.2 %
30	-	7	1.6 %
44	-	1	0.2 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	256	57.7 %
. (M)	-	2	0.5 %

Based upon 186 valid cases out of 444 total cases.

- Mean: 3.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 44.00
- Standard Deviation: 8.15

PROB6M	Days on probation 6 mo
Location:	1684-1687 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	In the last 6 months prior to the arrest date on the timeline, what is the total length of time that you were on probation?

Value	Unweighted Frequency	%
0	191	43.0 %
1	1	0.2 %
6	2	0.5 %
14	1	0.2 %
20	1	0.2 %
24	1	0.2 %
30	3	0.7 %
36	1	0.2 %
60	11	2.5 %
90	5	1.1 %
97	1	0.2 %
100	1	0.2 %
104	1	0.2 %
120	3	0.7 %
130	3	0.7 %
150	5	1.1 %
168	1	0.2 %
177	1	0.2 %
179	1	0.2 %
180	194	43.7 %
240	1	0.2 %
365	6	1.4 %

Value	Unweighted Frequency	%
395	1	0.2 %
480	1	0.2 %
730	2	0.5 %
1095	1	0.2 %
1825	1	0.2 %
2190	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 109.56
- Median: 120.00
- Mode: 180.00
- Minimum: 0.00
- Maximum: 2190.00
- Standard Deviation: 171.88

PAROL6M	**Days on parole 6 mo**

Location: 1688-1691 (width: 4; decimal: 0)

Variable Type: numeric

Question: In the last 6 months prior to the arrest date on the timeline, what is the total length of time that you were on parole?

Value	Unweighted Frequency	%
0	380	85.6 %
6	2	0.5 %
8	1	0.2 %
30	1	0.2 %
60	1	0.2 %
86	1	0.2 %
90	1	0.2 %
120	1	0.2 %
160	1	0.2 %
167	1	0.2 %
180	52	11.7 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 22.83
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 59.14

LEGSTAT	Current legal status

Location:	1692-1695 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	What is your CURRENT LEGAL STATUS?

Value	Label	Unweighted Frequency	%
0	None	1	0.2 %
1	Probation no prison	1	0.2 %
2	Probation prison	1	0.2 %
7	Incarceration	439	98.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 6.96
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.50

LEGSTAT1	Other legal status

Location:	1696-1795 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other legal status.

Value	Unweighted Frequency	%
	3	0.7 %
-9 (M)	441	99.3 %

Based upon 3 valid cases out of 444 total cases.

HEALTH	Overall health rating

Location:	1796-1799 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How would you rate your overall health right now?

Value	Label	Unweighted Frequency	%
0	Unknown	3	0.7 %

Value	Label	Unweighted Frequency	%
1	Poor	23	5.2 %
2	Fair	97	21.8 %
3	Good	187	42.1 %
4	Very good	89	20.0 %
5	Excellent	42	9.5 %
7	Unknown	1	0.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.05

PAINLF	**LT Physical pain/discomfort**

Location:	1800-1800 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced a lot of physical pain or discomfort?

Value	Label	Unweighted Frequency	%
0	No	232	52.3 %
1	Yes	210	47.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

DPRSLF	**LT Serious depression**

Location:	1801-1801 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced serious depression (for two weeks or more at a time)?

Value	Label	Unweighted Frequency	%
0	No	195	43.9 %
1	Yes	247	55.6 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

ANXLF	**LT Serious anxiety**

Location:	1802-1802 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced serious anxiety or tension?

Value	Label	Unweighted Frequency	%
0	No	185	41.7 %
1	Yes	257	57.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

HLUCLF	**LT Hallucinations**

Location:	1803-1803 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced hallucinations (hearing or seeing things that others thought were imaginary)?

Value	Label	Unweighted Frequency	%
0	No	419	94.4 %
1	Yes	23	5.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

CONCLF	LT Trouble concentrating		

Location: 1804-1804 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced trouble understanding, concentrating, or remembering?

Value	Label	Unweighted Frequency	%
0	No	236	53.2 %
1	Yes	206	46.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

VIOLLF	LT Violent behavior		

Location: 1805-1805 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced trouble controlling violent behavior?

Value	Label	Unweighted Frequency	%
0	No	342	77.0 %
1	Yes	100	22.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

SIDELF	LT Suicidal thoughts

Location: 1806-1806 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced serious thoughts of suicide?

Value	Label	Unweighted Frequency	%
0	No	338	76.1 %
1	Yes	104	23.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

SATTLF	LT Suicide attempt(s)

Location: 1807-1807 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not counting the effects from alcohol or other drug use, in your lifetime have you ever experienced attempts at suicide?

Value	Label	Unweighted Frequency	%
0	No	342	77.0 %
1	Yes	100	22.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

PAIN30D	30 day Physical pain/discomfort

Location:	1808-1808 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced a lot of physical pain or discomfort?

Value	Label	Unweighted Frequency	%
0	No	294	66.2 %
1	Yes	148	33.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

DPRS30D	**30 day Serious depression**

Location:	1809-1809 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced serious depression (for two weeks or more at a time)?

Value	Label	Unweighted Frequency	%
0	No	313	70.5 %
1	Yes	129	29.1 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

ANX30D	**30 day Serious anxiety**

Location:	1810-1810 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced serious anxiety or tension?

Value	Label	Unweighted Frequency	%
0	No	247	55.6 %
1	Yes	195	43.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

HLCTN30D	**30 day Hallucinations**

Location:	1811-1811 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced hallucinations (hearing or seeing things that other thought were imaginary)?

Value	Label	Unweighted Frequency	%
0	No	432	97.3 %
1	Yes	10	2.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.15

CONC30D	**30 day Trouble concentrating**

Location:	1812-1812 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced trouble understanding, concentrating, or remembering?

Value	Label	Unweighted Frequency	%
0	No	300	67.6 %
1	Yes	142	32.0 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

VOIL30D	30 day Violent behavior		

Location:	1813-1813 (width: 1; decimal: 0)		
Variable Type:	numeric		
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced trouble controlling violent behavior?		

Value	Label	Unweighted Frequency	%
0	No	410	92.3 %
1	Yes	32	7.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

SIDE30D	30 day Suicidal thoughts		

Location:	1814-1814 (width: 1; decimal: 0)		
Variable Type:	numeric		
Question:	Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced serious thoughts of suicide?		

Value	Label	Unweighted Frequency	%
0	No	435	98.0 %
1	Yes	7	1.6 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

SATT30D	30 day Suicide attempt(s)

Location: 1815-1815 (width: 1; decimal: 0)

Variable Type: numeric

Question: Not counting the effects from alcohol or other drug use, in the past 30 days have you experienced attempts at suicide?

Value	Label	Unweighted Frequency	%
0	No	440	99.1 %
1	Yes	2	0.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

PYPR30D	How bothered by problems past 30 days

Location: 1816-1819 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How much have you been bothered by these psychological or emotional problems in the past 30 days?

Value	Label	Unweighted Frequency	%
0	-	151	34.0 %
1	-	37	8.3 %
2	-	64	14.4 %
3	-	73	16.4 %
4	-	71	16.0 %
5	-	37	8.3 %
-9 (M)	Legitimate skip	7	1.6 %
. (M)	-	4	0.9 %

Based upon 433 valid cases out of 444 total cases.

- Mean: 1.97

- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.76

ABUSE6M	Attacked weapon/beaten/sex abuse

Location: 1820-1820 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the 6 months prior to the arrest date on the timeline, were you attacked with a weapon, beaten or sexually abused?

Value	Label	Unweighted Frequency	%
0	No	357	80.4 %
1	Yes	85	19.1 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

ARGUE6M	Argument threatened someone

Location: 1821-1821 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the 6 months prior to the arrest date on the timeline, did you have an argument in which you physically or verbally threatened someone?

Value	Label	Unweighted Frequency	%
0	No	268	60.4 %
1	Yes	174	39.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

PHOSPLF	How many times hospitalized psychiatric problems	
Location:	1822-1825 (width: 4; decimal: 0)	
Variable Type:	numeric	
Question:	How many times in your life have you been hospitalized for psychiatric/emotional problems?	

Value	Unweighted Frequency	%
0	294	66.2 %
1	59	13.3 %
2	34	7.7 %
3	14	3.2 %
4	7	1.6 %
5	10	2.3 %
6	6	1.4 %
7	2	0.5 %
10	6	1.4 %
12	1	0.2 %
15	3	0.7 %
20	1	0.2 %
25	1	0.2 %
32	1	0.2 %
35	1	0.2 %
50	1	0.2 %
60	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.97

HHOSPLF	How many times hospitalized physical health problems	
Location:	1826-1829 (width: 4; decimal: 0)	
Variable Type:	numeric	
Question:	How many times in your life have you been hospitalized for physical health problems?	

Value	Unweighted Frequency	%
0	165	37.2 %
1	71	16.0 %
2	60	13.5 %

Value	Unweighted Frequency	%
3	37	8.3 %
4	32	7.2 %
5	21	4.7 %
6	13	2.9 %
7	4	0.9 %
8	4	0.9 %
9	2	0.5 %
10	7	1.6 %
11	1	0.2 %
12	3	0.7 %
15	10	2.3 %
16	1	0.2 %
20	6	1.4 %
25	2	0.5 %
40	1	0.2 %
60	1	0.2 %
1400	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 5.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1400.00
- Standard Deviation: 66.66

HTXPHYS	Inpatient tx - physical complaint

Location: 1830-1830 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 30 days prior to the arrest date on the timeline, did you receive inpatient treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	No	422	95.0 %
1	Yes	20	4.5 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.05

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

HTXPHDY	**Number nights physical compliant**

Location:	1831-1834 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	For how many nights/days did you recieve inpatient treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	-	1	0.2 %
1	-	5	1.1 %
2	-	2	0.5 %
3	-	3	0.7 %
5	-	1	0.2 %
6	-	1	0.2 %
7	-	3	0.7 %
10	-	1	0.2 %
11	-	1	0.2 %
14	-	1	0.2 %
30	-	1	0.2 %
-9 (M)	Legitimate skip	422	95.0 %
. (M)	-	2	0.5 %

Based upon 20 valid cases out of 444 total cases.

- Mean: 5.75
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.90

HTXMENT	**Inpatient tx - mental difficulties**

Location:	1835-1835 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive inpatient treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
0	No	434	97.7 %

Value	Label	Unweighted Frequency	%
1	Yes	8	1.8 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

HTXMNDY	**Number nights mental difficulties**

Location:	1836-1839 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve inpatient treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
1	-	2	0.5 %
3	-	1	0.2 %
7	-	1	0.2 %
10	-	2	0.5 %
30	-	1	0.2 %
-9 (M)	Legitimate skip	435	98.0 %
. (M)	-	2	0.5 %

Based upon 7 valid cases out of 444 total cases.

- Mean: 8.86
- Median: 7.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.09

HTXSUBS	**Inpatient tx - substance abuse**

Location:	1840-1840 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive inpatient treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
0	No	421	94.8 %
1	Yes	21	4.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

HTXSUDY	**Number nights substance tx**

Location: 1841-1844 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many nights/days did you recieve inpatient treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
1	-	3	0.7 %
2	-	1	0.2 %
5	-	2	0.5 %
7	-	1	0.2 %
9	-	1	0.2 %
10	-	2	0.5 %
12	-	1	0.2 %
13	-	1	0.2 %
14	-	1	0.2 %
18	-	1	0.2 %
20	-	1	0.2 %
26	-	1	0.2 %
30	-	5	1.1 %
-9 (M)	Legitimate skip	421	94.8 %
. (M)	-	2	0.5 %

Based upon 21 valid cases out of 444 total cases.

- Mean: 14.48
- Median: 12.00
- Mode: 30.00
- Minimum: 1.00

- Maximum: 30.00
- Standard Deviation: 10.94

HDETOX	Number nights in detox

Location:	1845-1848 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights were in detox?

Value	Label	Unweighted Frequency	%
0	-	13	2.9 %
2	-	1	0.2 %
5	-	3	0.7 %
9	-	1	0.2 %
18	-	1	0.2 %
25	-	1	0.2 %
-9 (M)	Legitimate skip	422	95.0 %
. (M)	-	2	0.5 %

Based upon 20 valid cases out of 444 total cases.

- Mean: 3.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 6.77

HRESPRG	Number nights residential program

Location:	1849-1852 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights were in a residential program?

Value	Label	Unweighted Frequency	%
0	-	11	2.5 %
2	-	1	0.2 %
7	-	1	0.2 %
10	-	1	0.2 %
13	-	1	0.2 %
14	-	1	0.2 %
26	-	1	0.2 %
30	-	3	0.7 %

Value	Label	Unweighted Frequency	%
90	-	1	0.2 %
-9 (M)	Legitimate skip	421	94.8 %
. (M)	-	2	0.5 %

Based upon 21 valid cases out of 444 total cases.

- Mean: 12.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 21.18

OTXPHYS	**Outpatient tx - physical complaint**
Location:	1853-1854 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive outpatient treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	No	381	85.8 %
1	Yes	59	13.3 %
-9 (M)	Legitimate skip	2	0.5 %
. (M)	-	2	0.5 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

OTXPHDY	**Number outpt days physical complaint**
Location:	1855-1858 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve outpatient treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	-	3	0.7 %

Value	Label	Unweighted Frequency	%
1	-	22	5.0 %
2	-	14	3.2 %
3	-	8	1.8 %
4	-	5	1.1 %
5	-	2	0.5 %
7	-	1	0.2 %
12	-	1	0.2 %
30	-	1	0.2 %
36	-	1	0.2 %
50	-	1	0.2 %
-9 (M)	Legitimate skip	383	86.3 %
. (M)	-	2	0.5 %

Based upon 59 valid cases out of 444 total cases.

- Mean: 4.05
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 8.51

OTXMENT	**Outpatient tx - mental difficulties**

Location:	1859-1860 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive outpatient treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
0	No	406	91.4 %
1	Yes	33	7.4 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

OTXMNDY	Number outpt days mental difficulties

Location:	1861-1864 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve outpatient treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
0	-	4	0.9 %
1	-	11	2.5 %
2	-	3	0.7 %
3	-	2	0.5 %
4	-	5	1.1 %
6	-	1	0.2 %
8	-	2	0.5 %
10	-	1	0.2 %
21	-	1	0.2 %
30	-	2	0.5 %
72	-	1	0.2 %
-9 (M)	Legitimate skip	409	92.1 %
. (M)	-	2	0.5 %

Based upon 33 valid cases out of 444 total cases.

- Mean: 6.91
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 13.96

OTXGPSY	Number group sessions - mental problems

Location:	1865-1868 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times did you attend a group session with a psychiatrist, psychologist, psychiatric social worker, or other counselor because of mental or emotional problems?

Value	Label	Unweighted Frequency	%
0	-	19	4.3 %
1	-	4	0.9 %
2	-	2	0.5 %
3	-	1	0.2 %
4	-	3	0.7 %

Value	Label	Unweighted Frequency	%
7	-	1	0.2 %
8	-	2	0.5 %
-9 (M)	Legitimate skip	410	92.3 %
. (M)	-	2	0.5 %

Based upon 32 valid cases out of 444 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.41

OTXSUBS	Outpatient tx - substance abuse

Location:	1869-1869 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive outpatient treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
0	No	386	86.9 %
1	Yes	56	12.6 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.33

OTXSUDY	Number outpt days substance tx

Location:	1870-1873 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve outpatient treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
0	-	5	1.1 %
1	-	5	1.1 %

Value	Label	Unweighted Frequency	%
2	-	5	1.1 %
3	-	4	0.9 %
4	-	7	1.6 %
7	-	4	0.9 %
8	-	3	0.7 %
10	-	1	0.2 %
12	-	6	1.4 %
13	-	1	0.2 %
14	-	1	0.2 %
16	-	1	0.2 %
20	-	2	0.5 %
29	-	1	0.2 %
30	-	8	1.8 %
48	-	1	0.2 %
180	-	1	0.2 %
-9 (M)	Legitimate skip	386	86.9 %
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 13.73
- Median: 7.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 25.27

OTXGSU	Number group sessions attended for sub tx

Location:	1874-1877 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times did you attend a group session primarily for substance abuse?

Value	Label	Unweighted Frequency	%
0	-	16	3.6 %
1	-	2	0.5 %
2	-	2	0.5 %
3	-	1	0.2 %
4	-	9	2.0 %
6	-	3	0.7 %
7	-	1	0.2 %

Value	Label	Unweighted Frequency	%
8	-	4	0.9 %
10	-	1	0.2 %
12	-	5	1.1 %
13	-	1	0.2 %
15	-	1	0.2 %
16	-	3	0.7 %
20	-	2	0.5 %
24	-	1	0.2 %
30	-	2	0.5 %
37	-	1	0.2 %
48	-	1	0.2 %
-9 (M)	Legitimate skip	386	86.9 %
. (M)	-	2	0.5 %

Based upon 56 valid cases out of 444 total cases.

- Mean: 8.16
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 10.16

ETXPHYS	ER - physical complaint

Location: 1878-1878 (width: 1; decimal: 0)

Variable Type: numeric

Question: During the past 30 days prior to the arrest date on the timeline, did you receive emergency room treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	No	341	76.8 %
1	Yes	101	22.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

ETXPHDY	Number ER admissions physical complaint

Location:	1879-1882 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve emergency room treatment for a physical complaint?

Value	Label	Unweighted Frequency	%
0	-	18	4.1 %
1	-	50	11.3 %
2	-	5	1.1 %
3	-	10	2.3 %
4	-	5	1.1 %
5	-	2	0.5 %
6	-	3	0.7 %
7	-	1	0.2 %
8	-	1	0.2 %
14	-	1	0.2 %
25	-	1	0.2 %
55	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 2.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 6.20

ETXMENT	ER - mental difficulties

Location:	1883-1883 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive emergency room treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
0	No	433	97.5 %
1	Yes	9	2.0 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.14

ETXMNDY	Number ER admissions mental difficulties

Location:	1884-1887 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve emergency room treatment for mental or emotional difficulties?

Value	Label	Unweighted Frequency	%
0	-	2	0.5 %
1	-	6	1.4 %
7	-	1	0.2 %
-9 (M)	Legitimate skip	433	97.5 %
. (M)	-	2	0.5 %

Based upon 9 valid cases out of 444 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.13

ETXSUBS	ER - substance abuse

Location:	1888-1888 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	During the past 30 days prior to the arrest date on the timeline, did you receive emergency room treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
0	No	430	96.8 %
1	Yes	12	2.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.03
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

ETXSUDY	Number ER admissions substance abuse

Location:	1889-1892 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many nights/days did you recieve emergency room treatment for alcohol or substance abuse?

Value	Label	Unweighted Frequency	%
0	-	1	0.2 %
1	-	8	1.8 %
3	-	1	0.2 %
6	-	1	0.2 %
24	-	1	0.2 %
-9 (M)	Legitimate skip	430	96.8 %
. (M)	-	2	0.5 %

Based upon 12 valid cases out of 444 total cases.

- Mean: 3.42
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.67

MSDP1	First most serious drug

Location:	1893-1896 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Which drug caused you the first most serious problems before you were arrested?

Value	Label	Unweighted Frequency	%
0	None	1	0.2 %
1	Alcohol	73	16.4 %
2	Tobacco	9	2.0 %
3	Inhalants	1	0.2 %
4	Marijuana	30	6.8 %
5	Hallucinogens	5	1.1 %
6	Crack	140	31.5 %
7	Cocaine	34	7.7 %

Value	Label	Unweighted Frequency	%
8	Heroin/cocaine	9	2.0 %
9	Heroin/meth	2	0.5 %
10	Heroin	26	5.9 %
11	Methadone	4	0.9 %
12	Other opiates	64	14.4 %
13	Methamphetamine	30	6.8 %
15	Librium	10	2.3 %
16	Barbiturates	3	0.7 %
20	Other drug	1	0.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 6.98
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.09

MSDP2	Second most serious drug

Location: 1897-1900 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Which drug caused you the second most serious problems before you were arrested?

Value	Label	Unweighted Frequency	%
0	None	38	8.6 %
1	Alcohol	84	18.9 %
2	Tobacco	27	6.1 %
4	Marijuana	55	12.4 %
5	Hallucinogens	1	0.2 %
6	Crack	55	12.4 %
7	Cocaine	66	14.9 %
8	Heroin/cocaine	5	1.1 %
9	Heroin/meth	1	0.2 %
10	Heroin	14	3.2 %
11	Methadone	16	3.6 %
12	Other opiates	34	7.7 %
13	Methamphetamine	10	2.3 %
14	Other amphetamine	1	0.2 %

Value	Label	Unweighted Frequency	%
15	Librium	20	4.5 %
16	Barbiturates	6	1.4 %
17	Other sedatives	2	0.5 %
19	Ketamine	2	0.5 %
20	Other drug	1	0.2 %
-9 (M)	-	4	0.9 %
. (M)	-	2	0.5 %

Based upon 438 valid cases out of 444 total cases.

- Mean: 5.84
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.69

MSDP3	Third most serious drug

Location:	1901-1904 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Which drug caused you the third most serious problems before you were arrested?

Value	Label	Unweighted Frequency	%
0	None	119	26.8 %
1	Alcohol	55	12.4 %
2	Tobacco	49	11.0 %
3	Inhalants	2	0.5 %
4	Marijuana	48	10.8 %
5	Hallucinogens	9	2.0 %
6	Crack	21	4.7 %
7	Cocaine	28	6.3 %
8	Heroin/cocaine	4	0.9 %
9	Heroin/meth	2	0.5 %
10	Heroin	13	2.9 %
11	Methadone	9	2.0 %
12	Other opiates	33	7.4 %
13	Methamphetamine	14	3.2 %
15	Librium	19	4.3 %
16	Barbiturates	5	1.1 %
17	Other sedatives	1	0.2 %

Value	Label	Unweighted Frequency	%
20	Other drug	2	0.5 %
-9 (M)	-	9	2.0 %
. (M)	-	2	0.5 %

Based upon 433 valid cases out of 444 total cases.

- Mean: 4.61
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.99

AGE1ALC	Age alcohol use

Location: 1905-1908 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used alcohol?

Value	Unweighted Frequency	%
0	9	2.0 %
3	1	0.2 %
4	1	0.2 %
5	1	0.2 %
6	3	0.7 %
7	7	1.6 %
8	11	2.5 %
9	16	3.6 %
10	16	3.6 %
11	21	4.7 %
12	55	12.4 %
13	82	18.5 %
14	54	12.2 %
15	39	8.8 %
16	39	8.8 %
17	18	4.1 %
18	36	8.1 %
19	5	1.1 %
20	7	1.6 %
21	8	1.8 %
23	2	0.5 %
24	3	0.7 %

Value	Unweighted Frequency	%
25	3	0.7 %
28	1	0.2 %
30	2	0.5 %
35	1	0.2 %
40	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 13.81
- Median: 13.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 4.39

ALC6M	Number times alcohol use 6 mo

Location:	1909-1912 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use alcohol during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	95	21.4 %
1	1-3 times	57	12.8 %
2	1 time/month	21	4.7 %
3	2-3 times/month	36	8.1 %
4	1 time/week	29	6.5 %
5	2-6 times/week	79	17.8 %
6	1 time/day	22	5.0 %
7	2-3 times/day	29	6.5 %
8	4+ times daily	64	14.4 %
180	Unknown	1	0.2 %
-9 (M)	Legitimate skip	9	2.0 %
. (M)	-	2	0.5 %

Based upon 433 valid cases out of 444 total cases.

- Mean: 4.03
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 180.00
- Standard Deviation: 8.95

ALC30D	**Number times alcohol use 30 days**		

Location: 1913-1916 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use alcohol during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	134	30.2 %
1	1-3 times	52	11.7 %
2	1 time/month	11	2.5 %
3	2-3 times/month	22	5.0 %
4	1 time/week	22	5.0 %
5	2-6 times/week	69	15.5 %
6	1 time/day	27	6.1 %
7	2-3 times/day	27	6.1 %
8	4+ times daily	68	15.3 %
30	Unknown	1	0.2 %
-9 (M)	Legitimate skip	9	2.0 %
. (M)	-	2	0.5 %

Based upon 433 valid cases out of 444 total cases.

- Mean: 3.46
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.31

AGE1TOB	**Age tobacco use**		

Location: 1917-1920 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used tobacco?

Value	Unweighted Frequency	%
0	27	6.1 %
3	1	0.2 %
4	1	0.2 %
5	4	0.9 %
6	5	1.1 %

Value	Unweighted Frequency	%
7	9	2.0 %
8	10	2.3 %
9	23	5.2 %
10	36	8.1 %
11	20	4.5 %
12	69	15.5 %
13	69	15.5 %
14	38	8.6 %
15	36	8.1 %
16	34	7.7 %
17	12	2.7 %
18	20	4.5 %
19	5	1.1 %
21	6	1.4 %
22	1	0.2 %
23	2	0.5 %
25	3	0.7 %
26	1	0.2 %
27	1	0.2 %
29	1	0.2 %
30	2	0.5 %
32	1	0.2 %
34	1	0.2 %
35	3	0.7 %
43	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 12.70
- Median: 13.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 5.52

TOB6M	Number times tobacco use 6 mo

Location:	1921-1924 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use tobacco during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	22	5.0 %
1	1-3 times	2	0.5 %
3	2-3 times/month	1	0.2 %
4	1 time/week	1	0.2 %
5	2-6 times/week	5	1.1 %
6	1 time/day	3	0.7 %
7	2-3 times/day	12	2.7 %
8	4+ times daily	369	83.1 %
-9 (M)	Legitimate skip	27	6.1 %
. (M)	-	2	0.5 %

Based upon 415 valid cases out of 444 total cases.

- Mean: 7.44
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.89

TOB30D	**Number times tobacco use 30 days**

Location:	1925-1928 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use alcohol during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	28	6.3 %
1	1-3 times	2	0.5 %
3	2-3 times/month	1	0.2 %
4	1 time/week	1	0.2 %
5	2-6 times/week	3	0.7 %
6	1 time/day	3	0.7 %
7	2-3 times/day	13	2.9 %
8	4+ times daily	364	82.0 %
-9 (M)	Legitimate skip	27	6.1 %
. (M)	-	2	0.5 %

Based upon 415 valid cases out of 444 total cases.

- Mean: 7.34
- Median: 8.00

- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.09

AGE1INH	**Age inhalants use**

Location: 1929-1932 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used inhalants (glue, spray paint, toluene, liquid paper, etc.)?

Value	Unweighted Frequency	%
0	368	82.9 %
4	1	0.2 %
8	1	0.2 %
9	1	0.2 %
10	1	0.2 %
11	6	1.4 %
12	7	1.6 %
13	10	2.3 %
14	11	2.5 %
15	11	2.5 %
16	8	1.8 %
17	3	0.7 %
18	2	0.5 %
19	3	0.7 %
20	3	0.7 %
21	1	0.2 %
27	2	0.5 %
35	2	0.5 %
36	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 6.18

INH6M	**Number times inhalants use 6 mo**

Location: 1933-1936 (width: 4; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use inhalants (glue, spray paint, toluene, liquid paper, etc.) during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	72	16.2 %
2	1 time/month	1	0.2 %
5	2-6 times/week	1	0.2 %
8	4+ times daily	1	0.2 %
-9 (M)	Legitimate skip	366	82.4 %
. (M)	-	3	0.7 %

Based upon 75 valid cases out of 444 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.10

INH30D	**Number times inhalants use 30 days**

Location:	1937-1940 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use inhalants (glue, spray paint, toluene, liquid paper, etc.) during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	71	16.0 %
1	1-3 times	2	0.5 %
2	1 time/month	1	0.2 %
8	4+ times daily	1	0.2 %
-9 (M)	Legitimate skip	367	82.7 %
. (M)	-	2	0.5 %

Based upon 75 valid cases out of 444 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.96

AGE1MJ		Age marijuana use	

Location:	1941-1944 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used marijuana/hashish?

Value	Unweighted Frequency	%
0	38	8.6 %
5	1	0.2 %
7	3	0.7 %
8	1	0.2 %
9	9	2.0 %
10	7	1.6 %
11	17	3.8 %
12	51	11.5 %
13	74	16.7 %
14	52	11.7 %
15	52	11.7 %
16	51	11.5 %
17	20	4.5 %
18	30	6.8 %
19	5	1.1 %
20	7	1.6 %
21	8	1.8 %
22	3	0.7 %
23	2	0.5 %
24	1	0.2 %
25	1	0.2 %
26	2	0.5 %
28	2	0.5 %
33	1	0.2 %
34	1	0.2 %
35	2	0.5 %
38	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 13.57
- Median: 14.00
- Mode: 13.00
- Minimum: 0.00
- Maximum: 38.00
- Standard Deviation: 5.54

MJ6M	**Number times marijuana use 6 mo**

Location:	1945-1948 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use marijuana/hashish during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	167	37.6 %
1	1-3 times	36	8.1 %
2	1 time/month	14	3.2 %
3	2-3 times/month	22	5.0 %
4	1 time/week	12	2.7 %
5	2-6 times/week	27	6.1 %
6	1 time/day	19	4.3 %
7	2-3 times/day	31	7.0 %
8	4+ times daily	76	17.1 %
-9 (M)	Legitimate skip	38	8.6 %
. (M)	-	2	0.5 %

Based upon 404 valid cases out of 444 total cases.

- Mean: 3.10
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.28

MJ30D	**Number times marijuana use 30 days**

Location:	1949-1952 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use marijuana/hashish during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	201	45.3 %
1	1-3 times	29	6.5 %
2	1 time/month	9	2.0 %
3	2-3 times/month	13	2.9 %
4	1 time/week	12	2.7 %
5	2-6 times/week	22	5.0 %
6	1 time/day	15	3.4 %
7	2-3 times/day	28	6.3 %

Value	Label	Unweighted Frequency	%
8	4+ times daily	75	16.9 %
-9 (M)	Legitimate skip	37	8.3 %
. (M)	-	3	0.7 %

Based upon 404 valid cases out of 444 total cases.

- Mean: 2.80
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.33

AGE1HLC	**Age hallucinogens use**

Location: 1953-1956 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote?

Value	Unweighted Frequency	%
0	232	52.3 %
11	1	0.2 %
12	8	1.8 %
13	16	3.6 %
14	12	2.7 %
15	22	5.0 %
16	26	5.9 %
17	27	6.1 %
18	29	6.5 %
19	9	2.0 %
20	16	3.6 %
21	5	1.1 %
22	5	1.1 %
23	4	0.9 %
24	4	0.9 %
25	7	1.6 %
26	1	0.2 %
27	4	0.9 %
28	4	0.9 %
29	2	0.5 %
30	1	0.2 %
34	2	0.5 %

Value	Unweighted Frequency	%
36	1	0.2 %
40	2	0.5 %
44	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 8.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 44.00
- Standard Deviation: 9.86

HLUC6M	**Number times hallucinogens use 6 mo**

Location:	1957-1960 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	186	41.9 %
1	1-3 times	7	1.6 %
2	1 time/month	5	1.1 %
3	2-3 times/month	3	0.7 %
4	1 time/week	2	0.5 %
5	2-6 times/week	5	1.1 %
6	1 time/day	1	0.2 %
7	2-3 times/day	1	0.2 %
-9 (M)	Legitimate skip	232	52.3 %
. (M)	-	2	0.5 %

Based upon 210 valid cases out of 444 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.14

HLUC30D	**Number times hallucinogens use 30 days**

Location:	1961-1964 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	194	43.7 %
1	1-3 times	6	1.4 %
2	1 time/month	2	0.5 %
3	2-3 times/month	1	0.2 %
4	1 time/week	1	0.2 %
5	2-6 times/week	4	0.9 %
7	2-3 times/day	2	0.5 %
-9 (M)	Legitimate skip	232	52.3 %
. (M)	-	2	0.5 %

Based upon 210 valid cases out of 444 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.04

AGE1CRK	Age crack use

Location:	1965-1968 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used crack/freebase?

Value	Unweighted Frequency	%
0	109	24.5 %
12	1	0.2 %
13	3	0.7 %
14	4	0.9 %
15	11	2.5 %
16	15	3.4 %
17	19	4.3 %
18	28	6.3 %
19	17	3.8 %
20	16	3.6 %
21	24	5.4 %

Value	Unweighted Frequency	%
22	19	4.3 %
23	12	2.7 %
24	17	3.8 %
25	23	5.2 %
26	12	2.7 %
27	7	1.6 %
28	14	3.2 %
29	12	2.7 %
30	10	2.3 %
31	3	0.7 %
32	8	1.8 %
33	5	1.1 %
34	4	0.9 %
35	13	2.9 %
36	3	0.7 %
37	3	0.7 %
38	6	1.4 %
39	4	0.9 %
40	3	0.7 %
41	4	0.9 %
42	2	0.5 %
43	2	0.5 %
44	1	0.2 %
45	3	0.7 %
46	1	0.2 %
47	1	0.2 %
48	2	0.5 %
49	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 18.74
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 12.70

CRCK6M	Number times crack use 6 mo

Location: 1969-1972 (width: 4; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use crack/freebase during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	80	18.0 %
1	1-3 times	22	5.0 %
2	1 time/month	8	1.8 %
3	2-3 times/month	23	5.2 %
4	1 time/week	11	2.5 %
5	2-6 times/week	33	7.4 %
6	1 time/day	7	1.6 %
7	2-3 times/day	20	4.5 %
8	4+ times daily	129	29.1 %
-9 (M)	Legitimate skip	109	24.5 %
. (M)	-	2	0.5 %

Based upon 333 valid cases out of 444 total cases.

- Mean: 4.59
- Median: 5.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.35

CRCK30D	**Number times crack use 30 days**

Location:	1973-1976 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use crack/freebase during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	103	23.2 %
1	1-3 times	21	4.7 %
2	1 time/month	2	0.5 %
3	2-3 times/month	14	3.2 %
4	1 time/week	7	1.6 %
5	2-6 times/week	25	5.6 %
6	1 time/day	14	3.2 %
7	2-3 times/day	26	5.9 %
8	4+ times daily	121	27.3 %
-9 (M)	Legitimate skip	109	24.5 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 333 valid cases out of 444 total cases.

- Mean: 4.37
- Median: 5.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.50

AGE1COC	Age cocaine use

Location: 1977-1980 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used cocaine (by itself)?

Value	Unweighted Frequency	%
0	86	19.4 %
9	1	0.2 %
11	1	0.2 %
12	2	0.5 %
13	11	2.5 %
14	11	2.5 %
15	27	6.1 %
16	30	6.8 %
17	33	7.4 %
18	44	9.9 %
19	24	5.4 %
20	20	4.5 %
21	33	7.4 %
22	12	2.7 %
23	16	3.6 %
24	4	0.9 %
25	20	4.5 %
26	8	1.8 %
27	5	1.1 %
28	11	2.5 %
29	4	0.9 %
30	10	2.3 %
31	2	0.5 %
32	3	0.7 %

Value	Unweighted Frequency	%
33	5	1.1 %
34	2	0.5 %
35	6	1.4 %
37	1	0.2 %
38	2	0.5 %
39	1	0.2 %
40	1	0.2 %
42	1	0.2 %
43	1	0.2 %
44	2	0.5 %
46	1	0.2 %
48	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 16.93
- Median: 18.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 10.11

COC6M	Number times cocaine use 6 mo

Location: 1981-1984 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use cocaine (by itself) during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	178	40.1 %
1	1-3 times	31	7.0 %
2	1 time/month	18	4.1 %
3	2-3 times/month	30	6.8 %
4	1 time/week	11	2.5 %
5	2-6 times/week	24	5.4 %
6	1 time/day	7	1.6 %
7	2-3 times/day	16	3.6 %
8	4+ times daily	41	9.2 %
-9 (M)	Legitimate skip	86	19.4 %
. (M)	-	2	0.5 %

Based upon 356 valid cases out of 444 total cases.

- Mean: 2.26
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.91

COC30D	Number times cocaine use 30 days

Location:	1985-1988 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use cocaine/freebase during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	219	49.3 %
1	1-3 times	18	4.1 %
2	1 time/month	12	2.7 %
3	2-3 times/month	16	3.6 %
4	1 time/week	13	2.9 %
5	2-6 times/week	16	3.6 %
6	1 time/day	6	1.4 %
7	2-3 times/day	17	3.8 %
8	4+ times daily	37	8.3 %
26	Unknown	1	0.2 %
33	Unknown	1	0.2 %
-9 (M)	Legitimate skip	86	19.4 %
. (M)	-	2	0.5 %

Based upon 356 valid cases out of 444 total cases.

- Mean: 2.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 3.56

AG1COIN	Age injection cocaine use

Location:	1989-1992 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected heroin?

Value	Unweighted Frequency	%
0	321	72.3 %
6	1	0.2 %
11	1	0.2 %
13	1	0.2 %
14	1	0.2 %
15	6	1.4 %
16	3	0.7 %
17	6	1.4 %
18	9	2.0 %
19	5	1.1 %
20	4	0.9 %
21	7	1.6 %
22	11	2.5 %
23	4	0.9 %
24	3	0.7 %
25	8	1.8 %
26	8	1.8 %
27	3	0.7 %
28	6	1.4 %
29	3	0.7 %
30	6	1.4 %
31	3	0.7 %
32	2	0.5 %
33	3	0.7 %
34	5	1.1 %
35	5	1.1 %
36	1	0.2 %
37	1	0.2 %
38	4	0.9 %
40	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 6.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 11.51

COINJ30	Number times inject cocaine 30 days

Location: 1993-1996 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you inject heroin during the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	314	70.7 %
1	1-3 times	10	2.3 %
3	2-3 times/month	5	1.1 %
4	1 time/week	2	0.5 %
5	2-6 times/week	7	1.6 %
6	1 time/day	6	1.4 %
7	2-3 times/day	4	0.9 %
8	4+ times daily	7	1.6 %
-9 (M)	Legitimate skip	87	19.6 %
. (M)	-	2	0.5 %

Based upon 355 valid cases out of 444 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.70

AGE1HCO	Age heroin/cocaine use

Location: 1997-2000 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used heroin and cocaine (mixed together)?

Value	Unweighted Frequency	%
0	373	84.0 %
11	1	0.2 %
15	4	0.9 %
16	2	0.5 %
17	3	0.7 %
18	2	0.5 %
19	3	0.7 %
20	2	0.5 %
21	3	0.7 %
22	6	1.4 %

Value	Unweighted Frequency	%
23	3	0.7 %
24	4	0.9 %
25	2	0.5 %
26	4	0.9 %
27	2	0.5 %
28	8	1.8 %
29	2	0.5 %
30	3	0.7 %
31	1	0.2 %
32	2	0.5 %
33	1	0.2 %
34	4	0.9 %
35	2	0.5 %
40	2	0.5 %
41	1	0.2 %
. (M)	4	0.9 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 3.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 41.00
- Standard Deviation: 9.39

HCOC6M	Number times heroin/cocaine use 6 mo

Location:	2001-2004 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use heroin and cocaine (mixed together) during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	36	8.1 %
1	1-3 times	8	1.8 %
2	1 time/month	3	0.7 %
3	2-3 times/month	4	0.9 %
5	2-6 times/week	4	0.9 %
6	1 time/day	1	0.2 %
7	2-3 times/day	3	0.7 %
8	4+ times daily	10	2.3 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	373	84.0 %
. (M)	-	2	0.5 %

Based upon 69 valid cases out of 444 total cases.

- Mean: 2.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.07

HCOC30D	**Number times heroin/cocaine use 30 days**

Location:	2005-2008 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use heroin and cocaine (mixed together) in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	39	8.8 %
1	1-3 times	5	1.1 %
2	1 time/month	1	0.2 %
3	2-3 times/month	2	0.5 %
5	2-6 times/week	7	1.6 %
6	1 time/day	1	0.2 %
7	2-3 times/day	3	0.7 %
8	4+ times daily	11	2.5 %
-9 (M)	Legitimate skip	373	84.0 %
. (M)	-	2	0.5 %

Based upon 69 valid cases out of 444 total cases.

- Mean: 2.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.22

AG1HCIN	**Age injection heroin/cocaine use**

Location:	2009-2012 (width: 4; decimal: 0)
Variable Type:	numeric

Question: How old you were the first time you injected heroin and cocaine (mixed together)?

Value	Unweighted Frequency	%
0	396	89.2 %
11	1	0.2 %
15	2	0.5 %
16	2	0.5 %
18	2	0.5 %
19	2	0.5 %
20	2	0.5 %
21	2	0.5 %
22	4	0.9 %
25	1	0.2 %
26	6	1.4 %
27	1	0.2 %
28	5	1.1 %
29	2	0.5 %
30	2	0.5 %
31	1	0.2 %
32	1	0.2 %
33	2	0.5 %
34	4	0.9 %
35	1	0.2 %
40	2	0.5 %
42	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 8.33

HCINJ30	**Number times inject heroin/cocaine 30 days**

Location: 2013-2016 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9 , .

Question: How often did you inject heroin and cocaine (mixed together) in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	50	11.3 %
1	1-3 times	4	0.9 %
3	2-3 times/month	1	0.2 %
5	2-6 times/week	1	0.2 %
6	1 time/day	2	0.5 %
7	2-3 times/day	1	0.2 %
8	4+ times daily	10	2.3 %
-9 (M)	Legitimate skip	373	84.0 %
. (M)	-	2	0.5 %

Based upon 69 valid cases out of 444 total cases.

- Mean: 1.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.02

AGE1HMO	**Age heroin/meth use**

Location: 2017-2020 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used heroin and meth (mixed together)?

Value	Unweighted Frequency	%
0	419	94.4 %
15	2	0.5 %
16	2	0.5 %
19	1	0.2 %
20	2	0.5 %
21	1	0.2 %
22	2	0.5 %
23	3	0.7 %
25	1	0.2 %
26	1	0.2 %
28	1	0.2 %
29	2	0.5 %
30	1	0.2 %
33	1	0.2 %
36	2	0.5 %
40	1	0.2 %

Value	Unweighted Frequency	%
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 5.70

HMTH6M	Number times heroin/meth use 6 mo

Location: 2021-2024 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use heroin and meth (mixed together) during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	12	2.7 %
2	1 time/month	1	0.2 %
3	2-3 times/month	2	0.5 %
4	1 time/week	3	0.7 %
7	2-3 times/day	2	0.5 %
8	4+ times daily	3	0.7 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 2.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.12

HMTH30D	Number times heroin/meth use 30 days

Location: 2025-2028 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use heroin and meth (mixed together) in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	13	2.9 %
1	1-3 times	4	0.9 %
2	1 time/month	1	0.2 %
5	2-6 times/week	1	0.2 %
6	1 time/day	1	0.2 %
7	2-3 times/day	1	0.2 %
8	4+ times daily	2	0.5 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 1.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.83

AG1HMIN	Age injection heroin/meth use

Location: 2029-2032 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected heroin and meth (mixed together)?

Value	Unweighted Frequency	%
0	428	96.4 %
15	1	0.2 %
16	3	0.7 %
20	2	0.5 %
21	1	0.2 %
22	1	0.2 %
24	1	0.2 %
25	1	0.2 %
28	1	0.2 %
29	1	0.2 %
33	1	0.2 %
40	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.74

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 4.26

HMINJ30	Number times inject heroin/meth 30 days

Location: 2033-2036 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you inject heroin and meth (mixed together) in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	19	4.3 %
1	1-3 times	1	0.2 %
6	1 time/day	1	0.2 %
7	2-3 times/day	1	0.2 %
8	4+ times daily	1	0.2 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.42

AGE1HER	Age heroin use

Location: 2037-2040 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used heroin?

Value	Unweighted Frequency	%
0	326	73.4 %
9	1	0.2 %
11	1	0.2 %
12	1	0.2 %
13	1	0.2 %
14	1	0.2 %
15	4	0.9 %
16	7	1.6 %

Value	Unweighted Frequency	%
17	4	0.9 %
18	7	1.6 %
19	5	1.1 %
20	7	1.6 %
21	5	1.1 %
22	5	1.1 %
23	3	0.7 %
24	2	0.5 %
25	2	0.5 %
26	9	2.0 %
27	1	0.2 %
28	11	2.5 %
29	5	1.1 %
30	9	2.0 %
31	1	0.2 %
32	1	0.2 %
33	1	0.2 %
34	5	1.1 %
35	7	1.6 %
36	1	0.2 %
37	1	0.2 %
39	2	0.5 %
40	2	0.5 %
41	1	0.2 %
44	1	0.2 %
45	1	0.2 %
49	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 6.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 11.91

HER6M	Number times heroin use 6 mo

Location: 2041-2044 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9 , .
Question:	How often did you use heroin during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	58	13.1 %
1	1-3 times	10	2.3 %
2	1 time/month	4	0.9 %
3	2-3 times/month	7	1.6 %
4	1 time/week	1	0.2 %
5	2-6 times/week	4	0.9 %
6	1 time/day	3	0.7 %
7	2-3 times/day	9	2.0 %
8	4+ times daily	20	4.5 %
-9 (M)	Legitimate skip	326	73.4 %
. (M)	-	2	0.5 %

Based upon 116 valid cases out of 444 total cases.

- Mean: 2.62
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.28

HER30D	**Number times heroin use 30 days**

Location:	2045-2048 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use heroin in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	69	15.5 %
1	1-3 times	9	2.0 %
2	1 time/month	2	0.5 %
3	2-3 times/month	1	0.2 %
5	2-6 times/week	1	0.2 %
6	1 time/day	5	1.1 %
7	2-3 times/day	10	2.3 %
8	4+ times daily	19	4.3 %
-9 (M)	Legitimate skip	326	73.4 %
. (M)	-	2	0.5 %

Based upon 116 valid cases out of 444 total cases.

- Mean: 2.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.36

AG1HEIN	Age injection heroin use
Location:	2049-2052 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected heroin?

Value	Unweighted Frequency	%
0	376	84.7 %
11	1	0.2 %
12	1	0.2 %
16	4	0.9 %
17	1	0.2 %
18	5	1.1 %
19	4	0.9 %
20	5	1.1 %
21	2	0.5 %
22	4	0.9 %
23	1	0.2 %
24	2	0.5 %
25	2	0.5 %
26	6	1.4 %
27	1	0.2 %
28	7	1.6 %
29	2	0.5 %
30	4	0.9 %
31	2	0.5 %
32	1	0.2 %
34	6	1.4 %
35	2	0.5 %
40	1	0.2 %
42	1	0.2 %
45	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 9.44

HEINJ30	Number times inject heroin 30 days

Location:	2053-2056 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject heroin in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	86	19.4 %
1	1-3 times	7	1.6 %
2	1 time/month	1	0.2 %
3	2-3 times/month	1	0.2 %
6	1 time/day	2	0.5 %
7	2-3 times/day	5	1.1 %
8	4+ times daily	13	2.9 %
-9 (M)	Legitimate skip	327	73.6 %
. (M)	-	2	0.5 %

Based upon 115 valid cases out of 444 total cases.

- Mean: 1.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.87

AGE1MTH	Age methadone use

Location:	2057-2060 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used street methadone?

Value	Unweighted Frequency	%
0	304	68.5 %
8	1	0.2 %
13	1	0.2 %
14	1	0.2 %

- Study 30842 -

Value	Unweighted Frequency	%
15	2	0.5 %
16	2	0.5 %
17	2	0.5 %
18	7	1.6 %
19	7	1.6 %
20	7	1.6 %
21	6	1.4 %
22	4	0.9 %
23	11	2.5 %
24	7	1.6 %
25	9	2.0 %
26	10	2.3 %
27	3	0.7 %
28	6	1.4 %
29	2	0.5 %
30	13	2.9 %
31	2	0.5 %
32	3	0.7 %
33	4	0.9 %
34	4	0.9 %
35	10	2.3 %
36	2	0.5 %
37	2	0.5 %
38	1	0.2 %
39	1	0.2 %
40	2	0.5 %
41	1	0.2 %
45	3	0.7 %
46	1	0.2 %
50	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 8.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 13.11

MTHD6M		**Number times methadone use 6 mo**		

Location: 2061-2064 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use street methadone during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	63	14.2 %
1	1-3 times	16	3.6 %
2	1 time/month	5	1.1 %
3	2-3 times/month	18	4.1 %
4	1 time/week	4	0.9 %
5	2-6 times/week	11	2.5 %
6	1 time/day	5	1.1 %
7	2-3 times/day	9	2.0 %
8	4+ times daily	7	1.6 %
-9 (M)	Legitimate skip	304	68.5 %
. (M)	-	2	0.5 %

Based upon 138 valid cases out of 444 total cases.

- Mean: 2.17
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.64

MTHD30D		**Number times methadone use 30 days**		

Location: 2065-2068 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use street methadone in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	81	18.2 %
1	1-3 times	10	2.3 %
2	1 time/month	4	0.9 %
3	2-3 times/month	10	2.3 %
4	1 time/week	3	0.7 %
5	2-6 times/week	9	2.0 %
6	1 time/day	6	1.4 %
7	2-3 times/day	8	1.8 %

Value	Label	Unweighted Frequency	%
8	4+ times daily	7	1.6 %
-9 (M)	Legitimate skip	304	68.5 %
. (M)	-	2	0.5 %

Based upon 138 valid cases out of 444 total cases.

- Mean: 1.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.68

AG1MTIN	**Age injection methadone use**

Location: 2069-2072 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected methadone?

Value	Unweighted Frequency	%
0	426	95.9 %
16	1	0.2 %
18	1	0.2 %
21	2	0.5 %
22	1	0.2 %
23	1	0.2 %
25	1	0.2 %
26	2	0.5 %
27	1	0.2 %
28	1	0.2 %
30	1	0.2 %
33	1	0.2 %
35	1	0.2 %
36	1	0.2 %
38	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 38.00
- Standard Deviation: 5.11

MTINJ30	**Number times inject methadone 30 days**

Location:	2073-2076 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject methadone in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	136	30.6 %
8	4+ times per day	2	0.5 %
-9 (M)	Legitimate skip	304	68.5 %
. (M)	-	2	0.5 %

Based upon 138 valid cases out of 444 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.96

AGE1OPI	**Age other opiates use**

Location:	2077-2080 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin?

Value	Unweighted Frequency	%
0	181	40.8 %
8	1	0.2 %
9	1	0.2 %
11	2	0.5 %
12	5	1.1 %
13	10	2.3 %
14	7	1.6 %
15	20	4.5 %
16	17	3.8 %
17	15	3.4 %
18	28	6.3 %
19	11	2.5 %

Value	Unweighted Frequency	%
20	18	4.1 %
21	4	0.9 %
22	10	2.3 %
23	8	1.8 %
24	10	2.3 %
25	11	2.5 %
26	7	1.6 %
27	4	0.9 %
28	10	2.3 %
29	4	0.9 %
30	14	3.2 %
31	1	0.2 %
32	3	0.7 %
33	3	0.7 %
34	6	1.4 %
35	6	1.4 %
36	4	0.9 %
37	2	0.5 %
38	2	0.5 %
39	2	0.5 %
40	3	0.7 %
41	2	0.5 %
42	4	0.9 %
44	1	0.2 %
46	1	0.2 %
48	2	0.5 %
51	1	0.2 %
56	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 13.60
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 13.11

OPIAT6M	Number times other opiates use 6 mo

Location: 2081-2084 (width: 4; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	61	13.7 %
1	1-3 times	23	5.2 %
2	1 time/month	6	1.4 %
3	2-3 times/month	20	4.5 %
4	1 time/week	9	2.0 %
5	2-6 times/week	23	5.2 %
6	1 time/day	12	2.7 %
7	2-3 times/day	43	9.7 %
8	4+ times daily	63	14.2 %
10	Unknown	1	0.2 %
-9 (M)	Legitimate skip	181	40.8 %
. (M)	-	2	0.5 %

Based upon 261 valid cases out of 444 total cases.

- Mean: 4.34
- Median: 5.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.22

OPIAT30D	**Number times other opiates use 30 days**

Location:	2085-2088 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	87	19.6 %
1	1-3 times	18	4.1 %
2	1 time/month	4	0.9 %
3	2-3 times/month	8	1.8 %
4	1 time/week	7	1.6 %
5	2-6 times/week	21	4.7 %
6	1 time/day	10	2.3 %
7	2-3 times/day	42	9.5 %

Value	Label	Unweighted Frequency	%
8	4+ times daily	64	14.4 %
-9 (M)	Legitimate skip	181	40.8 %
. (M)	-	2	0.5 %

Based upon 261 valid cases out of 444 total cases.

- Mean: 4.02
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.42

AG1OPIN	**Age 1st Injected Other Opiates**

Location: 2089-2092 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How old you were the first time you injected other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin?

Value	Label	Unweighted Frequency	%
0	Never	173	39.0 %
11	-	1	0.2 %
13	-	1	0.2 %
14	-	1	0.2 %
15	-	1	0.2 %
16	-	2	0.5 %
17	-	1	0.2 %
18	-	4	0.9 %
19	-	3	0.7 %
20	-	6	1.4 %
21	-	5	1.1 %
22	-	7	1.6 %
23	-	4	0.9 %
24	-	5	1.1 %
25	-	3	0.7 %
26	-	7	1.6 %
27	-	3	0.7 %
28	-	3	0.7 %
29	-	3	0.7 %
30	-	2	0.5 %

Value	Label	Unweighted Frequency	%
31	-	1	0.2 %
32	-	2	0.5 %
33	-	4	0.9 %
34	-	4	0.9 %
35	-	3	0.7 %
36	-	3	0.7 %
37	-	1	0.2 %
38	-	2	0.5 %
39	-	1	0.2 %
40	-	2	0.5 %
41	-	1	0.2 %
56	-	1	0.2 %
-9 (M)	Legitimate skip	182	41.0 %
. (M)	-	2	0.5 %

Based upon 260 valid cases out of 444 total cases.

- Mean: 8.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 13.24

OPINJ30	**Number times inject other opiates 30 days**
Location:	2093-2096 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	218	49.1 %
1	1-3 times	9	2.0 %
3	2-3 times/month	1	0.2 %
4	1 time/week	1	0.2 %
5	2-6 times/week	4	0.9 %
6	1 time/day	3	0.7 %
7	2-3 times/day	7	1.6 %
8	4+ times daily	16	3.6 %
-9 (M)	Legitimate skip	182	41.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	3	0.7 %

Based upon 259 valid cases out of 444 total cases.

- Mean: 0.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.33

AGE1MET	Age methamphetamine use

Location:	2097-2100 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used Methamphetamine/Speed/Ice/Ecstasy/Crystal?

Value	Unweighted Frequency	%
0	248	55.9 %
11	1	0.2 %
12	2	0.5 %
13	4	0.9 %
14	7	1.6 %
15	6	1.4 %
16	10	2.3 %
17	14	3.2 %
18	19	4.3 %
19	13	2.9 %
20	10	2.3 %
21	10	2.3 %
22	11	2.5 %
23	8	1.8 %
24	9	2.0 %
25	13	2.9 %
26	7	1.6 %
27	3	0.7 %
28	11	2.5 %
29	2	0.5 %
30	7	1.6 %
32	3	0.7 %
33	2	0.5 %
34	1	0.2 %

Value	Unweighted Frequency	%
35	3	0.7 %
36	5	1.1 %
37	2	0.5 %
38	1	0.2 %
39	1	0.2 %
40	3	0.7 %
42	1	0.2 %
43	1	0.2 %
44	1	0.2 %
45	2	0.5 %
47	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 10.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 47.00
- Standard Deviation: 12.53

META6M	Number times methamphetamine use 6 mo

Location: 2101-2104 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , .
Question: How often did you use Methamphetamine/Speed/Ice/Ecstasy/Crystal during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	123	27.7 %
1	1-3 times	18	4.1 %
2	1 time/month	2	0.5 %
3	2-3 times/month	9	2.0 %
4	1 time/week	6	1.4 %
5	2-6 times/week	12	2.7 %
6	1 time/day	3	0.7 %
7	2-3 times/day	6	1.4 %
8	4+ times daily	15	3.4 %
-9 (M)	Legitimate skip	247	55.6 %
. (M)	-	3	0.7 %

Based upon 194 valid cases out of 444 total cases.

- Mean: 1.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.65

META30D	Number times methamphetamine use 30 days

Location:	2105-2108 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use Methamphetamine/Speed/Ice/Ecstasy/Crystal in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	130	29.3 %
1	1-3 times	13	2.9 %
2	1 time/month	3	0.7 %
3	2-3 times/month	9	2.0 %
4	1 time/week	4	0.9 %
5	2-6 times/week	9	2.0 %
6	1 time/day	5	1.1 %
7	2-3 times/day	5	1.1 %
8	4+ times daily	16	3.6 %
-9 (M)	Legitimate skip	246	55.4 %
. (M)	-	4	0.9 %

Based upon 194 valid cases out of 444 total cases.

- Mean: 1.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.67

AG1MEIN	Age injection methamphetamine use

Location:	2109-2112 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected Methamphetamine/Speed/Ice/Ecstasy/Crystal?

Value	Unweighted Frequency	%
0	397	89.4 %

Value	Unweighted Frequency	%
12	1	0.2 %
13	1	0.2 %
15	1	0.2 %
16	3	0.7 %
17	2	0.5 %
18	3	0.7 %
19	1	0.2 %
20	3	0.7 %
21	2	0.5 %
22	2	0.5 %
24	2	0.5 %
25	5	1.1 %
26	5	1.1 %
28	2	0.5 %
29	1	0.2 %
30	1	0.2 %
32	2	0.5 %
35	1	0.2 %
36	3	0.7 %
40	2	0.5 %
45	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 2.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 7.82

MEINJ30	Number times inject methamphetamine 30 days

Location:	2113-2116 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	175	39.4 %

Value	Label	Unweighted Frequency	%
1	1-3 times	4	0.9 %
2	1 time/month	1	0.2 %
3	2-3 times/month	2	0.5 %
4	1 time/week	1	0.2 %
5	2-6 times/week	1	0.2 %
7	2-3 times/day	2	0.5 %
8	4+ times daily	6	1.4 %
-9 (M)	Legitimate skip	248	55.9 %
. (M)	-	4	0.9 %

Based upon 192 valid cases out of 444 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.64

AGE1AMP	Age other amphetamines use

Location:	2117-2120 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used other Amphetamines/Uppers/Diet Pills?

Value	Unweighted Frequency	%
0	325	73.2 %
11	3	0.7 %
12	2	0.5 %
13	1	0.2 %
14	6	1.4 %
15	9	2.0 %
16	16	3.6 %
17	13	2.9 %
18	16	3.6 %
19	1	0.2 %
20	11	2.5 %
21	5	1.1 %
22	5	1.1 %
23	2	0.5 %
24	5	1.1 %
25	7	1.6 %

Value	Unweighted Frequency	%
26	4	0.9 %
28	2	0.5 %
29	2	0.5 %
30	3	0.7 %
32	3	0.7 %
33	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 5.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 9.00

AMPH6M	Number times other amphetamines use 6 mo

Location:	2121-2124 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use other Amphetamines/Uppers/Diet Pills during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	92	20.7 %
1	1-3 times	6	1.4 %
3	2-3 times/month	2	0.5 %
4	1 time/week	4	0.9 %
5	2-6 times/week	4	0.9 %
6	1 time/day	4	0.9 %
7	2-3 times/day	5	1.1 %
-9 (M)	Legitimate skip	325	73.2 %
. (M)	-	2	0.5 %

Based upon 117 valid cases out of 444 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.03

AMPH30D	Number times other amphetamines use 30 days

Location: 2125-2128 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use other Amphetamines/Uppers/Diet Pills in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	95	21.4 %
1	1-3 times	6	1.4 %
3	2-3 times/month	2	0.5 %
4	1 time/week	3	0.7 %
5	2-6 times/week	3	0.7 %
6	1 time/day	3	0.7 %
7	2-3 times/day	5	1.1 %
-9 (M)	Legitimate skip	325	73.2 %
. (M)	-	2	0.5 %

Based upon 117 valid cases out of 444 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.92

AG1AMIN	Age injection other amphetamines use

Location: 2129-2132 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected other Amphetamines/Uppers/Diet Pills?

Value	Unweighted Frequency	%
0	434	97.7 %
11	1	0.2 %
15	1	0.2 %
16	1	0.2 %
18	2	0.5 %
19	1	0.2 %
23	1	0.2 %
27	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 2.53

AMINJ30	Number times inject other amphetamines 30 days

Location:	2133-2136 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject other Amphetamines/Uppers/Diet Pills in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	116	26.1 %
7	2-3 times/day	1	0.2 %
-9 (M)	Legitimate skip	325	73.2 %
. (M)	-	2	0.5 %

Based upon 117 valid cases out of 444 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.65

AGE1LIB	Age librium use

Location:	2137-2140 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used Librium/Valium/Minor Tranquilizers?

Value	Unweighted Frequency	%
0	206	46.4 %
9	1	0.2 %
11	3	0.7 %
12	6	1.4 %
13	11	2.5 %
14	4	0.9 %
15	16	3.6 %
16	23	5.2 %
17	13	2.9 %

Value	Unweighted Frequency	%
18	30	6.8 %
19	11	2.5 %
20	14	3.2 %
21	13	2.9 %
22	6	1.4 %
23	6	1.4 %
24	6	1.4 %
25	9	2.0 %
26	8	1.8 %
27	4	0.9 %
28	8	1.8 %
29	2	0.5 %
30	7	1.6 %
31	1	0.2 %
32	5	1.1 %
33	4	0.9 %
34	2	0.5 %
35	6	1.4 %
36	1	0.2 %
37	2	0.5 %
38	1	0.2 %
39	1	0.2 %
40	6	1.4 %
41	1	0.2 %
42	2	0.5 %
44	2	0.5 %
46	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 11.71
- Median: 13.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 12.34

LIB6M	Number times librium use 6 mo

| Location: | 2141-2144 (width: 4; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):	-9 , .
Question:	How often did you use Librium/Valium/Minor Tranquilizers during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	81	18.2 %
1	1-3 times	16	3.6 %
2	1 time/month	12	2.7 %
3	2-3 times/month	21	4.7 %
4	1 time/week	11	2.5 %
5	2-6 times/week	25	5.6 %
6	1 time/day	13	2.9 %
7	2-3 times/day	27	6.1 %
8	4+ times daily	30	6.8 %
-9 (M)	Legitimate skip	206	46.4 %
. (M)	-	2	0.5 %

Based upon 236 valid cases out of 444 total cases.

- Mean: 3.30
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.06

LIB30D	**Number times librium use 30 days**

Location:	2145-2148 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use Librium/Valium/Minor Tranquilizers in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	94	21.2 %
1	1-3 times	16	3.6 %
2	1 time/month	7	1.6 %
3	2-3 times/month	17	3.8 %
4	1 time/week	10	2.3 %
5	2-6 times/week	22	5.0 %
6	1 time/day	15	3.4 %
7	2-3 times/day	27	6.1 %
8	4+ times daily	28	6.3 %
-9 (M)	Legitimate skip	206	46.4 %
. (M)	-	2	0.5 %

Based upon 236 valid cases out of 444 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.11

AG1LBIN	**Age injection librium use**

Location: 2149-2152 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected Librium/Valium/Minor Tranquilizers?

Value	Unweighted Frequency	%
0	434	97.7 %
16	1	0.2 %
19	1	0.2 %
20	1	0.2 %
22	1	0.2 %
24	2	0.5 %
26	1	0.2 %
27	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 3.01

LBINJ30	**Number times inject librium 30 days**

Location: 2153-2156 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you inject Librium/Valium/Minor Tranquilizers in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	233	52.5 %
5	2-6 times/week	1	0.2 %
7	2-3 times/day	1	0.2 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	207	46.6 %
. (M)	-	2	0.5 %

Based upon 235 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.56

AGE1BAR	Age barbituates use

Location: 2157-2160 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you used Barbiturates?

Value	Unweighted Frequency	%
0	397	89.4 %
11	1	0.2 %
13	2	0.5 %
14	1	0.2 %
15	7	1.6 %
16	6	1.4 %
17	1	0.2 %
18	5	1.1 %
19	3	0.7 %
20	3	0.7 %
21	3	0.7 %
22	1	0.2 %
24	1	0.2 %
25	1	0.2 %
26	1	0.2 %
27	3	0.7 %
30	1	0.2 %
32	1	0.2 %
35	1	0.2 %
37	2	0.5 %
38	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 38.00
- Standard Deviation: 6.60

BARB6M	**Number times barbituates use 6 mo**

Location:	2161-2164 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use Barbiturates during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	24	5.4 %
1	1-3 times	3	0.7 %
3	2-3 times/month	2	0.5 %
4	1 time/week	1	0.2 %
5	2-6 times/week	3	0.7 %
6	1 time/day	2	0.5 %
7	2-3 times/day	4	0.9 %
8	4+ times daily	6	1.4 %
-9 (M)	Legitimate skip	397	89.4 %
. (M)	-	2	0.5 %

Based upon 45 valid cases out of 444 total cases.

- Mean: 2.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.25

BARB30D	**Number times barbituates use 30 days**

Location:	2165-2168 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use Barbiturates in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	25	5.6 %
1	1-3 times	3	0.7 %

Value	Label	Unweighted Frequency	%
3	2-3 times/month	1	0.2 %
4	1 time/week	1	0.2 %
5	2-6 times/week	4	0.9 %
6	1 time/day	2	0.5 %
7	2-3 times/day	4	0.9 %
8	4+ times daily	5	1.1 %
-9 (M)	Legitimate skip	397	89.4 %
. (M)	-	2	0.5 %

Based upon 45 valid cases out of 444 total cases.

- Mean: 2.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 3.19

AG1BAIN	**Age injection barbituates use**

Location:	2169-2172 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected Barbiturates?

Value	Unweighted Frequency	%
0	439	98.9 %
15	1	0.2 %
18	1	0.2 %
20	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.46

BAINJ30	**Number times inject barbituates 30 days**

Location:	2173-2176 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9 , .
Question:	How often did you inject Barbiturates in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	43	9.7 %
8	4+ times daily	1	0.2 %
-9 (M)	Legitimate skip	398	89.6 %
. (M)	-	2	0.5 %

Based upon 44 valid cases out of 444 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.21

AGE1SED	Age other sedatives use

Location:	2177-2180 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used other sedatives/Hypnotics/Quaaludes?

Value	Unweighted Frequency	%
0	387	87.2 %
12	3	0.7 %
13	2	0.5 %
14	2	0.5 %
15	6	1.4 %
16	11	2.5 %
17	7	1.6 %
18	6	1.4 %
20	4	0.9 %
21	2	0.5 %
22	2	0.5 %
23	1	0.2 %
24	1	0.2 %
26	3	0.7 %
28	1	0.2 %
30	3	0.7 %
32	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 6.39

SED6M	Number times other sedatives use 6 mo

Location: 2181-2184 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use other sedatives/Hypnotics/Quaaludes during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	48	10.8 %
2	1 time/month	3	0.7 %
3	2-3 times/month	1	0.2 %
5	2-6 times/week	1	0.2 %
6	1 time/day	2	0.5 %
-9 (M)	Legitimate skip	387	87.2 %
. (M)	-	2	0.5 %

Based upon 55 valid cases out of 444 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.40

SED30D	Number times other sedatives use 30 days

Location: 2185-2188 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use other sedatives/Hypnotics/Quaaludes in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	49	11.0 %
1	1-3 times	1	0.2 %
2	1 time/month	1	0.2 %
3	2-3 times/month	1	0.2 %
6	1 time/day	3	0.7 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	387	87.2 %
. (M)	-	2	0.5 %

Based upon 55 valid cases out of 444 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.44

AG1SDIN	**Age injection other sedatives use**

Location:	2189-2192 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected other sedatives/Hypnotics/Quaaludes?

Value	Unweighted Frequency	%
0	440	99.1 %
13	1	0.2 %
16	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.98

SDINJ30	**Number times inject other sedatives 30 days**

Location:	2193-2196 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject other sedatives/Hypnotics/Quaaludes in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	55	12.4 %
-9 (M)	Legitimate skip	387	87.2 %
. (M)	-	2	0.5 %

Based upon 55 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AGE1GHB	Age GHB use

Location:	2197-2200 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used non-prescription GHB?

Value	Unweighted Frequency	%
0	433	97.5 %
14	1	0.2 %
18	1	0.2 %
21	1	0.2 %
23	1	0.2 %
24	1	0.2 %
25	1	0.2 %
28	1	0.2 %
32	1	0.2 %
33	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 3.53

GHB6M	Number times GHB use 6 mo

Location:	2201-2204 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you use non-prescription GHB during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	8	1.8 %

Value	Label	Unweighted Frequency	%
2	1 time/month	1	0.2 %
-9 (M)	Legitimate skip	433	97.5 %
. (M)	-	2	0.5 %

Based upon 9 valid cases out of 444 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.67

GHB30D	**Number times GHB use 30 days**

Location: 2205-2208 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9 , .

Question: How often did you use non-prescription GHB in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	9	2.0 %
-9 (M)	Legitimate skip	433	97.5 %
. (M)	-	2	0.5 %

Based upon 9 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AG1GBIN	**Age injection GHB use**

Location: 2209-2212 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected non-prescription GHB?

Value	Unweighted Frequency	%
0	442	99.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

GBINJ30	**Number times inject GHB 30 days**

Location:	2213-2216 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject non-prescription GHB in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	9	2.0 %
-9 (M)	Legitimate skip	433	97.5 %
. (M)	-	2	0.5 %

Based upon 9 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

AGE1KET	**Age ketamine use**

Location:	2217-2220 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used Ketamine?

Value	Unweighted Frequency	%
0	419	94.4 %
15	2	0.5 %
16	1	0.2 %
17	2	0.5 %
18	2	0.5 %
19	2	0.5 %
20	2	0.5 %
21	3	0.7 %
22	2	0.5 %
23	1	0.2 %

Value	Unweighted Frequency	%
24	2	0.5 %
28	1	0.2 %
33	1	0.2 %
42	1	0.2 %
48	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 5.38

KET6M	Number times ketamine use 6 mo

Location: 2221-2224 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use Ketamine during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	21	4.7 %
4	1 time/week	2	0.5 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.15

KET30D	Number times ketamine use 30 days

Location: 2225-2228 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use Ketamine in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	21	4.7 %
4	1 time/week	1	0.2 %
7	2-3 times/day	1	0.2 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.65

AG1KTIN	**Age injection ketamine use**

Location:	2229-2232 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you injected Ketamine?

Value	Unweighted Frequency	%
0	439	98.9 %
21	1	0.2 %
22	1	0.2 %
48	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 2.70

KTINJ30	**Number times inject ketamine 30 days**

Location:	2233-2236 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject Ketamine in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	23	5.2 %
-9 (M)	Legitimate skip	419	94.4 %
. (M)	-	2	0.5 %

Based upon 23 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

OTHDRUG	Other drug

Location:	2237-2336 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other drug.

Value	Unweighted Frequency	%
	131	29.5 %
0	2	0.5 %
BNZ Xanax	1	0.2 %
BNZ-xanax	1	0.2 %
T&B's(teddies & betties)	1	0.2 %
Xanax	6	1.4 %
cough medicines	1	0.2 %
heroin and crack mixed	1	0.2 %
methadone thru clinic program	1	0.2 %
whip its	1	0.2 %
xanax	3	0.7 %
-9 (M)	295	66.4 %

Based upon 149 valid cases out of 444 total cases.

AGE1OTH	Age other drug use

Location:	2337-2340 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How old you were the first time you used other specified drug?

Value	Unweighted Frequency	%
0	426	95.9 %

Value	Unweighted Frequency	%
10	1	0.2 %
12	1	0.2 %
16	2	0.5 %
17	2	0.5 %
18	1	0.2 %
20	1	0.2 %
22	1	0.2 %
23	1	0.2 %
24	1	0.2 %
26	3	0.7 %
28	1	0.2 %
35	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 4.10

OTHD6M	Number times other drug use 6 mo

Location: 2341-2344 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use other specified drug during the 6 months before your arrest?

Value	Label	Unweighted Frequency	%
0	Never	4	0.9 %
3	2-3 times/month	3	0.7 %
4	1 time/week	1	0.2 %
5	2-6 times/week	3	0.7 %
6	1 time/day	3	0.7 %
8	4+ times daily	2	0.5 %
-9 (M)	Legitimate skip	426	95.9 %
. (M)	-	2	0.5 %

Based upon 16 valid cases out of 444 total cases.

- Mean: 3.88

- Median: 4.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.75

OTHD30D	Number times other drug use 30 days

Location: 2345-2348 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use other specified drug in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	4	0.9 %
2	1 time/month	1	0.2 %
3	2-3 times/month	1	0.2 %
5	2-6 times/week	5	1.1 %
6	1 time/day	2	0.5 %
7	2-3 times/day	1	0.2 %
8	4+ times daily	2	0.5 %
-9 (M)	Legitimate skip	426	95.9 %
. (M)	-	2	0.5 %

Based upon 16 valid cases out of 444 total cases.

- Mean: 4.06
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.86

AG1OTIN	Age injection other drug use

Location: 2349-2352 (width: 4; decimal: 0)

Variable Type: numeric

Question: How old you were the first time you injected other specified drug?

Value	Unweighted Frequency	%
0	440	99.1 %
26	1	0.2 %
. (M)	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 1.24

OTINJ30	Number times inject other drug 30 days

Location:	2353-2356 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How often did you inject other specified drug in the 30 day timeframe?

Value	Label	Unweighted Frequency	%
0	Never	16	3.6 %
-9 (M)	Legitimate skip	426	95.9 %
. (M)	-	2	0.5 %

Based upon 16 valid cases out of 444 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

ALCDYS	Number days drank in 30

Location:	2357-2360 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, on how many of those 30 days did you drink any beer, malt beverage, wine, wine coolers, fortified wine or hard liquor?

Value	Label	Unweighted Frequency	%
0	-	144	32.4 %
1	-	32	7.2 %
2	-	24	5.4 %
3	-	14	3.2 %
4	-	19	4.3 %
5	-	10	2.3 %
6	-	3	0.7 %
7	-	5	1.1 %

Value	Label	Unweighted Frequency	%
8	-	8	1.8 %
10	-	11	2.5 %
12	-	11	2.5 %
14	-	3	0.7 %
15	-	13	2.9 %
16	-	1	0.2 %
20	-	18	4.1 %
21	-	1	0.2 %
22	-	2	0.5 %
25	-	7	1.6 %
26	-	1	0.2 %
27	-	1	0.2 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	109	24.5 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 11.03
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 12.54

BEERDYS	Number days drink beer in 30

Location: 2361-2364 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: On how many of those 30 days did you drink any BEER?

Value	Label	Unweighted Frequency	%
0	-	109	24.5 %
1	-	19	4.3 %
2	-	16	3.6 %
3	-	9	2.0 %
4	-	13	2.9 %
5	-	6	1.4 %
6	-	2	0.5 %

Value	Label	Unweighted Frequency	%
7	-	5	1.1 %
8	-	6	1.4 %
10	-	15	3.4 %
12	-	5	1.1 %
15	-	10	2.3 %
20	-	9	2.0 %
21	-	1	0.2 %
22	-	2	0.5 %
25	-	5	1.1 %
26	-	1	0.2 %
28	-	1	0.2 %
30	-	64	14.4 %
-9 (M)	Legitimate skip	144	32.4 %
. (M)	-	2	0.5 %

Based upon 298 valid cases out of 444 total cases.

- Mean: 9.93
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 12.10

AMTBEER	How many cans/bottles beer

Location:	2365-2368 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many cans or bottles of beer did you generally drink on each of those days?

Value	Label	Unweighted Frequency	%
0	-	4	0.9 %
1	-	13	2.9 %
2	-	16	3.6 %
3	-	17	3.8 %
4	-	11	2.5 %
5	-	2	0.5 %
6	-	35	7.9 %
7	-	6	1.4 %
8	-	9	2.0 %
9	-	2	0.5 %

Value	Label	Unweighted Frequency	%
10	-	10	2.3 %
12	-	40	9.0 %
14	-	1	0.2 %
15	-	3	0.7 %
18	-	4	0.9 %
19	-	1	0.2 %
20	-	2	0.5 %
24	-	11	2.5 %
30	-	2	0.5 %
48	-	2	0.5 %
90	-	1	0.2 %
100	-	1	0.2 %
-9 (M)	Legitimate skip	249	56.1 %
. (M)	-	2	0.5 %

Based upon 193 valid cases out of 444 total cases.

- Mean: 9.70
- Median: 6.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 11.53

SZBEER	How many ounces can/bottle beer

Location:	2369-2372 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What size were the cans or bottles? [RECORD IN OUNCES]

Value	Label	Unweighted Frequency	%
0	-	3	0.7 %
4	-	1	0.2 %
6	-	1	0.2 %
8	-	7	1.6 %
12	-	150	33.8 %
16	-	8	1.8 %
18	-	1	0.2 %
22	-	9	2.0 %
24	-	3	0.7 %
40	-	8	1.8 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	251	56.5 %
. (M)	-	2	0.5 %

Based upon 191 valid cases out of 444 total cases.

- Mean: 13.62
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 6.45

MALTDYS	How many days drink malt liquor in 30

Location:	2373-2376 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	On how many days did you drink any MALT LIQUOR, MALT BEVERAGE, OR REGULAR WINE COOLERS?

Value	Label	Unweighted Frequency	%
0	-	229	51.6 %
1	-	7	1.6 %
2	-	6	1.4 %
3	-	5	1.1 %
4	-	8	1.8 %
5	-	5	1.1 %
6	-	1	0.2 %
7	-	2	0.5 %
8	-	3	0.7 %
10	-	4	0.9 %
12	-	2	0.5 %
15	-	7	1.6 %
20	-	3	0.7 %
25	-	1	0.2 %
27	-	1	0.2 %
28	-	1	0.2 %
30	-	18	4.1 %
-9 (M)	Legitimate skip	139	31.3 %
. (M)	-	2	0.5 %

Based upon 303 valid cases out of 444 total cases.

- Mean: 3.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.99

AMTMALT	**How many cans/bottles malt liquor**
Location:	2377-2380 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many cans or bottles did you generally drink on a typical day?

Value	Label	Unweighted Frequency	%
0	-	5	1.1 %
1	-	15	3.4 %
2	-	8	1.8 %
3	-	5	1.1 %
4	-	9	2.0 %
5	-	6	1.4 %
6	-	15	3.4 %
7	-	1	0.2 %
8	-	1	0.2 %
9	-	1	0.2 %
10	-	1	0.2 %
12	-	8	1.8 %
13	-	1	0.2 %
40	-	1	0.2 %
-9 (M)	Legitimate skip	365	82.2 %
. (M)	-	2	0.5 %

Based upon 77 valid cases out of 444 total cases.

- Mean: 5.00
- Median: 4.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 5.40

SZMALT	**How many ounces can/bottle malt liquor**
Location:	2381-2384 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .

Question: What size were the cans or bottles? [RECORD IN OUNCES]

Value	Label	Unweighted Frequency	%
0	-	6	1.4 %
8	-	4	0.9 %
12	-	33	7.4 %
16	-	7	1.6 %
20	-	1	0.2 %
22	-	10	2.3 %
24	-	4	0.9 %
40	-	12	2.7 %
-9 (M)	Legitimate skip	365	82.2 %
. (M)	-	2	0.5 %

Based upon 77 valid cases out of 444 total cases.

- Mean: 17.61
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 11.28

WINEDYS	How many days drink wine in 30

Location: 2385-2388 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: On how many days did you drink any WINE?

Value	Label	Unweighted Frequency	%
0	-	266	59.9 %
1	-	7	1.6 %
2	-	9	2.0 %
3	-	4	0.9 %
4	-	4	0.9 %
5	-	3	0.7 %
15	-	1	0.2 %
30	-	3	0.7 %
-9 (M)	Legitimate skip	145	32.7 %
. (M)	-	2	0.5 %

Based upon 297 valid cases out of 444 total cases.

- Mean: 0.58

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.21

AMTWINE1	How many glasses/bottles wine		
Location:	2389-2392 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-9 , .		
Question:	How many glasses or bottles of wine did you generally drink on a typical day? [FOR GLASSES, RECORD IN STANDARD WINE GLASS SIZE, USUALLY ABOUT 5 OZ.]		

Value	Label	Unweighted Frequency	%
0	-	7	1.6 %
1	-	11	2.5 %
2	-	13	2.9 %
3	-	1	0.2 %
4	-	2	0.5 %
5	-	1	0.2 %
6	-	1	0.2 %
-9 (M)	Legitimate skip	406	91.4 %
. (M)	-	2	0.5 %

Based upon 36 valid cases out of 444 total cases.

- Mean: 1.64
- Median: 1.50
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.40

SZWINE	How many ounces glasses/bottle wine		
Location:	2393-2396 (width: 4; decimal: 0)		
Variable Type:	numeric		
Range of Missing Values (M):	-9 , .		
Question:	What size were the bottles?		

Value	Label	Unweighted Frequency	%
0	-	9	2.0 %
1	-	2	0.5 %
2	-	2	0.5 %
5	-	8	1.8 %

Value	Label	Unweighted Frequency	%
12	-	1	0.2 %
16	-	1	0.2 %
24	-	1	0.2 %
25	-	1	0.2 %
26	-	6	1.4 %
32	-	3	0.7 %
33	-	1	0.2 %
136	-	1	0.2 %
-9 (M)	Legitimate skip	406	91.4 %
. (M)	-	2	0.5 %

Based upon 36 valid cases out of 444 total cases.

- Mean: 15.11
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 136.00
- Standard Deviation: 24.09

FWINEDYS	How many days drink fortified wine in 30

Location:	2397-2400 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	On how many of those days did you drink any FORTIFIED WINE OR FORTIFIED WINE COOLERS?

Value	Label	Unweighted Frequency	%
0	-	280	63.1 %
1	-	5	1.1 %
2	-	4	0.9 %
3	-	2	0.5 %
4	-	3	0.7 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	1	0.2 %
12	-	1	0.2 %
20	-	1	0.2 %
24	-	1	0.2 %
30	-	2	0.5 %
-9 (M)	Legitimate skip	140	31.5 %
. (M)	-	2	0.5 %

Based upon 302 valid cases out of 444 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.22

AMTFWIN1	**How many glasses/bottles fortified wine**

Location:	2401-2404 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many glasses or bottles of fortified wine did you generally drink on a typical day? [FOR GLASSES, RECORD IN STANDARD WINE GLASS SIZE, USUALLY ABOUT 5 OZ.]

Value	Label	Unweighted Frequency	%
0	-	7	1.6 %
1	-	4	0.9 %
2	-	4	0.9 %
4	-	5	1.1 %
5	-	1	0.2 %
6	-	3	0.7 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	1	0.2 %
12	-	1	0.2 %
-9 (M)	Legitimate skip	414	93.2 %
. (M)	-	2	0.5 %

Based upon 28 valid cases out of 444 total cases.

- Mean: 3.29
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.26

SZFWINE	**How many ounces glasses/bottles fortified wine**

Location:	2405-2408 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	What size were the bottles? [RECORD IN OUNCES]

Value	Label	Unweighted Frequency	%
0	-	10	2.3 %
2	-	1	0.2 %
4	-	1	0.2 %
8	-	2	0.5 %
12	-	6	1.4 %
16	-	3	0.7 %
22	-	1	0.2 %
24	-	1	0.2 %
26	-	2	0.5 %
-9 (M)	Legitimate skip	414	93.2 %
. (M)	-	3	0.7 %

Based upon 27 valid cases out of 444 total cases.

- Mean: 8.89
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 8.90

LIQRDYS	**How many days drink hard liquor in 30**

Location: | 2409-2412 (width: 4; decimal: 0)
Variable Type: | numeric
Range of Missing Values (M): | -9 , .
Question: | On how many days did you drink any HARD LIQUOR?

Value	Label	Unweighted Frequency	%
0	-	68	15.3 %
1	-	31	7.0 %
2	-	30	6.8 %
3	-	13	2.9 %
4	-	18	4.1 %
5	-	18	4.1 %
6	-	1	0.2 %
7	-	3	0.7 %
8	-	7	1.6 %
10	-	8	1.8 %
12	-	10	2.3 %
13	-	1	0.2 %
14	-	3	0.7 %

Value	Label	Unweighted Frequency	%
15	-	12	2.7 %
16	-	1	0.2 %
18	-	1	0.2 %
20	-	16	3.6 %
21	-	1	0.2 %
25	-	4	0.9 %
30	-	56	12.6 %
-9 (M)	Legitimate skip	140	31.5 %
. (M)	-	2	0.5 %

Based upon 302 valid cases out of 444 total cases.

- Mean: 9.82
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.32

AMTLIQ1	How many drinks hard liquor

Location:	2413-2416 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many drinks of hard liquor did you generally drink on a typical day? [USUALLY A DRINK IS 1.5 OZ. (SHOT GLASS) OF LIQUOR, RECORD DRINKS IN THIS STANDARD SIZE.]

Value	Label	Unweighted Frequency	%
0	-	145	32.7 %
1	-	5	1.1 %
2	-	27	6.1 %
3	-	13	2.9 %
4	-	12	2.7 %
5	-	6	1.4 %
6	-	2	0.5 %
7	-	3	0.7 %
8	-	3	0.7 %
10	-	5	1.1 %
11	-	1	0.2 %
12	-	2	0.5 %
20	-	1	0.2 %
25	-	1	0.2 %

Value	Label	Unweighted Frequency	%
37	-	1	0.2 %
-9 (M)	Legitimate skip	212	47.7 %
. (M)	-	5	1.1 %

Based upon 227 valid cases out of 444 total cases.

- Mean: 1.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 3.98

AMTLIQ2	**How many bottles hard liquor**

Location:	2417-2420 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many bottles of hard liquor did you generally drink on a typical day? [USUALLY A DRINK IS 1.5 OZ. (SHOT GLASS) OF LIQUOR, RECORD DRINKS IN THIS STANDARD SIZE.]

Value	Label	Unweighted Frequency	%
0	-	73	16.4 %
1	-	121	27.3 %
2	-	17	3.8 %
3	-	6	1.4 %
4	-	3	0.7 %
16	-	2	0.5 %
20	-	1	0.2 %
-9 (M)	Legitimate skip	219	49.3 %
. (M)	-	2	0.5 %

Based upon 223 valid cases out of 444 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.07

SZLIQUOR	**How many ounces bottles hard liquor**

Location:	2421-2424 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-9 , .		
Question:	What size were the bottles? [RECORD IN OUNCES]		

Value	Label	Unweighted Frequency	%
0	-	47	10.6 %
1	-	5	1.1 %
2	-	19	4.3 %
3	-	1	0.2 %
4	-	1	0.2 %
8	-	36	8.1 %
12	-	3	0.7 %
13	-	2	0.5 %
16	-	61	13.7 %
24	-	1	0.2 %
26	-	44	9.9 %
32	-	8	1.8 %
39	-	1	0.2 %
64	-	3	0.7 %
72	-	1	0.2 %
-9 (M)	Legitimate skip	208	46.8 %
. (M)	-	3	0.7 %

Based upon 233 valid cases out of 444 total cases.

- Mean: 13.32
- Median: 16.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 12.28

TYPELIQ	**Regular liquor or high proof**

Location:	2425-2428 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Was it regular liquor or high proof?

Value	Label	Unweighted Frequency	%
1	80-100 proof, 40-50% alcohol	180	40.5 %
2	120-190 proof, 60-95% alcohol	40	9.0 %
-9 (M)	Legitimate skip	221	49.8 %
. (M)	-	3	0.7 %

Based upon 220 valid cases out of 444 total cases.

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.39

ALCPRB1	Alcohol use physical health

Location: 2429-2432 (width: 4; decimal: 0)

Variable Type: numeric

Question: So, how often in the last 6 months did your alcohol use affect your physical health?

Value	Label	Unweighted Frequency	%
0	Unknown	10	2.3 %
1	Never	241	54.3 %
2	Rarely	61	13.7 %
3	Sometimes	65	14.6 %
4	Often	29	6.5 %
5	Always	35	7.9 %
13	Unknown	1	0.2 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.43

ALCPRB2	Alcohol use relations family/friends

Location: 2433-2436 (width: 4; decimal: 0)

Variable Type: numeric

Question: So, how often in the last 6 months did your alcohol use affect your relations with family or friends?

Value	Label	Unweighted Frequency	%
0	Unknown	11	2.5 %
1	Never	202	45.5 %
2	Rarely	36	8.1 %
3	Sometimes	62	14.0 %
4	Often	62	14.0 %
5	Always	69	15.5 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.59

ALCPRB3	Alcohol use attitude/emotional health

Location:	2437-2440 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your alcohol use affect your general attitude or emotional health?

Value	Label	Unweighted Frequency	%
0	Unknown	12	2.7 %
1	Never	191	43.0 %
2	Rarely	28	6.3 %
3	Sometimes	80	18.0 %
4	Often	57	12.8 %
5	Always	74	16.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.59

ALCPRB4	Alcohol use attention/concentration

Location:	2441-2444 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your alcohol use affect your attention and concentration?

Value	Label	Unweighted Frequency	%
0	Unknown	12	2.7 %
1	Never	180	40.5 %

Value	Label	Unweighted Frequency	%
2	Rarely	44	9.9 %
3	Sometimes	79	17.8 %
4	Often	54	12.2 %
5	Always	73	16.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.57

ALCPRB5	Alcohol use going to work/finding job

Location:	2445-2448 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your alcohol use affect your going to work or finding a job?

Value	Label	Unweighted Frequency	%
0	Unknown	12	2.7 %
1	Never	269	60.6 %
2	Rarely	44	9.9 %
3	Sometimes	31	7.0 %
4	Often	29	6.5 %
5	Always	57	12.8 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.49

ALCPRB6	Alcohol use money/finances

Location:	2449-2452 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your alcohol use affect your money and finances?

Value	Label	Unweighted Frequency	%
0	Unknown	12	2.7 %
1	Never	246	55.4 %
2	Rarely	34	7.7 %
3	Sometimes	41	9.2 %
4	Often	33	7.4 %
5	Always	76	17.1 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.15
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.61

ALCPRB7	Alcohol use fights

Location: 2453-2456 (width: 4; decimal: 0)

Variable Type: numeric

Question: So, how often in the last 6 months did your alcohol use affect your fights or arguments?

Value	Label	Unweighted Frequency	%
0	Unknown	14	3.2 %
1	Never	191	43.0 %
2	Rarely	40	9.0 %
3	Sometimes	67	15.1 %
4	Often	68	15.3 %
5	Always	61	13.7 %
. (M)	-	3	0.7 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.56

ALCPRB8	Alcohol use police/legal trouble

Location: 2457-2460 (width: 4; decimal: 0)

Variable Type:	numeric
Question:	So, how often in the last 6 months did your alcohol use affect your police or legal trouble?

Value	Label	Unweighted Frequency	%
0	Unknown	15	3.4 %
1	Never	226	50.9 %
2	Rarely	48	10.8 %
3	Sometimes	49	11.0 %
4	Often	36	8.1 %
5	Always	68	15.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.16
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.57

DRGPRB1	**Drug use physical health**

Location:	2461-2464 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your drug use affect your physical health?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Never	107	24.1 %
2	Rarely	56	12.6 %
3	Sometimes	100	22.5 %
4	Often	77	17.3 %
5	Always	101	22.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.01
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.49

DRGPRB2	**Drug use relations family/friends**

Location:	2465-2468 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your drug use affect your relations with family or friends?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Never	68	15.3 %
2	Rarely	21	4.7 %
3	Sometimes	87	19.6 %
4	Often	99	22.3 %
5	Always	166	37.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.61
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.43

DRGPRB3	**Drug use attitude/emotional health**

Location:	2469-2472 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your drug use affect your general attitude and concentration?

Value	Label	Unweighted Frequency	%
0	Unknown	2	0.5 %
1	Never	65	14.6 %
2	Rarely	25	5.6 %
3	Sometimes	83	18.7 %
4	Often	116	26.1 %
5	Always	151	34.0 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.58
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.41

DRGPRB4	Drug use attention/concentration

Location: 2473-2476 (width: 4; decimal: 0)

Variable Type: numeric

Question: So, how often in the last 6 months did your drug use affect your attention and concentration?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Never	65	14.6 %
2	Rarely	26	5.9 %
3	Sometimes	84	18.9 %
4	Often	112	25.2 %
5	Always	154	34.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.59
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.40

DRGPRB5	Drug use going to work/finding job

Location: 2477-2480 (width: 4; decimal: 0)

Variable Type: numeric

Question: So, how often in the last 6 months did your drug use affect your going to work or finding a job?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Never	144	32.4 %
2	Rarely	39	8.8 %
3	Sometimes	59	13.3 %
4	Often	54	12.2 %
5	Always	145	32.7 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00

- Standard Deviation: 1.69

DRGPRB6	Drug use money/finances		

Location:	2481-2484 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	So, how often in the last 6 months did your drug use affect your money and finances?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.2 %
1	Never	85	19.1 %
2	Rarely	23	5.2 %
3	Sometimes	69	15.5 %
4	Often	60	13.5 %
5	Always	204	45.9 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.62
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.57

DRGPRB7	Drug use fights		

Location:	2485-2488 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	So, how often in the last 6 months did your drug use affect your fights or arguments?

Value	Label	Unweighted Frequency	%
0	Unknown	6	1.4 %
1	Never	84	18.9 %
2	Rarely	51	11.5 %
3	Sometimes	97	21.8 %
4	Often	76	17.1 %
5	Always	127	28.6 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.51

NDRGTX	How many times in substance tx program

Location:	2489-2492 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Tell me how many times you have ever been in some kind of substance abuse treatment program?

Value	Unweighted Frequency	%
0	110	24.8 %
1	122	27.5 %
2	50	11.3 %
3	47	10.6 %
4	23	5.2 %
5	17	3.8 %
6	13	2.9 %
7	17	3.8 %
8	9	2.0 %
9	8	1.8 %
10	4	0.9 %
11	4	0.9 %
12	3	0.7 %
13	3	0.7 %
14	2	0.5 %
15	2	0.5 %
16	1	0.2 %
19	2	0.5 %
20	2	0.5 %
25	1	0.2 %
40	1	0.2 %
42	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 2.94
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 42.00
- Standard Deviation: 4.44

DRGPRB8	Drug use police/legal trouble

Location:	2493-2496 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	So, how often in the last 6 months did your drug use affect your police or legal trouble?

Value	Label	Unweighted Frequency	%
0	Unknown	6	1.4 %
1	Never	82	18.5 %
2	Rarely	47	10.6 %
3	Sometimes	72	16.2 %
4	Often	68	15.3 %
5	Always	166	37.4 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 3.39
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.58

DRUGOD	How many times overdose on drugs

Location:	2497-2500 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times have you ever overdosed on drugs? (Requires medical intervention)

Value	Label	Unweighted Frequency	%
0	-	322	72.5 %
1	-	50	11.3 %
2	-	31	7.0 %
3	-	21	4.7 %
4	-	6	1.4 %
5	-	5	1.1 %
6	-	1	0.2 %
7	-	1	0.2 %

Value	Label	Unweighted Frequency	%
8	-	1	0.2 %
10	-	1	0.2 %
14	-	1	0.2 %
27	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 1.88

LSTDROD	Months since last overdose

Location:	2501-2504 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How long has it been since the last time?

Value	Label	Unweighted Frequency	%
2	-	1	0.2 %
3	-	1	0.2 %
5	-	4	0.9 %
6	-	1	0.2 %
8	-	2	0.5 %
9	-	2	0.5 %
10	-	3	0.7 %
12	-	11	2.5 %
13	-	4	0.9 %
14	-	1	0.2 %
18	-	2	0.5 %
19	-	1	0.2 %
22	-	1	0.2 %
24	-	15	3.4 %
30	-	4	0.9 %
32	-	1	0.2 %
36	-	11	2.5 %
46	-	1	0.2 %

Value	Label	Unweighted Frequency	%
48	-	9	2.0 %
60	-	5	1.1 %
72	-	6	1.4 %
84	-	7	1.6 %
96	-	2	0.5 %
106	-	1	0.2 %
108	-	3	0.7 %
120	-	3	0.7 %
132	-	2	0.5 %
144	-	3	0.7 %
156	-	3	0.7 %
168	-	3	0.7 %
204	-	1	0.2 %
240	-	1	0.2 %
252	-	1	0.2 %
264	-	1	0.2 %
324	-	2	0.5 %
-9 (M)	Legitimate skip	323	72.7 %
. (M)	-	2	0.5 %

Based upon 119 valid cases out of 444 total cases.

- Mean: 61.63
- Median: 36.00
- Mode: 24.00
- Minimum: 2.00
- Maximum: 324.00
- Standard Deviation: 65.52

INTDROD	**How many times intentionally overdose**

Location:	2505-2508 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times have you intentionally overdosed on drugs?

Value	Label	Unweighted Frequency	%
0	-	81	18.2 %
1	-	21	4.7 %
2	-	13	2.9 %
3	-	1	0.2 %
4	-	1	0.2 %

Value	Label	Unweighted Frequency	%
5	-	1	0.2 %
6	-	1	0.2 %
-9 (M)	Legitimate skip	323	72.7 %
. (M)	-	2	0.5 %

Based upon 119 valid cases out of 444 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.02

SUPROB1	**How stressful things b/c alcohol/drug use 30 days**

Location:	2509-2512 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-8 , -5 , .
Question:	During the 30 days prior to the arrest date on the timeline, how stressful were things for you because of your use of alcohol or other drugs?

Value	Label	Unweighted Frequency	%
1	Not at all	51	11.5 %
2	Somewhat	80	18.0 %
3	Considerably	67	15.1 %
4	Extremely	223	50.2 %
5	N/A	3	0.7 %
-8 (M)	Blank	17	3.8 %
-5 (M)	Bad data	1	0.2 %
. (M)	-	2	0.5 %

Based upon 424 valid cases out of 444 total cases.

- Mean: 3.11
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.10

SUPROB2	**Give up activities b/c alcohol/drug use 30 days**

Location:	2513-2516 (width: 4; decimal: 0)
Variable Type:	numeric

Range of Missing Values (M):	-8 , .	
Question:	During the 30 days prior to the arrest date on the timeline, did your use of alcohol or other drugs cause you to reduce or give up important activities?	

Value	Label	Unweighted Frequency	%
1	Not at all	83	18.7 %
2	Somewhat	81	18.2 %
3	Considerably	90	20.3 %
4	Extremely	164	36.9 %
5	N/A	5	1.1 %
-8 (M)	Blank	19	4.3 %
. (M)	-	2	0.5 %

Based upon 423 valid cases out of 444 total cases.

- Mean: 2.83
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.18

SUPROB3	**Emotional problems b/c alcohol/drug use 30 days**

Location:	2517-2520 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-8 , .
Question:	During the 30 days prior to the arrest date on the timeline, did your use of alcohol or other drugs cause you to have emotional problems?

Value	Label	Unweighted Frequency	%
1	Not at all	73	16.4 %
2	Somewhat	108	24.3 %
3	Considerably	90	20.3 %
4	Extremely	147	33.1 %
5	N/A	4	0.9 %
-8 (M)	Blank	20	4.5 %
. (M)	-	2	0.5 %

Based upon 422 valid cases out of 444 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00

- Standard Deviation: 1.13

QTSUBS	How many times ever quit 3 mo/longer

Location:	2521-2524 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Think about how many times you have ever quit using alcohol or drugs for 3 months or longer. For instance, how many times have you ever quit for at least 3 months?

Value	Label	Unweighted Frequency	%
0	-	26	5.9 %
1	-	73	16.4 %
2	-	68	15.3 %
3	-	64	14.4 %
4	-	47	10.6 %
5	-	29	6.5 %
6	-	32	7.2 %
7	-	22	5.0 %
8	-	13	2.9 %
9	-	11	2.5 %
10	-	7	1.6 %
11	-	5	1.1 %
12	-	10	2.3 %
13	-	5	1.1 %
14	-	4	0.9 %
15	-	4	0.9 %
16	-	3	0.7 %
17	-	3	0.7 %
18	-	2	0.5 %
19	-	1	0.2 %
20	-	4	0.9 %
21	-	1	0.2 %
25	-	1	0.2 %
26	-	1	0.2 %
28	-	3	0.7 %
29	-	1	0.2 %
34	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 4.90
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 34.00
- Standard Deviation: 5.08

QTCTRK	How many times quit on own
Location:	2525-2528 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many times did you quit on your own (without help)?

Value	Unweighted Frequency	%
0	231	52.0 %
1	84	18.9 %
2	49	11.0 %
3	27	6.1 %
4	17	3.8 %
5	14	3.2 %
6	4	0.9 %
7	3	0.7 %
8	1	0.2 %
10	5	1.1 %
12	1	0.2 %
14	2	0.5 %
15	1	0.2 %
17	1	0.2 %
20	2	0.5 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.60

QTTX	How many times quit in community tx
Location:	2529-2532 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many times did you quit in a community based treatment program?

Value	Unweighted Frequency	%
0	291	65.5 %
1	81	18.2 %
2	34	7.7 %
3	20	4.5 %
4	4	0.9 %
5	6	1.4 %
6	2	0.5 %
7	1	0.2 %
8	1	0.2 %
10	1	0.2 %
20	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.56

QTJLNTX	How many times quit in jail (no tx)

Location: 2533-2536 (width: 4; decimal: 0)
Variable Type: numeric
Question: How many times did you quit in jail/prisonn (no treatment)?

Value	Unweighted Frequency	%
0	148	33.3 %
1	129	29.1 %
2	66	14.9 %
3	39	8.8 %
4	20	4.5 %
5	13	2.9 %
6	5	1.1 %
7	1	0.2 %
8	2	0.5 %
10	8	1.8 %
12	2	0.5 %
13	1	0.2 %
15	3	0.7 %

Value	Unweighted Frequency	%
17	1	0.2 %
18	1	0.2 %
20	2	0.5 %
30	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 1.91
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.15

QTJLTX	**How many times quit in jail tx program**

Location:	2537-2540 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	How many times did you quit in a jail/prison treatment program?

Value	Unweighted Frequency	%
0	225	50.7 %
1	135	30.4 %
2	42	9.5 %
3	15	3.4 %
4	13	2.9 %
5	7	1.6 %
6	3	0.7 %
14	1	0.2 %
15	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.50

QTOTHER	**How many times quit other way**

Location:	2541-2544 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many times did you quit some other way?

Value	Label	Unweighted Frequency	%
0	-	402	90.5 %
1	-	20	4.5 %
2	-	10	2.3 %
3	-	4	0.9 %
4	-	1	0.2 %
5	-	2	0.5 %
14	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	3	0.7 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 0.88

QTOTHER1	**Other way**

Location:	2545-2644 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify other way.

Value	Unweighted Frequency	%
	31	7.0 %
0	1	0.2 %
5	1	0.2 %
AA	1	0.2 %
AA&outpatient	1	0.2 %
AA/NA	1	0.2 %
NA/AA	1	0.2 %
aa, na	1	0.2 %
anabuse/camprell	1	0.2 %
church	2	0.5 %
court ordered	1	0.2 %

Value	Unweighted Frequency	%
drug court	3	0.7 %
inpatient	2	0.5 %
inpatient treatment	3	0.7 %
meeting	1	0.2 %
methadone	1	0.2 %
methadone clinic	1	0.2 %
outpatient rehab	1	0.2 %
pregnant	4	0.9 %
rehab	3	0.7 %
residential	3	0.7 %
unknown	1	0.2 %
-9 (M)	379	85.4 %

Based upon 65 valid cases out of 444 total cases.

LNGQT	**Months clean and sober**

Location: 2645-2648 (width: 4; decimal: 0)
Variable Type: numeric
Question: What is the longest time you were ever able to stay clean and sober?

Value	Unweighted Frequency	%
0	22	5.0 %
1	3	0.7 %
2	2	0.5 %
3	10	2.3 %
4	18	4.1 %
5	16	3.6 %
6	32	7.2 %
7	10	2.3 %
8	19	4.3 %
9	16	3.6 %
10	13	2.9 %
11	16	3.6 %
12	49	11.0 %
13	5	1.1 %
14	7	1.6 %
15	12	2.7 %
16	8	1.8 %
17	4	0.9 %
18	22	5.0 %
19	1	0.2 %

Value	Unweighted Frequency	%
20	5	1.1 %
21	3	0.7 %
22	5	1.1 %
23	1	0.2 %
24	30	6.8 %
25	1	0.2 %
26	1	0.2 %
27	2	0.5 %
28	2	0.5 %
29	2	0.5 %
30	9	2.0 %
31	1	0.2 %
32	2	0.5 %
34	1	0.2 %
36	28	6.3 %
40	1	0.2 %
42	1	0.2 %
44	2	0.5 %
46	2	0.5 %
48	13	2.9 %
49	1	0.2 %
54	2	0.5 %
60	11	2.5 %
72	2	0.5 %
76	1	0.2 %
84	9	2.0 %
96	6	1.4 %
102	1	0.2 %
108	2	0.5 %
120	2	0.5 %
154	1	0.2 %
156	1	0.2 %
168	1	0.2 %
216	2	0.5 %
300	1	0.2 %
480	1	0.2 %
972	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 26.50
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 972.00
- Standard Deviation: 58.71

SATXIMP	How important to continue tx after released

Location: 2649-2652 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -8 , .

Question: How important is it for you to continue to get substance abuse treatment after you are released?

Value	Label	Unweighted Frequency	%
1	Not at all	48	10.8 %
2	Somewhat	47	10.6 %
3	Considerably	62	14.0 %
4	Extremely	267	60.1 %
-8 (M)	Blank	18	4.1 %
. (M)	-	2	0.5 %

Based upon 424 valid cases out of 444 total cases.

- Mean: 3.29
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.05

NINPTX	How many times entered inpatient tx

Location: 2653-2656 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Tell me how many TIMES you have ever been in inpatient treatment (in a hospital setting)?

Value	Label	Unweighted Frequency	%
0	-	328	73.9 %
1	-	51	11.5 %
2	-	26	5.9 %
3	-	13	2.9 %
4	-	7	1.6 %
5	-	7	1.6 %

Value	Label	Unweighted Frequency	%
6	-	3	0.7 %
10	-	2	0.5 %
12	-	1	0.2 %
15	-	1	0.2 %
25	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	3	0.7 %

Based upon 440 valid cases out of 444 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 1.95

AG1INTX	Age first admit inpatient tx

Location: 2657-2660 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How old were you the first time you entered inpatient treatment (in a hospital setting)?

Value	Label	Unweighted Frequency	%
0	-	72	16.2 %
12	-	1	0.2 %
14	-	2	0.5 %
15	-	4	0.9 %
16	-	3	0.7 %
18	-	4	0.9 %
19	-	8	1.8 %
20	-	4	0.9 %
21	-	5	1.1 %
22	-	5	1.1 %
23	-	6	1.4 %
24	-	6	1.4 %
25	-	9	2.0 %
26	-	4	0.9 %
27	-	5	1.1 %
28	-	11	2.5 %
29	-	3	0.7 %

Value	Label	Unweighted Frequency	%
30	-	7	1.6 %
31	-	2	0.5 %
32	-	3	0.7 %
33	-	5	1.1 %
34	-	3	0.7 %
35	-	2	0.5 %
36	-	1	0.2 %
38	-	2	0.5 %
39	-	1	0.2 %
40	-	2	0.5 %
42	-	1	0.2 %
45	-	1	0.2 %
47	-	1	0.2 %
50	-	1	0.2 %
-9 (M)	Legitimate skip	257	57.9 %
. (M)	-	3	0.7 %

Based upon 184 valid cases out of 444 total cases.

- Mean: 15.91
- Median: 19.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 13.99

MOSINTX	**Months treated inpatient tx**

Location: 2661-2664 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9 , .

Question: Altogether, how many months have you been treated in inpatient treatment (in a hospital setting)?

Value	Label	Unweighted Frequency	%
0	-	93	20.9 %
1	-	37	8.3 %
2	-	12	2.7 %
3	-	14	3.2 %
4	-	4	0.9 %
5	-	2	0.5 %
6	-	12	2.7 %
8	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10	-	2	0.5 %
12	-	1	0.2 %
17	-	1	0.2 %
20	-	1	0.2 %
22	-	1	0.2 %
30	-	1	0.2 %
32	-	1	0.2 %
180	-	1	0.2 %
-9 (M)	Legitimate skip	257	57.9 %
. (M)	-	3	0.7 %

Based upon 184 valid cases out of 444 total cases.

- Mean: 2.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 13.84

NRESTX	**How many times entered residential tx**

Location: 2665-2668 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Tell me how many TIMES you have ever been in a residential/therapeutic community?

Value	Label	Unweighted Frequency	%
0	-	260	58.6 %
1	-	92	20.7 %
2	-	38	8.6 %
3	-	26	5.9 %
4	-	11	2.5 %
5	-	5	1.1 %
6	-	2	0.5 %
7	-	4	0.9 %
8	-	1	0.2 %
9	-	1	0.2 %
10	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.48

AG1RSTX	Age first admit residential tx

Location:	2669-2672 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How old were you the first time you entered a residential/therapeutic community?

Value	Label	Unweighted Frequency	%
0	-	67	15.1 %
13	-	2	0.5 %
14	-	2	0.5 %
15	-	3	0.7 %
16	-	3	0.7 %
17	-	3	0.7 %
18	-	4	0.9 %
19	-	10	2.3 %
20	-	10	2.3 %
21	-	4	0.9 %
22	-	6	1.4 %
23	-	10	2.3 %
24	-	10	2.3 %
25	-	10	2.3 %
26	-	10	2.3 %
27	-	7	1.6 %
28	-	7	1.6 %
29	-	11	2.5 %
30	-	15	3.4 %
31	-	5	1.1 %
32	-	6	1.4 %
33	-	5	1.1 %
34	-	3	0.7 %
35	-	7	1.6 %
36	-	2	0.5 %
37	-	1	0.2 %
38	-	5	1.1 %
39	-	3	0.7 %

Value	Label	Unweighted Frequency	%
40	-	2	0.5 %
41	-	3	0.7 %
42	-	3	0.7 %
43	-	1	0.2 %
46	-	1	0.2 %
47	-	2	0.5 %
48	-	1	0.2 %
49	-	2	0.5 %
50	-	1	0.2 %
55	-	1	0.2 %
-9 (M)	Legitimate skip	194	43.7 %
. (M)	-	2	0.5 %

Based upon 248 valid cases out of 444 total cases.

- Mean: 20.35
- Median: 23.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 14.23

MOSRSTX	**Months treated residential tx**

Location:	2673-2676 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, how many months have you been treated in a residential/therapeutic community?

Value	Label	Unweighted Frequency	%
0	-	76	17.1 %
1	-	40	9.0 %
2	-	19	4.3 %
3	-	13	2.9 %
4	-	12	2.7 %
5	-	9	2.0 %
6	-	18	4.1 %
7	-	5	1.1 %
8	-	7	1.6 %
9	-	5	1.1 %
10	-	3	0.7 %
11	-	3	0.7 %

Value	Label	Unweighted Frequency	%
12	-	10	2.3 %
13	-	3	0.7 %
14	-	2	0.5 %
15	-	1	0.2 %
16	-	1	0.2 %
17	-	2	0.5 %
18	-	2	0.5 %
20	-	4	0.9 %
24	-	3	0.7 %
25	-	1	0.2 %
27	-	1	0.2 %
30	-	2	0.5 %
32	-	2	0.5 %
36	-	1	0.2 %
54	-	1	0.2 %
90	-	1	0.2 %
144	-	1	0.2 %
-9 (M)	Legitimate skip	194	43.7 %
. (M)	-	2	0.5 %

Based upon 248 valid cases out of 444 total cases.

- Mean: 5.88
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 12.75

NONTX	How many times entered institutional tx

Location:	2677-2680 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many TIMES you have ever been in other institutional treatment (such as VA or state hospital or in-prison program)?

Value	Label	Unweighted Frequency	%
0	-	312	70.3 %
1	-	89	20.0 %
2	-	22	5.0 %
3	-	10	2.3 %

Value	Label	Unweighted Frequency	%
4	-	3	0.7 %
6	-	1	0.2 %
7	-	1	0.2 %
30	-	1	0.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 1.65

AG1ONTX	**Age first admit institutional tx**

Location:	2681-2684 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How old were you the first time you entered other institutional treatment (such as VA or state hospital or in-prison program)?

Value	Label	Unweighted Frequency	%
0	-	58	13.1 %
13	-	1	0.2 %
15	-	1	0.2 %
16	-	1	0.2 %
17	-	1	0.2 %
18	-	4	0.9 %
19	-	4	0.9 %
20	-	3	0.7 %
21	-	4	0.9 %
22	-	4	0.9 %
23	-	6	1.4 %
24	-	8	1.8 %
25	-	2	0.5 %
26	-	5	1.1 %
27	-	6	1.4 %
28	-	2	0.5 %
29	-	8	1.8 %

Value	Label	Unweighted Frequency	%
30	-	5	1.1 %
31	-	4	0.9 %
32	-	2	0.5 %
33	-	8	1.8 %
34	-	3	0.7 %
35	-	9	2.0 %
36	-	3	0.7 %
37	-	4	0.9 %
38	-	6	1.4 %
39	-	3	0.7 %
40	-	2	0.5 %
41	-	3	0.7 %
42	-	2	0.5 %
43	-	2	0.5 %
44	-	2	0.5 %
45	-	1	0.2 %
46	-	2	0.5 %
47	-	2	0.5 %
50	-	2	0.5 %
51	-	1	0.2 %
52	-	1	0.2 %
-9 (M)	Legitimate skip	257	57.9 %
. (M)	-	2	0.5 %

Based upon 185 valid cases out of 444 total cases.

- Mean: 21.17
- Median: 24.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 16.03

MOSONTX	**Months treated institutional tx**

Location:	2685-2688 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, how many months have you been treated in a other institutional treatment (such as VA or state hospital or in-prison program)?

- Study 30842 -

Value	Label	Unweighted Frequency	%
0	-	61	13.7 %
1	-	16	3.6 %
2	-	10	2.3 %
3	-	17	3.8 %
4	-	17	3.8 %
5	-	13	2.9 %
6	-	9	2.0 %
7	-	4	0.9 %
8	-	5	1.1 %
9	-	5	1.1 %
10	-	3	0.7 %
11	-	1	0.2 %
12	-	4	0.9 %
14	-	2	0.5 %
15	-	5	1.1 %
17	-	2	0.5 %
21	-	1	0.2 %
22	-	1	0.2 %
24	-	2	0.5 %
26	-	1	0.2 %
27	-	1	0.2 %
32	-	1	0.2 %
36	-	1	0.2 %
42	-	1	0.2 %
48	-	1	0.2 %
58	-	1	0.2 %
-9 (M)	Legitimate skip	257	57.9 %
. (M)	-	2	0.5 %

Based upon 185 valid cases out of 444 total cases.

- Mean: 5.26
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 8.49

NODFTX	**How many times entered outpatient tx**

Location: 2689-2692 (width: 4; decimal: 0)

Variable Type: numeric

| | Range of Missing Values (M): | -9 , . |
| | Question: | Tell me how many TIMES you have ever been in outpatient? |

Value	Label	Unweighted Frequency	%
0	-	285	64.2 %
1	-	82	18.5 %
2	-	30	6.8 %
3	-	22	5.0 %
4	-	9	2.0 %
5	-	4	0.9 %
7	-	2	0.5 %
8	-	1	0.2 %
10	-	2	0.5 %
11	-	1	0.2 %
15	-	1	0.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.59

AG1DFTX	**Age first admit outpatient tx**

	Location:	2693-2696 (width: 4; decimal: 0)
	Variable Type:	numeric
	Range of Missing Values (M):	-9 , .
	Question:	How old were you the first time you entered outpatient?

Value	Label	Unweighted Frequency	%
0	-	68	15.3 %
13	-	2	0.5 %
14	-	2	0.5 %
15	-	3	0.7 %
16	-	6	1.4 %
17	-	2	0.5 %
18	-	6	1.4 %
19	-	7	1.6 %
20	-	6	1.4 %

Value	Label	Unweighted Frequency	%
21	-	6	1.4 %
22	-	7	1.6 %
23	-	6	1.4 %
24	-	4	0.9 %
25	-	12	2.7 %
26	-	10	2.3 %
27	-	5	1.1 %
28	-	7	1.6 %
29	-	4	0.9 %
30	-	9	2.0 %
31	-	4	0.9 %
32	-	2	0.5 %
33	-	4	0.9 %
34	-	5	1.1 %
35	-	8	1.8 %
37	-	1	0.2 %
38	-	6	1.4 %
40	-	3	0.7 %
41	-	4	0.9 %
42	-	4	0.9 %
43	-	2	0.5 %
44	-	2	0.5 %
45	-	1	0.2 %
47	-	1	0.2 %
48	-	1	0.2 %
50	-	1	0.2 %
-9 (M)	Legitimate skip	221	49.8 %
. (M)	-	2	0.5 %

Based upon 221 valid cases out of 444 total cases.

- Mean: 19.15
- Median: 22.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 14.58

MOSDFTX	Months treated outpatient tx

Location: 2697-2700 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Altogether, how many months have you been treated in outpatient?

Value	Label	Unweighted Frequency	%
0	-	69	15.5 %
1	-	21	4.7 %
2	-	23	5.2 %
3	-	19	4.3 %
4	-	5	1.1 %
5	-	4	0.9 %
6	-	23	5.2 %
7	-	5	1.1 %
8	-	6	1.4 %
9	-	6	1.4 %
10	-	5	1.1 %
11	-	1	0.2 %
12	-	9	2.0 %
13	-	1	0.2 %
14	-	2	0.5 %
15	-	2	0.5 %
16	-	2	0.5 %
18	-	5	1.1 %
19	-	1	0.2 %
21	-	1	0.2 %
24	-	4	0.9 %
28	-	1	0.2 %
32	-	1	0.2 %
38	-	1	0.2 %
60	-	1	0.2 %
96	-	1	0.2 %
132	-	1	0.2 %
144	-	1	0.2 %
-9 (M)	Legitimate skip	220	49.5 %
. (M)	-	3	0.7 %

Based upon 221 valid cases out of 444 total cases.

- Mean: 6.64
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 144.00
- Standard Deviation: 15.82

NOMTX	How many times entered methadone tx

Location:	2701-2704 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many TIMES you have ever been in outpatient methadone?

Value	Label	Unweighted Frequency	%
0	-	403	90.8 %
1	-	20	4.5 %
2	-	7	1.6 %
3	-	6	1.4 %
4	-	2	0.5 %
14	-	1	0.2 %
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 0.85

OTHTX1	Other treatment

Location:	2705-2804 (width: 100; decimal: 0)
Variable Type:	character
Question:	Specify other treatment.

Value	Unweighted Frequency	%
Masked	444	100.0 %

Based upon 444 valid cases out of 444 total cases.

NOTHTXA	How many times entered other tx

Location:	2805-2808 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many TIMES you have ever been in other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	419	94.4 %

Value	Label	Unweighted Frequency	%
1	-	17	3.8 %
2	-	2	0.5 %
-9 (M)	Legitimate skip	4	0.9 %
. (M)	-	2	0.5 %

Based upon 438 valid cases out of 444 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.23

AG1OTXA	**Age first admit other tx**
Location:	2809-2812 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How old were you the first time you entered other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	89	20.0 %
18	-	1	0.2 %
19	-	1	0.2 %
20	-	1	0.2 %
22	-	1	0.2 %
24	-	1	0.2 %
26	-	3	0.7 %
27	-	3	0.7 %
30	-	1	0.2 %
32	-	1	0.2 %
35	-	1	0.2 %
39	-	1	0.2 %
40	-	1	0.2 %
41	-	2	0.5 %
42	-	1	0.2 %
-9 (M)	Legitimate skip	334	75.2 %
. (M)	-	2	0.5 %

Based upon 108 valid cases out of 444 total cases.

- Mean: 5.20

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 11.77

MOSOTXA	Months treated other tx

Location:	2813-2816 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, how many months have you been treated in other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	94	21.2 %
2	-	2	0.5 %
3	-	1	0.2 %
4	-	2	0.5 %
6	-	1	0.2 %
7	-	1	0.2 %
8	-	2	0.5 %
11	-	1	0.2 %
15	-	1	0.2 %
20	-	1	0.2 %
23	-	1	0.2 %
36	-	1	0.2 %
-9 (M)	Legitimate skip	334	75.2 %
. (M)	-	2	0.5 %

Based upon 108 valid cases out of 444 total cases.

- Mean: 1.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 4.96

OTHTX2	Other treatment

Location:	2817-2916 (width: 100; decimal: 0)
Variable Type:	character
Range of Missing Values (M):	-9
Question:	Specify second other treatment.

Value	Unweighted Frequency	%
	94	21.2 %
0	1	0.2 %
Masked	1	0.2 %
detox	1	0.2 %
-9 (M)	347	78.2 %

Based upon 97 valid cases out of 444 total cases.

NOTHTXB	**How many times entered other tx**

Location:	2917-2920 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Tell me how many TIMES you have ever been in second other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	435	98.0 %
1	-	1	0.2 %
8	-	1	0.2 %
-9 (M)	Legitimate skip	5	1.1 %
. (M)	-	2	0.5 %

Based upon 437 valid cases out of 444 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.39

AG1OTXB	**Age first admit other tx**

Location:	2921-2924 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How old were you the first time you entered second other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	93	20.9 %
27	-	1	0.2 %
34	-	1	0.2 %
-9 (M)	Legitimate skip	347	78.2 %
. (M)	-	2	0.5 %

Based upon 95 valid cases out of 444 total cases.

- Mean: 0.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 34.00
- Standard Deviation: 4.43

MOSOTXB	**Months treated other tx**

Location: 2925-2928 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Altogether, how many months have you been treated in second other specified treatment?

Value	Label	Unweighted Frequency	%
0	-	93	20.9 %
4	-	1	0.2 %
15	-	1	0.2 %
-9 (M)	Legitimate skip	347	78.2 %
. (M)	-	2	0.5 %

Based upon 95 valid cases out of 444 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.59

SLFHLPM	**Ever gone to self-help meetings**

Location: 2929-2929 (width: 1; decimal: 0)

Variable Type: numeric

Question: Have you ever gone to self-help meetings like AA, NA, CA, etc.?

Value	Label	Unweighted Frequency	%
0	No	81	18.2 %
1	Yes	361	81.3 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.82

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

AGE1SHM	**Age first self-help meeting**

Location:	2930-2933 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How old were you when you first went to a meeting?

Value	Label	Unweighted Frequency	%
0	-	18	4.1 %
12	-	2	0.5 %
13	-	4	0.9 %
14	-	4	0.9 %
15	-	5	1.1 %
16	-	10	2.3 %
17	-	7	1.6 %
18	-	24	5.4 %
19	-	17	3.8 %
20	-	16	3.6 %
21	-	14	3.2 %
22	-	15	3.4 %
23	-	16	3.6 %
24	-	18	4.1 %
25	-	27	6.1 %
26	-	20	4.5 %
27	-	16	3.6 %
28	-	14	3.2 %
29	-	13	2.9 %
30	-	26	5.9 %
31	-	4	0.9 %
32	-	10	2.3 %
33	-	7	1.6 %
34	-	8	1.8 %
35	-	8	1.8 %
36	-	4	0.9 %
37	-	2	0.5 %
38	-	11	2.5 %
39	-	6	1.4 %

Value	Label	Unweighted Frequency	%
40	-	10	2.3 %
41	-	2	0.5 %
42	-	2	0.5 %
43	-	2	0.5 %
44	-	1	0.2 %
45	-	3	0.7 %
46	-	3	0.7 %
47	-	3	0.7 %
48	-	2	0.5 %
49	-	2	0.5 %
50	-	1	0.2 %
55	-	1	0.2 %
-9 (M)	Legitimate skip	64	14.4 %
. (M)	-	2	0.5 %

Based upon 378 valid cases out of 444 total cases.

- Mean: 25.57
- Median: 25.00
- Mode: 25.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 9.82

NSHLPM	How many self-help meetings attended

Location:	2934-2937 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	About how many meetings have you ever attended?

Value	Label	Unweighted Frequency	%
0	-	18	4.1 %
1	1-5	52	11.7 %
2	6-10	34	7.7 %
3	11-25	56	12.6 %
4	26-100	107	24.1 %
5	>100	113	25.5 %
-9 (M)	Legitimate skip	62	14.0 %
. (M)	-	2	0.5 %

Based upon 380 valid cases out of 444 total cases.

- Mean: 3.37
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.55

MOSSHM	Months attend self-help meetings

Location:	2938-2941 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Over how many months did you attend these meetings?

Value	Label	Unweighted Frequency	%
0	-	21	4.7 %
1	-	48	10.8 %
2	-	30	6.8 %
3	-	37	8.3 %
4	-	22	5.0 %
5	-	10	2.3 %
6	-	41	9.2 %
7	-	4	0.9 %
8	-	12	2.7 %
9	-	3	0.7 %
10	-	2	0.5 %
11	-	3	0.7 %
12	-	34	7.7 %
13	-	4	0.9 %
14	-	1	0.2 %
15	-	3	0.7 %
16	-	3	0.7 %
17	-	2	0.5 %
18	-	11	2.5 %
19	-	1	0.2 %
20	-	5	1.1 %
23	-	1	0.2 %
24	-	19	4.3 %
25	-	2	0.5 %
27	-	3	0.7 %
29	-	1	0.2 %
30	-	5	1.1 %
36	-	6	1.4 %

Value	Label	Unweighted Frequency	%
44	-	1	0.2 %
48	-	5	1.1 %
54	-	1	0.2 %
60	-	9	2.0 %
72	-	3	0.7 %
84	-	5	1.1 %
90	-	3	0.7 %
96	-	4	0.9 %
120	-	3	0.7 %
132	-	2	0.5 %
144	-	1	0.2 %
156	-	1	0.2 %
168	-	1	0.2 %
180	-	1	0.2 %
192	-	1	0.2 %
216	-	1	0.2 %
264	-	1	0.2 %
276	-	1	0.2 %
312	-	1	0.2 %
360	-	1	0.2 %
-9 (M)	Legitimate skip	62	14.0 %
. (M)	-	2	0.5 %

Based upon 380 valid cases out of 444 total cases.

- Mean: 20.50
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 42.58

SHLP30D	**Attend self-help meetings 30 days**

Location:	2942-2943 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Did you attend any self-help group meetings in the last 30 days prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	No	311	70.0 %
1	Yes	128	28.8 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	3	0.7 %
. (M)	-	2	0.5 %

Based upon 439 valid cases out of 444 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

MEDINS	Medical insurance prior to arrest

Location:	2944-2944 (width: 1; decimal: 0)
Variable Type:	numeric
Question:	Did you have medical insurance during the 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	No	245	55.2 %
1	Yes	197	44.4 %
. (M)	-	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

AIDSR1	Inject illegal drugs 6 mo

Location:	2945-2948 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	In the last 6 months prior to the arrest date on the timeline how often did you inject illegal drugs with a needle?

Value	Label	Unweighted Frequency	%
0	Never	344	77.5 %
1	1-3 times	19	4.3 %
2	1 time/month	5	1.1 %
3	2-3 times/month	4	0.9 %

Value	Label	Unweighted Frequency	%
4	1 time/week	9	2.0 %
5	2-6 times/week	12	2.7 %
6	1 time/day	3	0.7 %
7	2-3 times/day	11	2.5 %
8	4+ times/day	34	7.7 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.51

AIDSR2	**Used dirty syringes 6 mo**

Location: 2949-2952 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How often did you use needles or syringes that were dirty that is, that someone else had used and were not sterilized or cleaned with bleach before you used them in that 6 months?

Value	Label	Unweighted Frequency	%
0	Never	48	10.8 %
1	1-3 times	26	5.9 %
2	1 time/month	4	0.9 %
3	2-3 times/month	3	0.7 %
4	1 time/week	1	0.2 %
5	2-6 times/week	3	0.7 %
6	1 time/day	2	0.5 %
7	2-3 times/day	6	1.4 %
8	4+ times/day	5	1.1 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 1.59
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 8.00
- Standard Deviation: 2.48

AIDSR3	Used same cooker/cotton/water 6 mo

Location:	2953-2956 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	And how often did you use the same cooker, cotton, or rinse water that someone else had already used?

Value	Label	Unweighted Frequency	%
0	Never	37	8.3 %
1	1-3 times	22	5.0 %
2	1 time/month	5	1.1 %
3	2-3 times/month	7	1.6 %
4	1 time/week	5	1.1 %
5	2-6 times/week	2	0.5 %
6	1 time/day	2	0.5 %
7	2-3 times/day	7	1.6 %
8	4+ times/day	11	2.5 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 2.37
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.88

AIDSR4	Number people shared works with 6 mo

Location:	2957-2960 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	Altogether, how many PEOPLE did you share the same works with during those 6 months? This means all the people who used the same needles or syringes, cooker, cotton, or rinse water before you did?

Value	Label	Unweighted Frequency	%
0	-	35	7.9 %
1	-	35	7.9 %
2	-	15	3.4 %

Value	Label	Unweighted Frequency	%
3	-	3	0.7 %
4	-	5	1.1 %
5	-	4	0.9 %
40	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 1.57
- Median: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 4.14

AIDSR5	Number times injected 30 days

Location: 2961-2964 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: In the last 30 days prior to the arrest date on the timeline, how many TIMES did you inject illegal drugs with a needle?

Value	Label	Unweighted Frequency	%
0	-	18	4.1 %
1	-	12	2.7 %
2	-	1	0.2 %
3	-	4	0.9 %
4	-	2	0.5 %
5	-	5	1.1 %
6	-	2	0.5 %
7	-	2	0.5 %
8	-	4	0.9 %
10	-	2	0.5 %
12	-	1	0.2 %
14	-	1	0.2 %
15	-	1	0.2 %
30	-	3	0.7 %
40	-	1	0.2 %
48	-	1	0.2 %
50	-	1	0.2 %
60	-	2	0.5 %

Value	Label	Unweighted Frequency	%
75	-	1	0.2 %
85	-	1	0.2 %
90	-	3	0.7 %
120	-	11	2.5 %
139	-	1	0.2 %
150	-	5	1.1 %
180	-	3	0.7 %
200	-	1	0.2 %
240	-	3	0.7 %
300	-	4	0.9 %
450	-	1	0.2 %
750	-	1	0.2 %
-9 (M)	Legitimate skip	344	77.5 %
. (M)	-	2	0.5 %

Based upon 98 valid cases out of 444 total cases.

- Mean: 71.68
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 750.00
- Standard Deviation: 114.72

AIDSR6	Number times dirty needles 30 days

Location: 2965-2968 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many times did you inject with dirty needles or syringes those that had already been used by someone else but were not sterilized or cleaned with bleach before you used them in those 30 days?

Value	Label	Unweighted Frequency	%
0	-	45	10.1 %
1	-	8	1.8 %
2	-	4	0.9 %
5	-	1	0.2 %
7	-	4	0.9 %
10	-	1	0.2 %
12	-	1	0.2 %
30	-	2	0.5 %
40	-	1	0.2 %

Value	Label	Unweighted Frequency	%
48	-	1	0.2 %
60	-	2	0.5 %
75	-	1	0.2 %
120	-	3	0.7 %
150	-	5	1.1 %
400	-	1	0.2 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 24.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 60.43

AIDSR7	Number times share cottons/cookers/rinse 30 days

Location:	2969-2972 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of the times you injected in those 30 days did you use the same cooker, cotton, or rinse water that someone else had already used?

Value	Label	Unweighted Frequency	%
0	-	34	7.7 %
1	-	9	2.0 %
2	-	5	1.1 %
3	-	3	0.7 %
4	-	1	0.2 %
5	-	1	0.2 %
7	-	2	0.5 %
8	-	1	0.2 %
10	-	1	0.2 %
12	-	1	0.2 %
20	-	1	0.2 %
30	-	1	0.2 %
40	-	1	0.2 %
48	-	1	0.2 %
50	-	2	0.5 %

Value	Label	Unweighted Frequency	%
60	-	3	0.7 %
75	-	1	0.2 %
90	-	1	0.2 %
100	-	1	0.2 %
120	-	3	0.7 %
150	-	2	0.5 %
180	-	1	0.2 %
200	-	1	0.2 %
240	-	1	0.2 %
290	-	1	0.2 %
400	-	1	0.2 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 34.17
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 72.40

AIDSR8	Number times injected w/other people injecting 30 days

Location:	2973-2976 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	And how many of the times that you injected drugs, in those 30 days, were you with other people who were also injecting?

Value	Label	Unweighted Frequency	%
0	-	22	5.0 %
1	-	9	2.0 %
2	-	1	0.2 %
3	-	3	0.7 %
4	-	1	0.2 %
5	-	3	0.7 %
6	-	1	0.2 %
7	-	2	0.5 %
8	-	1	0.2 %
10	-	1	0.2 %

Value	Label	Unweighted Frequency	%
12	-	1	0.2 %
15	-	1	0.2 %
20	-	2	0.5 %
30	-	4	0.9 %
40	-	1	0.2 %
45	-	1	0.2 %
48	-	1	0.2 %
60	-	3	0.7 %
70	-	1	0.2 %
85	-	1	0.2 %
90	-	2	0.5 %
100	-	1	0.2 %
120	-	7	1.6 %
150	-	3	0.7 %
180	-	2	0.5 %
240	-	2	0.5 %
300	-	3	0.7 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 50.52
- Median: 6.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 77.49

AIDSR9	Number people shared works w/ 30 days

Location: 2977-2980 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Altogether, how many PEOPLE did you share the same works with in those 30 days? This means all the people who used the same needles or syringes, cooker, cotton, or rinse water before you did.

Value	Label	Unweighted Frequency	%
0	-	33	7.4 %
1	-	26	5.9 %
2	-	11	2.5 %
3	-	3	0.7 %

Value	Label	Unweighted Frequency	%
4	-	3	0.7 %
5	-	1	0.2 %
8	-	1	0.2 %
10	-	2	0.5 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.96

AIDSR10	**Number times loan needs w/out cleaning 30 days**

Location:	2981-2984 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many TIMES, in those 30 days, did you give or loan your used needles or syringes to someone else, who then used them without cleaning them with bleach?

Value	Label	Unweighted Frequency	%
0	-	48	10.8 %
1	-	6	1.4 %
2	-	3	0.7 %
3	-	1	0.2 %
6	-	1	0.2 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	3	0.7 %
15	-	1	0.2 %
20	-	1	0.2 %
30	-	3	0.7 %
40	-	1	0.2 %
48	-	1	0.2 %
60	-	2	0.5 %
90	-	1	0.2 %
100	-	1	0.2 %
150	-	1	0.2 %

Value	Label	Unweighted Frequency	%
180	-	1	0.2 %
200	-	1	0.2 %
300	-	1	0.2 %
400	-	1	0.2 %
-9 (M)	Legitimate skip	362	81.5 %
. (M)	-	2	0.5 %

Based upon 80 valid cases out of 444 total cases.

- Mean: 22.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 65.27

AIDSR11	**Number sex partners 6 mo**

Location:	2985-2988 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many different PEOPLE did you have sex with in the last 6 months prior to the arrest date on the timeline?

Value	Label	Unweighted Frequency	%
0	-	23	5.2 %
1	-	155	34.9 %
2	-	68	15.3 %
3	-	61	13.7 %
4	-	15	3.4 %
5	-	20	4.5 %
6	-	9	2.0 %
8	-	5	1.1 %
9	-	2	0.5 %
10	-	22	5.0 %
12	-	3	0.7 %
15	-	6	1.4 %
18	-	1	0.2 %
20	-	10	2.3 %
23	-	1	0.2 %
25	-	3	0.7 %
30	-	7	1.6 %

Value	Label	Unweighted Frequency	%
35	-	2	0.5 %
40	-	2	0.5 %
45	-	1	0.2 %
48	-	1	0.2 %
50	-	5	1.1 %
52	-	1	0.2 %
60	-	3	0.7 %
90	-	1	0.2 %
100	-	2	0.5 %
110	-	1	0.2 %
150	-	2	0.5 %
175	-	1	0.2 %
200	-	1	0.2 %
450	-	1	0.2 %
672	-	1	0.2 %
1176	-	1	0.2 %
1680	-	2	0.5 %
1800	-	1	0.2 %
3500	-	1	0.2 %
-9 (M)	Legitimate skip	1	0.2 %
. (M)	-	2	0.5 %

Based upon 441 valid cases out of 444 total cases.

- Mean: 32.60
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3500.00
- Standard Deviation: 228.21

AIDSR12	**Sex w/o condom not primary partner 6 mo**

Location:	2989-2992 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	During those months, how often did you have sex WITHOUT USING A CONDOM with someone who was not your spouse or primary partner?

Value	Label	Unweighted Frequency	%
0	Never	198	44.6 %
1	Few times	91	20.5 %

Value	Label	Unweighted Frequency	%
2	1-3 times/month	48	10.8 %
3	1-5 times/week	47	10.6 %
4	Everyday	35	7.9 %
-9 (M)	Legitimate skip	23	5.2 %
. (M)	-	2	0.5 %

Based upon 419 valid cases out of 444 total cases.

- Mean: 1.12
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.33

AIDSR13	Sex w/o condom w/someone shot drugs 6 mo

Location: 2993-2996 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: During those months, how often did you have sex WITHOUT USING A CONDOM with someone who shot drugs with needles?

Value	Label	Unweighted Frequency	%
0	Never	317	71.4 %
1	Few times	40	9.0 %
2	1-3 times/month	13	2.9 %
3	1-5 times/week	22	5.0 %
4	Everyday	27	6.1 %
-9 (M)	Legitimate skip	23	5.2 %
. (M)	-	2	0.5 %

Based upon 419 valid cases out of 444 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.18

AIDSR14	Sex w/o condom sex work 6 mo

Location: 2997-3000 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9 , .
Question:	During those months, how often did you have sex WITHOUT USING A CONDOM while you or your partner were trading, giving, or getting sex for drugs, money, or gifts?

Value	Label	Unweighted Frequency	%
0	Never	287	64.6 %
1	Few times	36	8.1 %
2	1-3 times/month	24	5.4 %
3	1-5 times/week	34	7.7 %
4	Everyday	38	8.6 %
-9 (M)	Legitimate skip	23	5.2 %
. (M)	-	2	0.5 %

Based upon 419 valid cases out of 444 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.36

AIDSR15	Number people sex 30 days

Location:	3001-3004 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many different PEOPLE did you have any kind of sex with during the last 30 day prior to the arrest date on the timeline (including vaginal, oral, or anal)?

Value	Label	Unweighted Frequency	%
0	-	29	6.5 %
1	-	216	48.6 %
2	-	61	13.7 %
3	-	29	6.5 %
4	-	14	3.2 %
5	-	12	2.7 %
6	-	8	1.8 %
7	-	1	0.2 %
8	-	2	0.5 %
9	-	1	0.2 %
10	-	12	2.7 %
12	-	1	0.2 %
15	-	4	0.9 %
20	-	5	1.1 %

Value	Label	Unweighted Frequency	%
21	-	1	0.2 %
25	-	3	0.7 %
28	-	2	0.5 %
30	-	4	0.9 %
40	-	2	0.5 %
50	-	2	0.5 %
60	-	1	0.2 %
65	-	1	0.2 %
75	-	1	0.2 %
100	-	1	0.2 %
112	-	1	0.2 %
173	-	1	0.2 %
196	-	1	0.2 %
300	-	1	0.2 %
550	-	1	0.2 %
-9 (M)	Legitimate skip	24	5.4 %
. (M)	-	2	0.5 %

Based upon 418 valid cases out of 444 total cases.

- Mean: 7.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 550.00
- Standard Deviation: 34.53

AIDSR16	**Number male partners 30 days**

Location: 3005-3008 (width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , .
Question: How many of your partners were male?

Value	Label	Unweighted Frequency	%
0	-	21	4.7 %
1	-	211	47.5 %
2	-	55	12.4 %
3	-	23	5.2 %
4	-	12	2.7 %
5	-	12	2.7 %
6	-	7	1.6 %

Value	Label	Unweighted Frequency	%
7	-	1	0.2 %
8	-	4	0.9 %
9	-	1	0.2 %
10	-	10	2.3 %
12	-	1	0.2 %
15	-	3	0.7 %
19	-	1	0.2 %
20	-	4	0.9 %
25	-	3	0.7 %
27	-	1	0.2 %
28	-	2	0.5 %
29	-	1	0.2 %
30	-	4	0.9 %
40	-	2	0.5 %
50	-	2	0.5 %
60	-	1	0.2 %
65	-	1	0.2 %
75	-	1	0.2 %
100	-	1	0.2 %
107	-	1	0.2 %
171	-	1	0.2 %
196	-	1	0.2 %
300	-	1	0.2 %
550	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 7.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 550.00
- Standard Deviation: 35.67

AIDSR17	**Number female partners 30 days**

Location: 3009-3012 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: How many of your partners were female?

Value	Label	Unweighted Frequency	%
0	-	330	74.3 %
1	-	38	8.6 %
2	-	12	2.7 %
3	-	4	0.9 %
5	-	4	0.9 %
7	-	1	0.2 %
-9 (M)	Legitimate skip	53	11.9 %
. (M)	-	2	0.5 %

Based upon 389 valid cases out of 444 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.79

AIDSR18	Number times any sex 30 days

Location:	3013-3016 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	So altogether, how many times did you have sex (including vaginal, oral, and anal) in those 30 days?

Value	Label	Unweighted Frequency	%
0	-	1	0.2 %
1	-	8	1.8 %
2	-	4	0.9 %
3	-	6	1.4 %
4	-	12	2.7 %
5	-	11	2.5 %
6	-	7	1.6 %
7	-	3	0.7 %
8	-	10	2.3 %
9	-	5	1.1 %
10	-	10	2.3 %
11	-	2	0.5 %
12	-	11	2.5 %
13	-	2	0.5 %
14	-	6	1.4 %
15	-	14	3.2 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
16	-	6	1.4 %
17	-	4	0.9 %
18	-	3	0.7 %
19	-	1	0.2 %
20	-	14	3.2 %
21	-	3	0.7 %
22	-	6	1.4 %
23	-	4	0.9 %
24	-	1	0.2 %
25	-	7	1.6 %
27	-	2	0.5 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	30	6.8 %
31	-	4	0.9 %
32	-	6	1.4 %
33	-	4	0.9 %
34	-	1	0.2 %
35	-	10	2.3 %
38	-	4	0.9 %
39	-	1	0.2 %
40	-	18	4.1 %
41	-	2	0.5 %
42	-	2	0.5 %
43	-	1	0.2 %
44	-	1	0.2 %
45	-	14	3.2 %
46	-	4	0.9 %
47	-	5	1.1 %
48	-	2	0.5 %
49	-	1	0.2 %
50	-	14	3.2 %
51	-	2	0.5 %
53	-	1	0.2 %
54	-	3	0.7 %
55	-	7	1.6 %
56	-	2	0.5 %
60	-	20	4.5 %
61	-	2	0.5 %
62	-	1	0.2 %

Value	Label	Unweighted Frequency	%
63	-	1	0.2 %
65	-	1	0.2 %
66	-	1	0.2 %
67	-	1	0.2 %
70	-	4	0.9 %
71	-	1	0.2 %
75	-	1	0.2 %
80	-	4	0.9 %
83	-	1	0.2 %
84	-	2	0.5 %
85	-	1	0.2 %
90	-	3	0.7 %
95	-	2	0.5 %
96	-	1	0.2 %
100	-	3	0.7 %
106	-	1	0.2 %
110	-	4	0.9 %
111	-	1	0.2 %
115	-	1	0.2 %
120	-	5	1.1 %
122	-	3	0.7 %
127	-	1	0.2 %
130	-	1	0.2 %
140	-	1	0.2 %
150	-	1	0.2 %
151	-	1	0.2 %
155	-	1	0.2 %
180	-	3	0.7 %
185	-	1	0.2 %
200	-	1	0.2 %
204	-	1	0.2 %
224	-	1	0.2 %
240	-	1	0.2 %
270	-	1	0.2 %
300	-	1	0.2 %
330	-	1	0.2 %
390	-	1	0.2 %
400	-	1	0.2 %
500	-	1	0.2 %
550	-	1	0.2 %

Value	Label	Unweighted Frequency	%
620	-	1	0.2 %
-9 (M)	Legitimate skip	51	11.5 %
. (M)	-	2	0.5 %

Based upon 391 valid cases out of 444 total cases.

- Mean: 47.94
- Median: 31.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 67.97

AIDSR19	**Number times sex w/o protection 30 days**

Location: 3017-3020 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: Altogether, how many times did you have sex (including vaginal, oral, anal) in the 30 days prior to the arrest date on the timeline without using protection?

Value	Label	Unweighted Frequency	%
0	-	32	7.2 %
1	-	4	0.9 %
2	-	5	1.1 %
3	-	11	2.5 %
4	-	13	2.9 %
5	-	11	2.5 %
6	-	10	2.3 %
7	-	4	0.9 %
8	-	10	2.3 %
9	-	4	0.9 %
10	-	12	2.7 %
11	-	1	0.2 %
12	-	9	2.0 %
13	-	2	0.5 %
14	-	7	1.6 %
15	-	15	3.4 %
16	-	7	1.6 %
17	-	4	0.9 %
18	-	4	0.9 %
20	-	14	3.2 %

Value	Label	Unweighted Frequency	%
21	-	3	0.7 %
22	-	5	1.1 %
23	-	2	0.5 %
24	-	2	0.5 %
25	-	10	2.3 %
27	-	1	0.2 %
29	-	3	0.7 %
30	-	23	5.2 %
31	-	4	0.9 %
32	-	5	1.1 %
33	-	3	0.7 %
34	-	1	0.2 %
35	-	8	1.8 %
36	-	1	0.2 %
38	-	3	0.7 %
39	-	1	0.2 %
40	-	12	2.7 %
41	-	2	0.5 %
42	-	1	0.2 %
43	-	1	0.2 %
44	-	1	0.2 %
45	-	10	2.3 %
46	-	2	0.5 %
47	-	3	0.7 %
48	-	1	0.2 %
49	-	1	0.2 %
50	-	10	2.3 %
51	-	3	0.7 %
53	-	1	0.2 %
54	-	3	0.7 %
55	-	7	1.6 %
56	-	1	0.2 %
60	-	17	3.8 %
61	-	2	0.5 %
62	-	2	0.5 %
63	-	1	0.2 %
65	-	1	0.2 %
66	-	1	0.2 %
67	-	1	0.2 %
70	-	4	0.9 %

Value	Label	Unweighted Frequency	%
75	-	1	0.2 %
80	-	4	0.9 %
84	-	1	0.2 %
85	-	1	0.2 %
90	-	4	0.9 %
95	-	3	0.7 %
96	-	1	0.2 %
98	-	1	0.2 %
100	-	2	0.5 %
110	-	2	0.5 %
111	-	1	0.2 %
115	-	1	0.2 %
118	-	1	0.2 %
120	-	4	0.9 %
122	-	2	0.5 %
127	-	1	0.2 %
130	-	1	0.2 %
140	-	1	0.2 %
155	-	1	0.2 %
180	-	2	0.5 %
185	-	1	0.2 %
200	-	1	0.2 %
204	-	1	0.2 %
224	-	1	0.2 %
240	-	1	0.2 %
250	-	1	0.2 %
270	-	1	0.2 %
295	-	1	0.2 %
330	-	1	0.2 %
390	-	1	0.2 %
500	-	1	0.2 %
550	-	1	0.2 %
620	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 41.88
- Median: 25.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 66.65

AIDSR20	Sex w/o condom w/someone not spouse 30 days

Location:	3021-3024 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it with someone who is not your spouse or primary partner?

Value	Label	Unweighted Frequency	%
0	-	236	53.2 %
1	-	17	3.8 %
2	-	17	3.8 %
3	-	12	2.7 %
4	-	3	0.7 %
5	-	7	1.6 %
6	-	3	0.7 %
7	-	2	0.5 %
8	-	2	0.5 %
9	-	1	0.2 %
10	-	12	2.7 %
12	-	2	0.5 %
14	-	3	0.7 %
15	-	13	2.9 %
16	-	1	0.2 %
18	-	2	0.5 %
20	-	8	1.8 %
21	-	1	0.2 %
23	-	2	0.5 %
30	-	10	2.3 %
32	-	2	0.5 %
35	-	2	0.5 %
38	-	1	0.2 %
40	-	4	0.9 %
42	-	1	0.2 %
44	-	1	0.2 %
45	-	1	0.2 %
47	-	1	0.2 %
50	-	4	0.9 %
54	-	2	0.5 %

Value	Label	Unweighted Frequency	%
60	-	2	0.5 %
70	-	1	0.2 %
90	-	1	0.2 %
98	-	1	0.2 %
100	-	1	0.2 %
110	-	1	0.2 %
118	-	1	0.2 %
120	-	1	0.2 %
122	-	1	0.2 %
224	-	1	0.2 %
250	-	1	0.2 %
295	-	1	0.2 %
345	-	1	0.2 %
500	-	1	0.2 %
545	-	1	0.2 %
620	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 14.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 58.22

AIDSR21	Sex w/o condom w/someone shot drugs 30 days

Location:	3025-3028 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it with someone who shot drugs with needles?

Value	Label	Unweighted Frequency	%
0	-	309	69.6 %
1	-	9	2.0 %
2	-	9	2.0 %
3	-	7	1.6 %
4	-	1	0.2 %

Value	Label	Unweighted Frequency	%
5	-	4	0.9 %
6	-	3	0.7 %
7	-	1	0.2 %
10	-	6	1.4 %
12	-	1	0.2 %
13	-	1	0.2 %
14	-	1	0.2 %
15	-	5	1.1 %
16	-	1	0.2 %
20	-	2	0.5 %
21	-	1	0.2 %
22	-	1	0.2 %
24	-	1	0.2 %
25	-	2	0.5 %
30	-	6	1.4 %
31	-	1	0.2 %
35	-	2	0.5 %
40	-	1	0.2 %
42	-	1	0.2 %
43	-	1	0.2 %
45	-	1	0.2 %
47	-	1	0.2 %
48	-	1	0.2 %
50	-	2	0.5 %
54	-	1	0.2 %
60	-	2	0.5 %
70	-	1	0.2 %
100	-	1	0.2 %
115	-	1	0.2 %
122	-	1	0.2 %
200	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 4.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00

- Standard Deviation: 17.28

AIDSR22	Sex w/o condom w/someone smokes crack/meth 30 days

Location:	3029-3032 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it with someone who sometimes smokes crack/cocaine, and/or Methamphetamine?

Value	Label	Unweighted Frequency	%
0	-	194	43.7 %
1	-	12	2.7 %
2	-	13	2.9 %
3	-	13	2.9 %
4	-	4	0.9 %
5	-	9	2.0 %
6	-	4	0.9 %
7	-	2	0.5 %
8	-	4	0.9 %
10	-	9	2.0 %
12	-	5	1.1 %
14	-	3	0.7 %
15	-	9	2.0 %
16	-	1	0.2 %
18	-	1	0.2 %
20	-	8	1.8 %
21	-	3	0.7 %
22	-	2	0.5 %
23	-	1	0.2 %
24	-	2	0.5 %
25	-	6	1.4 %
27	-	1	0.2 %
28	-	1	0.2 %
29	-	1	0.2 %
30	-	16	3.6 %
31	-	2	0.5 %
32	-	1	0.2 %
34	-	1	0.2 %
35	-	3	0.7 %
40	-	9	2.0 %
42	-	1	0.2 %
43	-	1	0.2 %

Value	Label	Unweighted Frequency	%
44	-	1	0.2 %
45	-	4	0.9 %
46	-	2	0.5 %
47	-	1	0.2 %
48	-	2	0.5 %
50	-	4	0.9 %
51	-	1	0.2 %
54	-	2	0.5 %
55	-	3	0.7 %
60	-	5	1.1 %
65	-	1	0.2 %
66	-	1	0.2 %
70	-	1	0.2 %
80	-	2	0.5 %
84	-	1	0.2 %
95	-	1	0.2 %
100	-	1	0.2 %
110	-	2	0.5 %
120	-	1	0.2 %
122	-	2	0.5 %
125	-	1	0.2 %
130	-	1	0.2 %
180	-	1	0.2 %
196	-	1	0.2 %
200	-	1	0.2 %
224	-	1	0.2 %
270	-	1	0.2 %
345	-	1	0.2 %
540	-	1	0.2 %
620	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 19.58
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 54.57

	AIDSR23	**Sex w/o condom w/someone high 30 days**		

Location:		3033-3036 (width: 4; decimal: 0)		
Variable Type:		numeric		
Range of Missing Values (M):		-9 , .		
Question:		When you had sex without using a condom that month, how many times was it while you or your partner were high on drugs or alcohol?		

Value	Label		Unweighted Frequency	%
0	-		72	16.2 %
1	-		13	2.9 %
2	-		19	4.3 %
3	-		17	3.8 %
4	-		12	2.7 %
5	-		13	2.9 %
6	-		7	1.6 %
7	-		3	0.7 %
8	-		3	0.7 %
9	-		1	0.2 %
10	-		19	4.3 %
12	-		8	1.8 %
14	-		6	1.4 %
15	-		18	4.1 %
16	-		3	0.7 %
17	-		2	0.5 %
18	-		2	0.5 %
20	-		14	3.2 %
21	-		3	0.7 %
22	-		3	0.7 %
23	-		4	0.9 %
24	-		2	0.5 %
25	-		11	2.5 %
27	-		1	0.2 %
28	-		1	0.2 %
30	-		31	7.0 %
31	-		3	0.7 %
32	-		2	0.5 %
33	-		1	0.2 %
34	-		1	0.2 %
35	-		6	1.4 %
38	-		1	0.2 %
40	-		10	2.3 %
42	-		1	0.2 %

Value	Label	Unweighted Frequency	%
43	-	2	0.5 %
44	-	1	0.2 %
45	-	5	1.1 %
46	-	1	0.2 %
47	-	1	0.2 %
48	-	1	0.2 %
50	-	11	2.5 %
51	-	1	0.2 %
54	-	5	1.1 %
55	-	4	0.9 %
60	-	10	2.3 %
62	-	1	0.2 %
65	-	1	0.2 %
66	-	1	0.2 %
70	-	1	0.2 %
75	-	2	0.5 %
80	-	3	0.7 %
90	-	2	0.5 %
95	-	2	0.5 %
98	-	1	0.2 %
100	-	1	0.2 %
110	-	2	0.5 %
111	-	1	0.2 %
115	-	1	0.2 %
120	-	2	0.5 %
122	-	1	0.2 %
140	-	1	0.2 %
180	-	1	0.2 %
196	-	1	0.2 %
200	-	2	0.5 %
224	-	1	0.2 %
250	-	1	0.2 %
270	-	1	0.2 %
330	-	1	0.2 %
345	-	1	0.2 %
500	-	1	0.2 %
540	-	1	0.2 %
620	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 30.78
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 63.00

AIDSR24	**Sex w/o condom w/someone trading sex 30 days**

Location:	3037-3040 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it while trading (giving/getting) sex for drugs, money, or gifts?

Value	Label	Unweighted Frequency	%
0	-	282	63.5 %
1	-	5	1.1 %
2	-	9	2.0 %
3	-	7	1.6 %
4	-	3	0.7 %
5	-	10	2.3 %
6	-	2	0.5 %
7	-	2	0.5 %
8	-	1	0.2 %
9	-	1	0.2 %
10	-	6	1.4 %
12	-	4	0.9 %
13	-	1	0.2 %
15	-	7	1.6 %
17	-	1	0.2 %
18	-	1	0.2 %
20	-	4	0.9 %
21	-	1	0.2 %
25	-	1	0.2 %
30	-	9	2.0 %
35	-	1	0.2 %
38	-	1	0.2 %
40	-	5	1.1 %
44	-	1	0.2 %
47	-	1	0.2 %
50	-	5	1.1 %

Value	Label	Unweighted Frequency	%
54	-	1	0.2 %
60	-	1	0.2 %
62	-	1	0.2 %
80	-	1	0.2 %
90	-	2	0.5 %
100	-	2	0.5 %
110	-	1	0.2 %
122	-	1	0.2 %
180	-	1	0.2 %
196	-	1	0.2 %
224	-	1	0.2 %
250	-	1	0.2 %
299	-	1	0.2 %
345	-	1	0.2 %
500	-	1	0.2 %
540	-	1	0.2 %
620	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 13.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 620.00
- Standard Deviation: 59.22

AIDSR25   **Sex w/o condom vaginal sex 30 days**

Location:	3041-3044 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it involving vaginal sex (penis to vagina)?

Value	Label	Unweighted Frequency	%
0	-	53	11.9 %
1	-	10	2.3 %
2	-	16	3.6 %
3	-	18	4.1 %

Value	Label	Unweighted Frequency	%
4	-	13	2.9 %
5	-	13	2.9 %
6	-	6	1.4 %
7	-	5	1.1 %
8	-	10	2.3 %
9	-	2	0.5 %
10	-	22	5.0 %
12	-	10	2.3 %
14	-	3	0.7 %
15	-	30	6.8 %
16	-	2	0.5 %
18	-	2	0.5 %
19	-	1	0.2 %
20	-	33	7.4 %
21	-	2	0.5 %
23	-	3	0.7 %
24	-	2	0.5 %
25	-	9	2.0 %
27	-	1	0.2 %
28	-	5	1.1 %
30	-	64	14.4 %
35	-	2	0.5 %
40	-	12	2.7 %
45	-	1	0.2 %
48	-	2	0.5 %
50	-	6	1.4 %
58	-	1	0.2 %
60	-	14	3.2 %
65	-	2	0.5 %
90	-	5	1.1 %
100	-	2	0.5 %
112	-	1	0.2 %
120	-	1	0.2 %
175	-	1	0.2 %
180	-	1	0.2 %
196	-	1	0.2 %
210	-	1	0.2 %
300	-	1	0.2 %
600	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %

Value	Label	Unweighted Frequency	%
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 23.06
- Median: 15.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 41.82

AIDSR26	**Sex w/o condom oral sex 30 days**

Location: 3045-3048 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , .

Question: When you had sex without using a condom that month, how many times was it involving oral sex (mouth to penis/vagina)?

Value	Label	Unweighted Frequency	%
0	-	68	15.3 %
1	-	12	2.7 %
2	-	37	8.3 %
3	-	16	3.6 %
4	-	15	3.4 %
5	-	17	3.8 %
6	-	4	0.9 %
7	-	3	0.7 %
8	-	9	2.0 %
10	-	34	7.7 %
12	-	5	1.1 %
14	-	1	0.2 %
15	-	41	9.2 %
16	-	1	0.2 %
17	-	1	0.2 %
20	-	31	7.0 %
21	-	1	0.2 %
23	-	1	0.2 %
24	-	1	0.2 %
25	-	10	2.3 %
26	-	1	0.2 %
28	-	2	0.5 %

Value	Label	Unweighted Frequency	%
30	-	38	8.6 %
40	-	9	2.0 %
45	-	1	0.2 %
48	-	1	0.2 %
50	-	3	0.7 %
60	-	10	2.3 %
70	-	1	0.2 %
90	-	7	1.6 %
100	-	1	0.2 %
112	-	1	0.2 %
120	-	3	0.7 %
200	-	2	0.5 %
300	-	1	0.2 %
500	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 18.70
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 37.46

AIDSR27	**Sex w/o condom anal sex 30 days**

Location:	3049-3052 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	When you had sex without using a condom that month, how many times was it involving anal sex (penis to anus)?

Value	Label	Unweighted Frequency	%
0	-	325	73.2 %
1	-	14	3.2 %
2	-	10	2.3 %
3	-	4	0.9 %
4	-	5	1.1 %
5	-	8	1.8 %
7	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10	-	7	1.6 %
15	-	6	1.4 %
20	-	3	0.7 %
21	-	1	0.2 %
30	-	4	0.9 %
50	-	1	0.2 %
60	-	1	0.2 %
-9 (M)	Legitimate skip	52	11.7 %
. (M)	-	2	0.5 %

Based upon 390 valid cases out of 444 total cases.

- Mean: 1.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.77

AIDSR28	How many people know with HIV/AIDS

Location: 3053-3056 (width: 4; decimal: 0)

Variable Type: numeric

Question: How many PEOPLE have you known personally who have been infected with HIV (including those who now have AIDS or have died of AIDS)?

Value	Unweighted Frequency	%
0	136	30.6 %
1	77	17.3 %
2	78	17.6 %
3	46	10.4 %
4	33	7.4 %
5	25	5.6 %
6	12	2.7 %
7	3	0.7 %
8	3	0.7 %
10	12	2.7 %
12	2	0.5 %
15	4	0.9 %
20	3	0.7 %
30	2	0.5 %
42	1	0.2 %

Value	Unweighted Frequency	%
50	1	0.2 %
100	3	0.7 %
300	1	0.2 %
. (M)	2	0.5 %

Based upon 442 valid cases out of 444 total cases.

- Mean: 3.98
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 16.86

AIDSR29	Number of people with HIV shared works w/

Location:	3057-3060 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of them ever shared a needle or works with you?

Value	Label	Unweighted Frequency	%
0	-	298	67.1 %
1	-	7	1.6 %
2	-	1	0.2 %
-9 (M)	Legitimate skip	136	30.6 %
. (M)	-	2	0.5 %

Based upon 306 valid cases out of 444 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.19

AIDSR30	Number of people with HIV had sex w/

Location:	3061-3064 (width: 4; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9 , .
Question:	How many of them ever had sex with you?

Value	Label	Unweighted Frequency	%
0	-	278	62.6 %
1	-	21	4.7 %
2	-	4	0.9 %
3	-	1	0.2 %
5	-	1	0.2 %
20	-	1	0.2 %
-9 (M)	Legitimate skip	136	30.6 %
. (M)	-	2	0.5 %

Based upon 306 valid cases out of 444 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.23

INDEXDATE	**Index date for follow ups**

Location:	3065-3075 (width: 11; decimal: 0)
Variable Type:	character
Question:	Index date for follow-ups.
	Based upon 444 valid cases out of 444 total cases.

DUE30DAY	**Date 30 day follow up due**

Location:	3076-3086 (width: 11; decimal: 0)
Variable Type:	character
Question:	Date 30 day follow-up due.
	Based upon 444 valid cases out of 444 total cases.

DUE90DAY	**Date 90 day follow up due**

Location:	3087-3097 (width: 11; decimal: 0)
Variable Type:	character
Question:	Date 90 day follow-up due.
	Based upon 444 valid cases out of 444 total cases.