ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Carl Leukefeld
University of Kentucky. Center on Drug and
Alcohol Research

Codebook for Restructuring Risky Relationships Intake

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30842/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

May 2007

Missing Value Codes: Unless otherwise noted in the Values column of the codebook, missing values are coded as follows:

Missing Value	Explanation
-1	Variable not on form
-2	Illegible
-3	Not applicable
-4	Don't know
-5	Bad data
-6	Multiple response
-7	Refusal
-8	Blank
-9	Legitimate skip

Header File Information

SAS Variable Name	SAS Format	SAS Variable Label	Values	
CJDID	F5.0	CJDATS Study ID Number First digit is Lead Center ID, following by three dig ID 2100 – RRR/HIV		
RCTR	F2.0	(1) University of Maryland/VCU (2) University of Ke (3) Connecticut (4) University of Miami (5) University of Delaware (6) NDRI Midwest (7) UC (8) Rhode Island (9) NDRI Rocky Mountains (10) T		
SITE	F4.0	Research Site	1– Site 1 2 – Site 2 3 – Site 3	
WAVE	F2.0	Interview Visit/Wave	(0) baseline	
COND	F2.0	Study Condition	(0) control (1) treatment	
STAFFID	F4.0	Staff ID	Numeric code for staff completing CRFs	
CID	F4.0	Client ID Number	Sequential client id	

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
INTSTRT	HHMM5.	А	Interview Start Time	00:00-23:59 (missing=99:99)
INTLOC	F2.0	В	Interview Location	(1) prison (2) work furlough program (3) community corrections facility (4) half-way house (5) parole/probation office (6) community TX program (7) other
INTLOC1	A50	В	Interview Location Other Specify	Text
IDATE	MMDDYY10.	С	Interview Date	MM/DD/YYYY (missing=01/01/1900)
CSEX	F2.0	D	Client Gender	(1) male (2) female
STJAIL	MMDDYY10.	INCARC1	Date began current incarceration	MM/DD/YYYY (missing=01/01/1900)
PRE30JL	MMDDYY10.	INCARC2	Date thirty days prior to STJAIL	MM/DD/YYYY (missing=01/01/1900)
PRE180JL	MMDDYY10.	INCARC3	Date one hundred eighty days (6 months) prior to STJAIL	MM/DD/YYYY (missing=01/01/1900)
DY30FREE	F2.0	INCARC4	Number of days client was free during the 30 days prior to the current incarceration	0-30
DY180FRE	F3.0	INCARC5	Number of days client was free during the 180 days prior to current incarceration	0-180
CDOB	MMDDYY10.	F	Client Birth Date	MM/DD/YYYY (missing=01/01/1900)
CHISP	F2.0	A-2	Hispanic/Latino	(1) yes (0) no
CHETHN	F2.0	A-2a	Hisp/Latino Ethnic Group	 (1) Central American (2) Cuban (3) Dominican (4) Mexican National (5) Puerto Rican (6) South American (7) Other (specify)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				(8) Mexican American
CHETHN1	A50	A-2a	Other Specified Ethnic Group	Text
CBLACK	F2.0	A-3	African American Race	(1) yes (0) no
CASIAN	F2.0	A-3	Asian Race	(1) yes (0) no
CNATIVE	F2.0	A-3	Native American Race	(1) yes (0) no
CWHITE	F2.0	A-3	White Race	(1) yes (0) no
CPACISL	F2.0	A-3	Pacific Islander Race	(1) yes (0) no
COTHRAC	F2.0	A-3	Other Race	(1) yes (0) no
CRACE1	A50	A-3	Other Specified Race	Text
CLIVE	F2.0	A-4	Current Living Situation	(1) shelter (2) street/outdoors (3) institution (4) own house/apt (5) someone else's house/apt (6) halfway house (7) residential TX (8) Other
CLIVE1	A50	A-4	Other Specified Current Living Situation	Text
LNGLIV	F3.0	A-5	# Mos in Current Living Situation	0 (less than 1 month) - ###
HOMLESS	F3.0	A-6	# Nights in Homeless Shelter Past 6 Mos	0-##
SUPRLIV	F3.0	A-7	# Nights in Supervised Living Past 6 Mos	0-##
LIVSP	F2.0	A-8	Live w/Spouse or Partner	(1) yes (0) no
JOBSP	F2.0	A-8a	Spouse Employment Status	(1) full time (2) part time (3) unemployed (4) not in labor force
NUMCH	F2.0	A-9	# of Children	0-##
MINORCH	F2.0	A-9a	# of Children Under 18	0-##
LIVCH	F2.0	A-9b	# Children Live(d) w/Subject past 6 Mos	0-##
SUPCH	F2.0	A-9c	# Children Rec(d) Financial Support Past 6 Mos	0-##
FOSTCH	F2.0	A-9d	# Children in Foster Care Past 6 Mos	0-##
DEPEND	F2.0	A-10	# People Dependent Past 6 Mos	0-##
CMSTAT	F2.0	A-11	Marital Status	(1) never married (2)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				legally married (3) living as married (including common law marriage) (4) separated (5) divorced (6) widowed
LNGMST	F3.0	A-11a	# Months in Current Marital Status	0 (<1) - ###
GRADE	F2.0	A-12	Highest Grade Completed	##
HS	F2.0	A-13a	High School Grad	(1) yes (0) no
VOTECH	F2.0	A-13b	Completed Voc/Tech Training	(1) yes (0) no
GED	F2.0	A-13c	Completed GED	(1) yes (0) no
WORKGED	F2.0	A-13d	Working on GED/Voc Tech	(1) yes (0) no
LNGVTCH	F3.0	A-14	# Days in Voc/Tech Program Past 6 Mos	0-##
LNGEDUC	F3.0	A-15	# Days in Literacy/Educ Program Past 6 Mos	0-##
DRVLIC	F2.0	A-16	Valid Driver's License	(1) yes (0) no
JOB	F2.0	A-17	Employment past 6 mos	(1) full time (2) part time (3) looking (4) disabled (5) volunteer (6) retired (7) not looking (8) in school (9) armed forces (10) homemaker (11) other
FINSUP1	F2.0	A-18(a)	# Mos Support From Job	0-6
AMTSUP1	F4.0	A-18(a1)	# Dollars Support From Job Past 30 Days	0-####
FINSUP2	F2.0	A-18(b)	# Mos Support From (Ex)Spouse	0-6
FINSUP3	F2.0	A-18(c)	# Mos Support From Partner/Friend	0-6
FINSUP4	F2.0	A-18(d)	# Mos Support From Family	0-6
FINSUP5	F2.0	A-18(e)	# Mos Support From Unemployment	0-6
AMTSUP5	F4.0	A-18(e1)	# Dollars Support From Unemployment Past 30 Days	0-####
FINSUP6	F2.0	A-18(f)	# Mos Support From Retirement	0-6
AMTSUP6	F4.0	A-18(f1)	# Dollars Support From	0-###

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Retirement Past 30 Days	
FINSUP7	F2.0	A-18(g)	# Mos Support From Disability	0-6
AMTSUP7	F4.0	A-18(g1)	# Dollars Support From Disability Past 30 Days	0-####
FINSUP8	F2.0	A-18(h)	# Mos Support From Welfare	0-6
AMTSUP8	F4.0	A-18(h1)	# Dollars Support From Welfare Past 30 Days	0-###
FINSUP9	F2.0	A-18(i)	# Mos Support From Selling Drugs	0-6
FINSUP10	F2.0	A-18(j)	# Mos Support From Selling Sex	0-6
FINSUP11	F2.0	A-18(k)	# Mos Support From Other Illegal Activity	0-6
AMTSUP11	F4.0	A-18(k1)	# Dollars Support from Other Illegal Activities	0-###
FINSUP12	F2.0	A-18(I)	# Mos Support From Jail/TX/Hospital	0-6
FINSUP13	F2.0	A-18(m)	# Mos Other Support	0-6
FINSP13a	A50	A-18(m)	Other Source of Financial Support	Text
MAJSUP	F2.0	A-19	Major Source of Support	(1) job (2) (ex)spouse (3) partner/friend (4) family (5) unemployment (6) retirement (7) disability (8) welfare (9) selling drugs (10) selling sex (11) other illegal activity (12) jail/tx/hospital (13) other
FMREL1	F2.0	B-1a	Got Along w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL2	F2.0	B-1b	Enjoyed Being w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL3	F2.0	B-1c	Drank w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL4	F2.0	B-1d	Got Drunk	(0) Never (1) Rarely (2)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			w/Spouse/Partner Past 6 Mos	Sometimes (3) Often (4) Always (5) Not Applicable
FMREL5	F2.0	B-1e	Used Drugs w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL6	F2.0	B-1f	Talked About Interests/Needs w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL7	F2.0	B-1g	Helped Each Other w/Problems Past 6 Mos (Spouse/Partner)	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL8	F2.0	B-1h	Blamed or Fussed at by Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL9	F2.0	B-1i	Disagreements w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FMREL10	F2.0	B-1j	Fights w/Spouse/Partner Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL1	F2.0	B-2a	Got Along w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL2	F2.0	B-2b	Enjoyed Being w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL3	F2.0	B-2c	Drank w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL4	F2.0	B-2d	Got Drunk w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL5	F2.0	B-2e	Used Drugs w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL6	F2.0	B-2f	Talked About Interests/Needs w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL7	F2.0	B-2g	Helped Each Other	(0) Never (1) Rarely (2)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			w/Problems Past 6 Mos (Parents)	Sometimes (3) Often (4) Always (5) Not Applicable
PRREL8	F2.0	B-2h	Blamed or Fussed at by Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL9	F2.0	B-2i	Disagreements w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
PRREL10	F2.0	B-2j	Fights w/Parents Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL1	F2.0	B-3a	Got Along w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL2	F2.0	B-3b	Enjoyed Being w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL3	F2.0	B-3c	Drank w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL4	F2.0	B-3d	Got Drunk w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL5	F2.0	B-3e	Used Drugs w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL6	F2.0	B-3f	Talked About Interests/Needs w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL7	F2.0	B-3g	Helped Each Other w/Problems Past 6 Mos (Siblings)	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL8	F2.0	B-3h	Blamed or Fussed at by Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL9	F2.0	B-3i	Disagreements w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
SBREL10	F2.0	B-3j	Fights w/Siblings Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				Always (5) Not Applicable
FRCHR1	F2.0	C-1a	Friends Worked Regularly Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR2	F2.0	C-1b	Friends Spent Time W/Families Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR3	F2.0	C-1c	Friends Liked Being w/Families Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR4	F2.0	C-1d	Friends Worked Regularly Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR5	F2.0	C-1e	Friends Got Into Fights Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR6	F2.0	C-1f	Friends Worked Regularly Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR7	F2.0	C-1g	Friends Got Drunk Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR8	F2.0	C-1h	Friends Dealt Drugs Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR9	F2.0	C-1i	Friends Did Illegal Things Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR10	F2.0	C-1j	Friends Spent Time w/Gangs Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
FRCHR11	F2.0	C-1k	Friends Got Arrested Past 6 Mos	(0) Never (1) Rarely (2) Sometimes (3) Often (4) Always (5) Not Applicable
GANGEV	F2.0	C-2	Ever Been Gang Member Prior to Arrest on the Timeline	(1) yes (0) no
GANGC	F2.0	C-3	Gang Member Currently	(1) yes (0) no
ARSTLF	F4.0	D-1	# Times Arrested Lifetime	0-###
ARSTDRG	F4.0	D-1a	# Times Arrested While	0-####

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Using/Getting Drugs	
AGE1AR	F2.0	D-1b	Age at 1 st Arrest	##
ARSTJV	F4.0	D-1c	# Times Arrested Before 18	0-####
ARST6M	F3.0	D-2	# Times Arrested Past 6 Mos	0-###
ARST30D	F2.0	D-3	# Times Arrested Past 30 Days	0-##
JAIL30D	F2.0	D-4	# Nights in Jail Past 30 Days	0-30
C1CMLF	F3.0	D-5-Q6 a(1)	# Times Committed PI Lifetime	0-###
C1CM6M	F3.0	D-5-Q6b(1)	# Times Committed PI Past 6 Mos	0-###
C1CM30	F2.0	D-5-Q6c(1)	# Times Committed PI Past 30 Days	0-##
C2CMLF	F3.0	D-5-Q6a(2)	# Times Committed DWI Lifetime	0-###
C2CM6M	F3.0	D-5-Q6b(2)	# Times Committed DWI Past 6 Mos	0-###
C2CM30	F2.0	D-5-Q6c(2)	# Times Committed DWI Past 30 Days	0-##
C2CMIN	F2.0	D-5-Q6d(2)	# People Injured DWI Past 6 Mos	0-##
C2CMDT	F2.0	D-5-Q6e(2)	# People Died DWI Past 30 Days	0-##
C3CMLF	F3.0	D-5-Q6a(3)	# Times Committed Illegal Drugs Lifetime	0-###
C3CM6M	F3.0	D-5-Q6b(3)	# Times Committed Illegal Drugs Past 6 Mos	0-###
C3CM30	F2.0	D-5-Q6c(3)	# Times Committed Illegal Drugs Past 30 Days	0-##
C4CMLF	F3.0	D-5-Q6a(4)	# Times Committed Possession Intent to Dist Lifetime	0-###
C4CM6M	F3.0	D-5-Q6b(4)	# Times Committed Possession Intent to Dist Past 6 Mos	0-###
C4CM30	F2.0	D-5-Q6c(4)	# Times Committed Possession Intent to Dist Past 30 Days	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
C5CMLF	F3.0	D-5-Q6a(5)	# Times Committed Possession Drug Para Lifetime	0-###
C5CM6M	F3.0	D-5-Q6b(5)	# Times Committed Possession Drug Para Past 6 Mos	0-###
C5CM30	F2.0	D-5-Q6c(5)	# Times Committed Possession Drug Para Past 30 Days	0-##
C6CMLF	F3.0	D-5-Q6a(6)	# Times Committed Drug Manuf Lifetime	0-###
C6CM6M	F3.0	D-5-Q6b(6)	# Times Committed Drug Manuf Past 6 Mos	0-###
C6CM30	F2.0	D-5-Q6c(6)	# Times Committed Drug Manuf Past 30 Days	0-##
C7CMLF	F3.0	D-5-Q6a(7)	# Times Committed Drug Sale Lifetime	0-###
C7CM6M	F3.0	D-5-Q6b(7)	# Times Committed Drug Sale Past 6 Mos	O-###
C7CM30	F2.0	D-5-Q6c(7)	# Times Committed Drug Sale Past 30 Days	0-##
C8CMLF	F3.0	D-5-Q6a(8)	# Times Committed Forgery/Fraud Lifetime	0-###
C8CM6M	F3.0	D-5-Q6b(8)	# Times Committed Forgery/Fraud Past 6 Mos	0-###
C8CM30	F2.0	D-5-Q6c(8)	# Times Committed Forgery/Fraud Past 30 Days	0-##
C9CMLF	F3.0	D-5-Q6a(9)	# Times Committed Fencing Lifetime	0-###
С9СМ6М	F3.0	D-5-Q6b(9)	# Times Committed Fencing Past 6 Mos	0-###
C9CM30	F2.0	D-5-Q6c(9)	# Times Committed Fencing Past 30 Days	0-##
C10CMLF	F3.0	D-5-Q6a(10)	# Times Committed Illegal Gambling Lifetime	0-###
C10CM6M	F3.0	D-5-Q6b(10)	# Times Committed Illegal Gambling Past 6 Mos	0-###
C10CM30	F2.0	D-5-Q6c(10)	# Times Committed Illegal Gambling Past 30 Days	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
C11CMLF	F3.0	D-5-Q6a(11)	# Times Committed Prostitution/Pimping Lifetime	0-###
C11CM6M	F3.0	D-5-Q6b(11)	# Times Committed Prostitution/Pimping Past 6 Mos	0-###
C11CM30	F2.0	D-5-Q6c(11)	# Times Committed Prostitution/Pimping Past 30 Days	0-##
C12CMLF	F3.0	D-5-Q6a(12)	# Times Committed Burglary Lifetime	0-###
C12CM6M	F3.0	D-5-Q6b(12)	# Times Committed Burglary Past 6 Mos	0-###
C12CM30	F2.0	D-5-Q6c(12)	# Times Committed Burglary Past 30 Days	0-##
C13CMLF	F3.0	D-5-Q6a(13)	# Times Committed Larceny Lifetime	0-###
C13CM6M	F3.0	D-5-Q6b(13)	# Times Committed Larceny Past 6 Mos	0-###
C13CM30	F2.0	D-5-Q6c(13)	# Times Committed Larceny Past 30 Days	0-##
C14CMLF	F3.0	D-5-Q6a(14)	# Times Committed Auto Theft Lifetime	0-###
C14CM6M	F3.0	D-5-Q6b(14)	# Times Committed Auto Theft Past 6 Mos	0-###
C14CM30	F2.0	D-5-Q6c(14)	# Times Committed Auto Theft Past 30 Days	0-##
C14CMIN	F2.0	D-5-Q6d(14)	# People Injured Auto Theft Past 30 Days	0-##
C14CMDT	F2.0	D-5-Q6e(14)	# People Died Auto Theft Past 30 Days	0-##
C15CMLF	F3.0	D-5-Q6a(15)	# Times Committed Robbery Lifetime	O-###
C15CM6M	F3.0	D-5-Q6b(15)	# Times Committed Robbery Past 6 Mos	O-###
C15CM30	F2.0	D-5-Q6c(15)	# Times Committed Robbery Past 30 Days	0-##
C15CMIN	F2.0	D-5-Q6d(15)	# People Injured Robbery Past 30 Days	0-##
C15CMDT	F2.0	D-5-Q6e(15)	# People Died Robbery Past	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			30 Days	
C16CMLF	F3.0	D-5-Q6a(16)	# Times Committed Assault Lifetime	0-###
C16CM6M	F3.0	D-5-Q6b(16)	# Times Committed Assault Past 6 Mos	0-###
C16CM30	F2.0	D-5-Q6c(16)	# Times Committed Assault Past 30 Days	0-##
C16CMIN	F2.0	D-5-Q6d(16)	# People Injured Assault Past 6 Mos	0-##
C16CMDT	F2.0	D-5-Q6e(16)	# People Died Assault Past 6 Mos	0-##
C17CMLF	F3.0	D-5-Q6a(17)	# Times Committed Kidnapping Lifetime	0-###
C17CM6M	F3.0	D-5-Q6b(17)	# Times Committed Kidnapping Past 6 Mos	0-###
C17CM30	F2.0	D-5-Q6c(17)	# Times Committed Kidnapping Past 30 Days	0-##
C17CMIN	F2.0	D-5-Q6d(17)	# People Injured Kidnapping Past 6 Mos	0-##
C17CMDT	F2.0	D-5-Q6e(17)	# People Died Kidnapping Past 6 Mos	0-##
C18CMLF	F3.0	D-5-Q6a(18)	# Times Committed Terrorism Lifetime	0-###
C18CM6M	F3.0	D-5-Q6b(18)	# Times Committed Terrorism Past 6 Mos	0-###
C18CM30	F2.0	D-5-Q6c(18)	# Times Committed Terrorism Past 30 Days	0-##
C18CMIN	F2.0	D-5-Q6d(18)	# People Injured Terrorism Past 6 Mos	0-##
C18CMDT	F2.0	D-5-Q6e(18)	# People Died Terrorism Past 6 Mos	0-##
C19CMLF	F3.0	D-5-Q6a(19)	# Times Committed Homicide Lifetime	0-###
C19CM6M	F3.0	D-5-Q6b(19)	# Times Committed Homicide Past 6 Mos	0-###
C19CM30	F2.0	D-5-Q6c(19)	# Times Committed Homicide Past 30 Days	0-##
C19CMIN	F2.0	D-5-Q6d(19)	# People Injured Homicide Past 6 Mos	0-##
C19CMDT	F2.0	D-5-Q6e(19)	# People Died Homicide	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Past 6 Mos	
C20CMLF	F3.0	D-5-Q6a(20)	# Times Committed Arson Lifetime	0-###
C20CM6M	F3.0	D-5-Q6b(20)	# Times Committed Arson Past 6 Mos	0-###
C20CM30	F2.0	D-5-Q6c(20)	# Times Committed Arson Past 30 Days	0-##
C20CMIN	F2.0	D-5-Q6d(20)	# People Injured Arson Past 6 Mos	0-##
C20CMDT	F2.0	D-5-Q6e(20)	# People Died Arson Past 6 Mos	0-##
C21MLF	F3.0	D-5-Q6a(21)	# Times Committed Weapons Offense Lifetime	0-###
C21CM6M	F3.0	D-5-Q6b(21)	# Times Committed Weapons Offense Past 6 Mos	0-###
C21CM30	F2.0	D-5-Q6c(21)	# Times Committed Weapons Offense Past 30 Days	0-##
C22CMLF	F3.0	D-5-Q6a(22)	# Times Committed Vandalism Lifetime	0-###
C22CM6M	F3.0	D-5-Q6b(22)	# Times Committed Vandalism Past 6 Mos	0-###
C22CM30	F2.0	D-5-Q6c(22)	# Times Committed Vandalism Past 30 Days	0-##
C23CMLF	F3.0	D-5-Q6a(23)	# Times Committed Sex Offense Lifetime	0-###
C23CM6M	F3.0	D-5-Q6b(23)	# Times Committed Sex Offense Past 6 Mos	0-###
C23CM30	F2.0	D-5-Q6c(23)	# Times Committed Sex Offense Past 30 Days	0-##
C23CMIN	F2.0	D-5-Q6d(23)	# People Injured Sex Offense Past 6 Mos	0-##
C23CMDT	F2.0	D-5-Q6e(23)	# People Died Sex Offense Past 6 Mos	0-##
C24CMLF	F3.0	D-5-Q6a(24)	# Times Committed Probation/Parole Violation Lifetime	0-###
C24CM6M	F3.0	D-5-Q6b(24)	# Times Committed Probation/Parole Violation	0-###

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Past 6 Mos	
C24CM30	F2.0	D-5-Q6c(24)	# Times Committed Probation/Parole Violation Past 30 Days	0-##
C25SPEC	A50	D-5-Q6 (25)	Other Crime Specified	Text of other crime category
C25CMLF	F3.0	D-5-Q6a(25)	# Times Committed Other Crime Lifetime	0-###
C25CM6M	F3.0	D-5-Q6b(25)	# Times Committed Other Crime Past 6 Mos	0-###
C25CM30	F2.0	D-5-Q6c(25)	# Times Committed Other Crime Past 30 Days	0-##
C25CMIN	F2.0	D-5-Q6d(25)	# People Injured Other Crime Past 6 Mos	0-##
C25CMDT	F2.0	D-5-Q6e(25)	# People Died Other Crime Past 6 Mos	0-##
JAILC	F2.0	D-6	Currently in Jail	(1) yes (0) no
JAILCYR	F2.0	D-6a	Time Currently in Jail (Years)	0 (<1) - ##
JAILCMO	F2.0	D-6a	Time Currently in Jail (Months)	0 (<1) - ##
JAILCDY	F2.0	D-6a	Time Currently in Jail (Days)	1-##
JAILCNY	F2.0	D-6b	Time in Jail Current Conviction (Years)	0 (<1) - ##
JAILCNM	F2.0	D-6b	Time in Jail Current Conviction (Months)	0 (<1) - ##
JAILCND	F2.0	D-6b	Time in Jail Current Conviction (Days)	0 (<1) - ##
DGTXJLC	F2.0	D-6c	Drug TX Since Current Lock Up	(1) yes (0) no
DGTXC	F2.0	D-6d	Currently in Drug TX Program	(1) yes (0) no
LDGTXCM	F2.0	D-6d	Time in Current TX Program (Months)	0 (<1) - ##
LDGTXCD	F2.0	D-6d	Time in Current TX Program (Days)	1-##
JHUMED	F3.0	D-6e(1)	# Nights in Jail Hospital Medical Problems Past 6 Mos	0-###

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
JHUEMOT	F3.0	D-6e(2)	# Nights in Jail Hospital Emotional Problems Past 6 Mos	O-###
JHUMSA	F3.0	D-6e(3)	# Nights in Jail Hospital Substance Use Past 6 Mos	0-###
JRESPRG	F3.0	D-6f	# Nights in Residential TX During Incarceration Past 6 Mos	0-###
JIPSY	F3.0	D-6g	# Times Indiv Psych Session During Incarceration Past 6 Mos	0-###
JGPSY	F3.0	D-6h	# Times Group Psych Session During Incarceration Past 6 Mos	0-###
JISA	F3.0	D-6i	# Times Indiv Subs Abuse Session During Incarceration Past 6 Mos	O-###
JGSA	F3.0	D-6j	# Times Group Subs Abuse Session During Incarceration Past 6 Mos	0-###
JAILLF	F4.0	D-8	# Times in Jail Lifetime	0-###
AGE1JL	F2.0	D-8a	Age 1st Time in Jail	##
TOTJLTM	F3.0	D-8b	Total Time in Jail Lifetime (Months)	1-###
JAIL6M	F3.0	D-9	# Times in Jail Past 6 Mos	0-###
DYJL6M	F3.0	D-9a	# Days in Jail Past 6 Mos	0-###
JAIL30D	F2.0	D-9b	# Days in Jail Past 30 Days	0-##
PROB6M	F3.0	D-10	# Days on Probation Past 6 Mos	0-###
PAROL6M	F3.0	D-11	# Days on Parole Past 6 Mos	0-###
LEGSTAT	F2.0	D-12	Current Legal Status	(1) none (2) probation no jail sentence (3) probation with jail sentence (4) parole (5) mandatory prison release w/supervision (6) pretrial release (7) diversion program (8) prison (9) other

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
LEGSTAT1	A50	D-12	Other Specified Current Legal Status	Text
HEALTH	F2.0	E-1	Overall Health Rating	(1) poor (2) fair (3) good (4) very good (5) excellent
PAINLF	F2.0	E-2a	Pain/Discomfort Lifetime	(1) yes (0) no
DPRSLF	F2.0	E-2b	Depression Lifetime	(1) yes (0) no
ANXLF	F2.0	E-2c	Anxiety/Tension Lifetime	(1) yes (0) no
HLUCLF	F2.0	E-2d	Hallucinations Lifetime	(1) yes (0) no
CONCLF	F2.0	E-2e	Trouble Understand/Concentrate/ Remember Lifetime	(1) yes (0) no
VIOLLF	F2.0	E-2f	Trouble Controlling Violent Behavior Lifetime	(1) yes (0) no
SIDELF	F2.0	E-2g	Suicide Thoughts Lifetime	(1) yes (0) no
SATTLF	F2.0	E-2h	Suicide Attempts Lifetime	(1) yes (0) no
PAIN30D	F2.0	E-3a	Pain/Discomfort Past 30 Days	(1) yes (0) no
DPRS30D	F2.0	E-3b	Depression Past 30 Days	(1) yes (0) no
ANX30D	F2.0	E-3c	Anxiety/Tension Past 30 Days	(1) yes (0) no
HLCTN30D	F2.0	E-3d	Hallucinations Past 30 Days	(1) yes (0) no
CONC30D	F2.0	E-3e	Trouble Understand/Concentrate/ Remember Past 30 Days	(1) yes (0) no
VOIL30D	F2.0	E-3f	Trouble Controlling Violent Behavior Past 30 Days	(1) yes (0) no
SIDE30D	F2.0	E-3g	Suicide Thoughts Past 30 Days	(1) yes (0) no
SATT30D	F2.0	E-3h	Suicide Attempts Past 30 Days	(1) yes (0) no
PYPR30D	F2.0	E-4a	Bothered by Psych/Emot Probs Past 30 days	(1) not at all (2) slightly (3) moderately (4) considerably (5) extremely
ABUSE6M	F2.0	E-5a	# Times Given Birth	0-##
ARGUE6M	F2.0	E-5b	# Times Baby Born Early/With Problems	0-##
NBIRTH	F2.0	E-6a	Physically/Sexually/Emotion ally Abused Past 6 Mos	(1) yes (0) no
BRTHPRB	F2.0	E-6b	Physically/Verbally Threatened Someone Past 6	(1) yes (0) no

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Mos	
PHOSPLF	F2.0	E-7	# Times Hospitalized for Psych Problems Lifetime	0-##
HHOSPLF	F2.0	E-8	# Times Hospitalized for Health Problems Lifetime	0-##
HTXPHYS	F2.0	E-9a(1)	Hospital TX for Physical Complaint past 30 Days	(1) yes (0) no
HTXPHDY	F2.0	E-9a(2)	# Nights Hospital TX for Physical Complaint past 30 Days	0-30
HTXMENT	F2.0	E-9a(3)	Hospital TX for Mental/Emot Difficulty past 30 Days	(1) yes (0) no
HTXMNDY	F2.0	E-9a(4)	# Nights Hospital TX for Mental/Emot Difficulty past 30 Days	0-30
HTXSUBS	F2.0	E-9a(5)	Hospital TX for Alc/Subs Use past 30 Days	(1) yes (0) no
HTXSUDY	F2.0	E-9a(6)	# Nights Hospital TX for Alc/Subs Use past 30 Days	0-30
HDETOX	F2.0	E-9a(7)	# Nights in Detox Past 30 Days	0-30
HRESPRG	F2.0	E-9a(8)	# Nights in Residential Program Past 30 Days	0-30
OTXPHYS	F2.0	E-9b(1)	Outpatient TX for Physical Complaint past 30 Days	(1) yes (0) no
OTXPHDY	F2.0	E-9b(2)	# Nights Outpatient TX for Physical Complaint past 30 Days	0-30
OTXMENT	F2.0	E-9b(3)	Outpatient TX for Mental/Emot Difficulty past 30 Days	(1) yes (0) no
OTXMNDY	F2.0	E-9b(4)	# Nights Outpatient TX for Mental/Emot Difficulty past 30 Days	0-30
OTXGPSY	F3.0	E-9b(5)	# Times Attended Group Psych Session Past 30 Days	0-###
OTXSUBS	F2.0	E-9b(6)	Outpatient TX for Alc/Subs Use past 30 Days	(1) yes (0) no
OTXSUDY	F2.0	E-9b(7)	# Nights Outpatient TX for	0-30

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Alcohol/Substance Use past 30 Days	
OTXGSU	F3.0	E-9b(8)	# Times Attended Group Subs Abuse Session Past 30 Days	0-###
ETXPHYS	F2.0	E-9c(1)	ER TX for Physical Complaint Past 30 Days	(1) yes (0) no
ETXPHDY	F3.0	E-9c(2)	# ER Admissions ER for Physical Complaint Past 30 Days	0-###
ETXMENT	F2.0	E-9c(3)	ER TX for Mental/Emot Difficulty Past 30 Days	(1) yes (0) no
ETXMNDY	F3.0	E-9c(4)	# ER Admissions for Mental/Emot Difficulty Past 30 Days	0-###
ETXSUBS	F2.0	E-9c(5)	ER TX for Alc/Subs Use Past 30 Days	(1) yes (0) no
ETXSUDY	F3.0	E-9c(6)	# ER Admissions for Alc/Subs Use Past 30 Days	0-###
MSDP1	F2.0	F-1a	#1 Most Serious Drug Before TX	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth (10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other drug
MSDP2	F2.0	F-1b	#2 Most Serious Drug Before TX	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				(10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other drug
MSDP3	F2.0	F-1c	#3 Most Serious Drug Before TX	(0) none (1) alcohol (2) tobacco (3) inhalants (4) marijuana (5) hallucinogens (6) crack (7) cocaine (8) heroin & cocaine (9) heroin & meth (10) heroin (11) street methadone (12) other opiates (13) methamphetamine (14) other amphetamine (15) librium (16) barbiturates (17) other sedatives (18) non-prescription GHB (19) ketamine (20) other drug
AGE1ALC	F2.0	F-2-Q2(1)	Age 1 st Alcohol Use	(0) – never used 1- 99
ALC6M	F2.0	F-2-Q2a(1)	Alcohol Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
ALC30D	F2.0	F-2-Q2b(1)	Alcohol Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1TOB	F2.0	F-2-Q2(2)	Age 1 st Tobacco Use 19 of 37	(0) – never used

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				1- 99
TOB6M	F2.0	F-2-Q2a(2)	Tobacco Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
TOB30D	F2.0	F-2-Q2b(2)	Tobacco Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1INH	F2.0	F-2-Q2(3)	Age 1 st Inhalant Use	(0) – never used, 1-99
INH6M	F2.0	F-2-Q2a(3)	Inhalant Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
INH30D	F2.0	F-2-Q2b(3)	Inhalant Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1MJ	F2.0	F-2-Q2a(4)	Age 1 st Marijuana Use	## (0) – never used
мл6м	F2.0	F-2-Q2b(4)	Marijuana Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
MJ30D	F2.0	F-2-Q2c(4)	Marijuana Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1HLC	F2.0	F-2-Q2a(5)	Age 1 st Hallucinogen Use	## (0) – never used
HLUC6M	F2.0	F-2-Q2b(5)	Hallucinogen Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
HLUC30D	F2.0	F-2-Q2c(5)	Hallucinogen Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1CRK	F2.0	F-2-Q2a(6)	Age 1 st Crack Use	## (0) – never used
CRCK6M	F2.0	F-2-Q2b(6)	Crack Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
CRCK30D	F2.0	F-2-Q2c(6)	Crack Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1COC	F2.0	F-2-Q2a(7)	Age 1 st Cocaine Use	## (0) – never used
COC6M	F2.0	F-2-Q2b(7)	Cocaine Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
COC30D	F2.0	F-2-Q2c(7)	Cocaine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1COIN	F2.0	F-2-Q2d(7)	Age 1 st Injected Cocaine	## (0) – never used
COINJ30	F2.0	F-2-Q2e(7)	Injected Cocaine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1HCO	F2.0	F-2-Q2a(8)	Age 1 st Heroin & Cocaine Use	## (0) – never used
НСОС6М	F2.0	F-2-Q2b(8)	Heroin & Cocaine Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
HCOC30D	F2.0	F-2-Q2c(8)	Heroin & Cocaine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1HCIN	F2.0	F-2-Q2d(8)	Age 1 st Injected Heroin & Cocaine	## (0) – never used
HCINJ30	F2.0	F-2-Q2e(8)	Injected Heroin & Cocaine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1HMO	F2.0	F-2-Q2a(9)	Age 1 st Heroin & Meth Use	## (0) – never used
НМТН6М	F2.0	F-2-Q2b(9)	Heroin & Meth Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
HMTH30D	F2.0	F-2-Q2c(9)	Heroin & Meth Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1HMIN	F2.0	F-2-Q2d(9)	Age 1 st Injected Heroin & Meth	## (0) – never used
HMINJ30	F2.0	F-2-Q2e(9)	Injected Heroin & Meth Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1HER	F2.0	F-2-Q2a(10)	Age 1 st Heroin Use	##
HER6M	F2.0	F-2-Q2b(10)	Heroin Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
HER30D	F2.0	F-2-Q2c(10)	Heroin Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				2-3 times per day (8) 4+ times per day
AG1HEIN	F2.0	F-2-Q2d(10)	Age 1 st Injected Heroin	##
HEINJ30	F2.0	F-2-Q2e(10)	Injected Heroin Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1MTH	F2.0	F-2-Q2a(11)	Age 1 st Methadone Use	##
MTHD6M	F2.0	F-2-Q2b(11)	Street Methadone Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
MTHD30D	F2.0	F-2-Q2c(11)	Street Methadone Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1MTIN	F2.0	F-2-Q2d(11)	Age 1 st Injected Methadone	##
MTINJ30	F2.0	F-2-Q2e(11)	Injected Methadone Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE10PI	F2.0	F-2-Q2a(12)	Age 1 st Other Opiate Use	##
ОРІАТ6М	F2.0	F-2-Q2b(12)	Other Opiate Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				times per day
OPIAT30D	F2.0	F-2-Q2c(12)	Other Opiate Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG10PIN	F2.0	F-2-Q2d(12)	Age 1 st Injected Other Opiates	##
OPINJ30	F2.0	F-2-Q2e(12)	Injected Other Opiates Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1MET	F2.0	F-2-Q2a(13)	Age 1 st Methamphetamine Use	##
МЕТА6М	F2.0	F-2-Q2b(13)	Methamphetamine Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
META30D	F2.0	F-2-Q2c(13)	Methamphetamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1MEIN	F2.0	F-2-Q2d(13)	Age 1 st Injected Methamphetamine	##
MEINJ30	F2.0	F-2-Q2e(13)	Injected Methamphetamine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				2-3 times per day (8) 4+ times per day
AGE1AMP	F2.0	F-2-Q2a(14)	Age 1 st Other Amphetamine Use	##
АМРН6М	F2.0	F-2-Q2b(14)	Other Amphetamine Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AMPH30D	F2.0	F-2-Q2c(14)	Other Amphetamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1AMIN	F2.0	F-2-Q2d(14)	Age 1 st Injected Other Amphetamine	##
AMINJ30	F2.0	F-2-Q2e(14)	Injected Other Amphetamine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1LIB	F2.0	F-2-Q2a(15)	Age 1 st Librium Use	##
LIB6M	F2.0	F-2-Q2b(15)	Librium Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
LIB30D	F2.0	F-2-Q2c(15)	Librium Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				time per day (7) 2-3 times per day (8) 4+ times per day
AG1LBIN	F2.0	F-2-Q2d(15)	Age 1 st Injected Librium	##
LBINJ30	F2.0	F-2-Q2e(15)	Injected Librium Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1BAR	F2.0	F-2-Q2a(16)	Age 1 st Barbiturate Use	##
BARB6M	F2.0	F-2-Q2b(16)	Barbiturate Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
BARB30D	F2.0	F-2-Q2c(16)	Barbiturate Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1BAIN	F2.0	F-2-Q2d(16)	Age 1 st Injected Barbiturate	##
BAINJ30	F2.0	F-2-Q2e(16)	Injected Barbiturate Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1SED	F2.0	F-2-Q2a(17)	Age 1 st Other Sedative Use	##
SED6M	F2.0	F-2-Q2b(17)	Other Sedative Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				2-3 times per day (8) 4+ times per day
SED30D	F2.0	F-2-Q2c(17)	Other Sedative Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1SDIN	F2.0	F-2-Q2d(17)	Age 1 st Injected Other Sedative	##
SDINJ30	F2.0	F-2-Q2e(17)	Injected Other Sedative Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1GHB	F2.0	F-2-Q2a(18)	Age 1 st Non-prescription GHB Use	##
GHB6M	F2.0	F-2-Q2b(18)	Non-prescription GHB Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
GHB30D	F2.0	F-2-Q2c(18)	Non-prescription GHB Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1GBIN	F2.0	F-2-Q2d(18)	Age 1 st Injected Non- prescription GHB	##
GBINJ30	F2.0	F-2-Q2e(18)	Injected Non-prescription GHB Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AGE1KET	F2.0	F-2-Q2a(19)	Age 1 st Ketamine Use	##
KET6M	F2.0	F-2-Q2b(19)	Ketamine Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
KET30D	F2.0	F-2-Q2c(19)	Ketamine Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AG1KTIN	F2.0	F-2-Q2d(19)	Age 1 st Injected Ketamine	##
KTINJ30	F2.0	F-2-Q2e(19)	Injected Ketamine Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
OTHDRUG	A50	F-2(20)	Other Specified Drug	Text
AGE10TH	F2.0	F-2-Q2a(20)	Age 1 st Other Drug Use	##
OTHD6M	F2.0	F-2-Q2b(20)	Other Drug Use Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
OTHD30D	F2.0	F-2-Q2c(20)	Other Drug Use Past 30 days	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7)

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				2-3 times per day (8) 4+ times per day
AG1OTIN	F2.0	F-2-Q2d(20)	Age 1 st Injected Other Drug	##
OTINJ30	F2.0	F-2-Q2d(20)	Injected Other Drug Past 30 days	0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
ALCDYS	F2.0	F-3	Days Drank Alcohol Past 30 Days	0-30
BEERDYS	F2.0	F-3a	Days Drank Beer Past 30 Days	0-30
AMTBEER	F2.0	F-3a(1)	Number of cans or bottles beer per day	0-##
SZBEER	F2.0	F-3a(2)	Size of can or bottles of beer (ounces)	0-##
MALTDYS	F2.0	F-3b	Days Drank Malt or Wine Cooler Past 30 Days	0-30
AMTMALT	F2.0	F-3b(1)	Number of can or bottles malt per day	0-##
SZMALT	F2.0	F-3b(2)	Size of can or bottles of malt (ounces)	0-##
WINEDYS	F2.0	F-3c	Days Drank Wine Past 30 Days	0-30
AMTWINE1	F2.0	F-3c(1a)	Number of glasses or bottles of wine per day	0-##
SZWINE	F2.0	F-3c(2)	Size of bottles of wine (ounces)	0-##
FWINEDYS	F2.0	F-3d	Days Drank Fortified Wine or Fortified Wine Coolers Past 30 Days	0-30
AMTFWIN1	F2.0	F-3d(1a)	Number of glasses or bottles of fortified wine per day	0-##
SZFWINE	F2.0	F-3d(2)	Size of bottles of fortified wine (ounces)	0-##
LIQRDYS	F2.0	F-3e	Days Drank Hard Liquor Past 30 Days	0-30

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
AMTLIQ1	F2.0	F-3e(1a)	Number of glasses liquor per day	0-##
AMTLIQ2	F2.0	F-3e(1b)	Number of bottles liquor per day	0-##
SZLIQUOR	F2.0	F-3e(2)	Size of bottles of liquor (ounces)	0-##
TYPELIQ	F1.0	F-3e(3)	Type of liquor	1 = 80-100 proof, 40-50% alcohol 2 = 120-190 proof, 60 to 95% alcohol
ALCPRB1	F2.0	F-4a(1)	Alcohol Use Affected Physical Health Past 6 Mos	(1)never (2) rarely (3) sometimes (4) often (5) always
ALCPRB2	F2.0	F-4b(1)	Alcohol Use Affected Relations w/Family or Friends Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
ALCPRB3	F2.0	F-4c(1)	Alcohol Use Affected General Attitude/Emot Health Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
ALCPRB4	F2.0	F-4d(1)	Alcohol Use Affected Attention/ Concentration Past 6 Mos	(0) never (1) rarely (2) sometimes (3) often (4) always
ALCPRB5	F2.0	F-4e(1)	Alcohol Use Affected Work Past 6 Mos	(0) never (1) rarely (2) sometimes (3) often (4) always
ALCPRB6	F2.0	F-4f(1)	Alcohol Use Affected Money Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
ALCPRB7	F2.0	F-4g(1)	Alcohol Use Affected Fights Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
ALCPRB8	F2.0	F-4h(1)	Alcohol Use Affected Police/Legal Trouble Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB1	F2.0	F-4a(2)	Drug Use Affected Physical Health Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB2	F2.0	F-4b(2)	Drug Use Affected Relations w/Family or Friends Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
DRGPRB3	F2.0	F-4c(2)	Drug Use Affected General Attitude/Emot Health Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB4	F2.0	F-4d(2)	Drug Use Affected Attention/ Concentration Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB5	F2.0	F-4e(2)	Drug Use Affected Work Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB6	F2.0	F-4f(2)	Drug Use Affected Money Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB7	F2.0	F-4g(2)	Drug Use Affected Fights Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRGPRB8	F2.0	F-4h(2)	Drug Use Affected Police/Legal Trouble Past 6 Mos	(0)never (1) rarely (2) sometimes (3) often (4) always
DRUGOD	F2.0	F-5	# Drug Overdoses Lifetime	0-##
LSTDROD	F3.0	F-5a	# Months Since Last Drug Overdose	0 (<1) - ##
INTDROD	F2.0	F-5b	# Times Intentionally Overdosed on Drugs	0-##
SUPROB1	F2.0	F-6	Stress Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)
SUPROB2	F2.0	F-7	Gave Up Activities Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)
SUPROB3	F2.0	F-8	Emotional Problems Because of Alc/Drug Use Past 30 Days	(1) not at all (2) somewhat (3) considerably (4) extremely (5) not applicable (marked on form)
QTSUBS	F2.0	F-9	# Times Quit Alc/Drugs for >=3 Mos	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
QTCTRK	F2.0	F-9a(1)	# Times Quit On Own	0-##
QTTX	F2.0	F-9a(2)	# Times Quit in Community TX	0-##
QTJLNTX	F2.0	F-9a(3)	# Times Quit in Jail (no TX)	0-##
QTJLTX	F2.0	F-9a(4)	# Times Quit in Jail TX	0-##
QTOTHER	F2.0	F-9a(5)	# Times Quit Other Way	0-##
QTOTHER1	A50	F-9a(5)	Other Specified Way Quit Drugs	Text
LNGQT	F3.0	F-9b	Longest Ever Able to Stay Clean (Months)	0 (<1) - ###
SATXIMP	F2.0	F-10	Importance of Subs Abuse TX After Release	(1) not at all (2) somewhat (3) considerably (4) extremely
NDRGTX	F2.0	F-11	# Times in Substance Abuse TX program	0-##
NINPTX	F2.0	F-Q11a(1)	# Times Entered Inpatient TX	0-##
AG1INTX	F2.0	F-Q11b(1)	Age 1 st Admission to Inpatient TX	##
MOSINTX	F3.0	F-Q11c(1)	Months Treated in Inpatient TX	0 (<1) - ###
NRESTX	F2.0	F-Q11a(2)	# Times Entered Residential TX	0-##
AG1RSTX	F2.0	F-Q11b(2)	Age 1 st Admission to Residential TX	##
MOSRSTX	F3.0	F-Q11c(2)	Months Treated in Residential TX	0 (<1) - ###
NONTX	F2.0	F-Q11a(3)	# Times Entered Other Institutional TX	0-##
AG1ONTX	F2.0	F-Q11b(3)	Age 1 st Admission to Other Institutional TX	##
MOSONTX	F3.0	F-Q11c(3)	Months Treated in Other Institutional TX	0 (<1) - ###
NODFTX	F2.0	F-Q11a(4)	# Times Entered Outpatient TX	0-##
AG1DFTX	F2.0	F-Q11b(4)	Age 1 st Admission to Outpatient TX	##
MOSDFTX	F3.0	F-Q11c(4)	Months Treated in Outpatient TX	0 (<1) - ###
NOMTX	F2.0	F-Q11a(5)	# Times Entered Outpatient	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Methadone TX	
AG1RSTX	F2.0	F-Q11b(5)	Age 1 st Admission to Outpatient Methadone TX	##
MOSRSTX	F3.0	F-Q11c(5)	Months Treated in Outpatient Methadone TX	0 (<1) - ###
OTHTX1	A50	F-Q11(6)	1 st Other Specified Treatment Program	Text
NOTHTXA	F2.0	F-Q11a(6)	# Times Entered Other TX (1)	0-##
AG1OTXA	F2.0	F-Q11b(6)	Age 1 st Admission to Other TX (1)	##
MOSOTXA	F3.0	F-Q11c(6)	Months Treated in Other TX (1)	0 (<1) - ###
OTHTX2	A50	F-Q11(7)	2 nd Other Specified Treatment Program	Text
NOTHTXB	F2.0	F-Q11a(6)	# Times Entered Other TX (2)	0-##
AG1OTXB	F2.0	F-Q11b(6)	Age 1 st Admission to Other TX (2)	##
MOSOTXB	F3.0	F-Q11c(6)	Months Treated in Other TX (2)	0 (<1) - ###
SLFHLPM	F2.0	F-13	Ever Gone to Self Help Meetings	(1) yes (0) no
AGE1SHM	F2.0	F-13a	Age 1 st Self Help Meeting	##
NSHLPM	F2.0	F-13b	# Self Help Meetings Attended Lifetime	(1) 1-5 (2) 6-10 (3) 11-25 (4) 26-100 (5) >100
MOSSHM	F3.0	F-13c	# Months Attended Self Help Meetings	0 (<1) - ###
SHLP30D	F2.0	F-13d	Attended Self Help Meetings Past 30 Days	(1) yes (0) no
MEDINS	F2.0	F-14	Have Medical Insurance	(1) yes (0) no
AIDSR1	F2.0	G-1	# Times Injected Drugs Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AIDSR2	F2.0	G-2	# Times Used Dirty Needles Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
				times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AIDSR3	F2.0	G-3	# Times Shared Cooker/Cotton/Rinse Water Past 6 Mos	(0) never (1) 1-3 times (2) 1 time per month (3) 2-3 times per month (4) 1 time per week (5) 2-6 times per week (6) 1 time per day (7) 2-3 times per day (8) 4+ times per day
AIDSR4	F3.0	G-4	# People Shared Works With Past 6 Months	0-###
AIDSR5	F3.0	G-5	# Times Injected Drugs Past 30 Days	0-###
AIDSR6	F3.0	G-6	# Times Used Dirty Needles Past 30 Days	0-###
AIDSR7	F3.0	G-7	# Times Shared Cooker/Cotton/Rinse Water Past 30 Days	0-###
AIDSR8	F3.0	G-8	# Times Injected w/Others Past 30 Days	0-###
AIDSR9	F3.0	G-9	# People Shared Works With Past 30 Days	0-###
AIDSR10	F3.0	G-10	# Times Gave Dirty Needles to Others Past 30 Days	0-###
AIDSR11	F3.0	G-11	# People Had Sex With Past 6 Months	0-###
AIDSR12	F3.0	G-12a	# Times Had Sex w/out Condom w/Casual Partner Past 6 Months	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a week (4) about every day
AIDSR13	F3.0	G-12b	# Times Had Sex w/out Condom w/Injection Drug User Past 6 Months	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a week (4) about every day
AIDSR14	F3.0	G-12c	# Times Had Sex w/out Condom While Trading Sex for Drugs/Money Past 6	(0) never (1) only a few times (2) 1-3 times a month (3) 1-5 times a

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Months	week (4) about every day
AIDSR15	F3.0	G-13	# People Had Sex With Past 30 Days	0-###
AIDSR16	F3.0	G-14	# Male Partners Past 30 Days	0-###
AIDSR17	F3.0	G-14	# Female Partners Past 30 Days	0-###
AIDSR18	F3.0	G-15	# Times Had Sex Past 30 Days	0-###
AIDSR19	F3.0	G-16	# Times had Sex w/out Condom Past 30 Days	0-###
AIDSR20	F3.0	G-16a(1)	# Times Had Sex w/out Condom w/Casual Partner Past 30 Days	0-###
AIDSR21	F3.0	G-16a(2)	# Times Had Sex w/out Condom w/ Injection Drug User Past 30 Days	0-###
AIDSR22	F3.0	G-16a(3)	# Times Had Sex w/out Condom w/Someone Who Smokes Crack/Cocaine Past 30 Days	0-###
AIDSR23	F3.0	G-16a(4)	# Times Had Sex w/out Condom While High Past 30 Days	0-###
AIDSR24	F3.0	G-16a(5)	# Times Had Sex w/out Condom While Trading Sex for Drugs/Money Past 30 Days	0-###
AIDSR25	F3.0	G-16a(6)	# Times Had Sex w/out Condom During Vaginal Sex Past 30 Days	0-###
AIDSR26	F3.0	G-16a(7)	# Times Had Sex w/out Condom During Oral Sex Past 30 Days	0-###
AIDSR27	F3.0	G-16a(8)	# Times Had Sex w/out Condom During Anal Sex Past 30 Days	0-###
AIDSR28	F3.0	G-17	# Acquaintances Have HIV/AIDS	0-###
AIDSR29	F2.0	G-17a	# People w/HIV Shared	0-##

SAS Variable Name	SAS Format	Corresponding Survey Item	SAS Variable Label	Values
			Needles or Works With	
AIDSR30	F2.0	G-17b	# People w/HIV Had Unprotected Sex With	0-##