HTML Tags Chart

To use any of the following HTML tags, simply select the HTML code you'd like and copy and paste it into your web page.

Tag	Name	Code Example	Browser View
</td <th>comment</th> <td><!--This can be viewed in the <b-->HTML part of a document></td> <td>Nothing will show (Tip)</td>	comment	This can be viewed in the <b HTML part of a document>	Nothing will show (Tip)
<a -<="" td=""><th>anchor</th><td> Visit Our Site</td><td>Visit Our Site (Tip)</td>	anchor	 Visit Our Site	Visit Our Site (Tip)
	bold	Example	Example
<big></big>	big (text)	<big>Example</big>	Example (Tip)
<body></body>	body of HTML documen t	<body>The content of your HTML page</body>	Contents of your web page (Tip)
 	line break	The contents of your page < br > The contents of your page	The contents of your web page The contents of your web page
<center></center>	center	<pre><center>This will center your contents</center></pre> /center>	This will center your contents
<dd></dd>	definition descripti on	<pre><dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term <dt>Definition Term</dt> <dd>Definition of the term</dd> </dt></dl> </pre>	Definition Term Definition of the term Definition Term Definition of the term
<dl></dl>	definition list	<pre><dl> <dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dd>Definition of the term</dd> </dl> </dl></pre>	Definition Term Definition of the term Definition Term Definition of the term
<dt></dt>	definition term	<pre><dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term <dt>Definition Term</dt> <dd>Definition of the term</dd> </dt></dl> </pre>	Definition Term Definition of the term Definition Term Definition of the term
	emphasis	This is an Example of using the emphasis tag	This is an <i>Example</i> of using the emphasis tag
<embed/>	embed object	<pre><embed align="center" height="60" src="yourfile.mid" width="100%"/></pre>	(Tip)
<embed/>	embed object	<embed autostart="true" hidden="false" loop="false" src="yourfile.mid"/> < noembed> < bgsound src="yourfile.mid" loop="1">	Music will begin playing when your page is loaded and will only play one time. A control panel will be displayed to enable your visitors to stop the music.
	font	Example	Example (Tip)

	font	Example	Example (Tip)
	font	<pre>Example</pre>	Example (Tip)
<form></form>	form	<pre><form action="mailto:you@yourdomain.com "> Name: <input name="Name" size="10" value=""/> Email: <input name="Email" size="10" value=""/> <center><input type="submit"/></center> </form></pre>	Name: (Tip) Email: Submit
<h1> <h2> <h3> <h4> <h5> <h6></h6></h5></h4></h3></h2></h1>	heading 1 heading 2 heading 3 heading 4 heading 5 heading 6	<h2>Heading 2 Example</h2> <h3>Heading 3 Example</h3> <h4>Heading 4 Example</h4> <h5>Heading 5 Example</h5>	Heading 1 Heading 2 Heading 3 Heading 4 Heading 5 Heading 6
<head></head>	heading of HTML documen t	<head>Contains elements describing the document</head>	Nothing will show
<hr/>	horizonta I rule	<hr/>	Contents of your web page (Tip)
<hr/>	horizonta I rule	<hr size="3" width="50%"/>	Contents of your web page Contents of your web page Contents of your web page
<hr/>	horizonta I rule	<hr noshade="" size="3" width="50%"/>	Contents of your web page Contents of your web page
<hr/> (Internet Explorer)	horizonta I rule	<hr <br="" color="<u>#ff0000</u>" size="4" width="75%"/> />	Contents of your web page Contents of your web page
<hr/> (Internet Explorer)	horizonta I rule	<hr <br="" color="<u>#6699ff</u>" size="6" width="25%"/> />	Contents of your web page Contents of your web page
<html></html>	hypertext markup language	<html> <head> <meta/> <title>Title of your web page</title> </head> <body>HTML web page contents </body> </html>	Contents of your web page
<i>></i>	italic	<i>Example</i>	Example
	image	<pre></pre>	(Tip)

	-11-		
		Example 1:	Evernle 1. (Tip)
	input	<pre><form action="/cgi- bin/example.cgi" method="post"></form></pre>	Example 1: (Tip)
<input/>	field	<input <="" size="10" td="" type="text"/> <td>Submit</td>	Submit
		maxlength="30"> <input type="Submit" value="Submit"/>	
		Example 2:	
		<form action="/cgi-</td><td>Example 2: <u>(Tip)</u></td></tr><tr><td><input></td><th>input</th><td>bin/example.cgi" method="post"> <input maxlength="30" size="10" style="color: #ffffff;</td><td>Example 2. (119)</td></tr><tr><td>(Internet
Explorer)</td><th>field</th><td>font-family: Verdana; font-weight: bold; font-</td><td>Submit</td></tr><tr><td>2,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</td><th></th><td>size: 12px; background-color: #72a4d2;" type="text"/></form>	
		<input type="Submit" value="Submit"/>	
		Example 3:	
		<pre><form action="/cgi-
bin/example.cgi" method="post"></form></pre>	[
		<table <="" border="0" cellspacing="0" td=""><td>Example 3: (Tip)</td></table>	Example 3: (Tip)
<input/>	input field	cellpadding="2"> <td bgcolor="#8463ff"><input <="" td="" type="text"/><td>GO</td></td 	GO
		size="10" maxlength="30"> <td bgcolor="#8463ff" valign="Middle"> <input< td=""><td></td></input<></td 	
		type="image" name="submit"	
		src="yourimage.gif">	
		Example 4:	Evernle 4. (Tip)
		<form action="/cgi-</td><td>Example 4: (Tip)</td></tr><tr><td></td><th></th><td>bin/example.cgi" method="post"></form>	
<input/>	input	Enter Your Comments: <textarea <="" name="Comments" td="" wrap="virtual"><td></td></tr><tr><td></td><th>field</th><td>rows=3 cols=20
maxlength=100></textarea>	▼
		<input type="Submit" value="Submit"/>	Submit Clear
		<input type="Reset" value="Clear"/>	
		Example 5:	
		<pre><form action="/cgi-</pre></td><td></td></tr><tr><td></td><th></th><td>bin/example.cgi" method="post"></form></pre>	Evample E. Tip)
		<pre><center> Select an option:</center></pre>	Example 5: <u>Tip)</u>
		<select> <option> option 1</option></select>	Select an option 2
<input/>	input field	<pre><option selected="">option 2</option></pre>	option: option 2
		<pre><option>option 3</option> <option>option 4</option></pre>	Submit
		<pre><option>option 5</option></pre>	
		<pre><option>option 6</option> </pre>	
		<input type="Submit" value="Submit"/>	
<input/>	input field	Example 6:	Example 6: <u>(Tip)</u>
	rieiu	<u> </u>	

		<pre><form action="/cgi- bin/example.cgi" method="post"> Select an option: </form></pre>	Select an option: Option 1 Option 2 Option 3 Select an option: Selection 1 Selection 2 Selection 3 Submit
		name="selection"> Selection 3 <input type="Submit" value="Submit"/>	
>	list item	Example 1: <menu> type="disc">List item 1 type="circle">List item 2 type="square">List item 3 </menu> Example 2: type="i"> List item 1 List item 2 List item 3 List item 4 	Example 1: (Tip) • List item 1 • List item 2 • List item 3 Example 2: i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4
	link	<pre></pre> <pre><head> <link href="style.css" rel="stylesheet" type="text/css"/> </head></pre>	
<marquee> (Internet Explorer)</marquee>	scrolling text	<marquee bgcolor="#cccccc" loop="-1" scrollamount="2" width="100%">Example Marquee</marquee>	(Tip)
<menu></menu>	menu	<menu> type="disc">List item 1 <li type="circle">List item 2 <li type="square">List item 3 </menu>	List item 1List item 2List item 3
<meta/>	meta	<meta content="Description of your site" name="Description"/> <meta content="keywords describing your site" name="keywords"/>	Nothing will show (Tip)
<meta/>	meta	<meta <br="" http-equiv="Refresh"/> CONTENT="4; URL=http://www.yourdomain.c om/">	Nothing will show (Tip)

<meta/>	meta	<meta content="no-cache" http-equiv="Pragma"/>	Nothing will show (Tip)
<meta/>	meta	<meta content="General" name="rating"/>	Nothing will show (Tip)
<meta/>	meta	<meta content="all" name="robots"/>	Nothing will show (Tip)
<meta/>	meta	<meta content="noindex,follow" name="robots"/>	Nothing will show (Tip)
<meta/>	meta	<meta content="all" name="robots"/> <meta <="" name="robots" td=""/> <td>Nothing will show (Tip)</td>	Nothing will show (Tip)
		Lowercase Roman Numerals	iv. List item 4
		<ol type="i">	Capital Roman Numerals
		List item 1 List item 2 List item 3 List item 4	I. List item 1 II. List item 2 III. List item 3 IV. List item 4

		Capital Roman Numerals	Capital Roman Numerals
			Special Start
		<pre><ol type="I"> List item 1 List item 2 List item 3 List item 4 </pre>	VII. List item 1 VIII. List item 2 IX. List item 3 X. List item 4
		Capital Roman Numerals Special Start	
		<pre><ol start="7" type="I"> List item 1 List item 2 List item 3 List item 4 </pre>	
	listbox	<pre><form action="/cgi- bin/example.cgi" method="post"></form></pre>	Select an option: (Tip)
<option></option>	option	<pre><option>option 3</option> <option>option 4</option> <option>option 5</option> <option>option 6</option> </pre>	option 2 ▼
		This is an example displaying the use of the paragraph tag. This will create a line break and a space between lines.	This is an example displaying the use of the paragraph tag.
		Attributes:	This will create a line break and a space between lines.
		Example 1:	Attributes:
		This is an example displaying the use	Example 1: This is an example
<	paragrap h	of the paragraph tag. Example 2:	displaying the use of the paragraph tag.
		<pre> This is an example </pre>	Example 2:
		displaying the use of the paragraph tag. Example 3:	This is an example displaying the use of the paragraph tag.
		 <pre> </pre>	Example 3:
		This is an example displaying the use of the paragraph tag.	This is an example displaying the use of the paragraph tag.
<small></small>	small (text)	<small>Example</small>	Example <u>(Tip)</u>

<strike></strike>	deleted text	<strike>Example</strike>	Example
	strong emphasis	Example	Example
	table	Example 1: Column 1 Example 2: (Internet Explorer) Ctolumn 1 Example 3: Example 3: Ctable cellpadding="2" cellspacing="2" width="100%"> Ctable cellpadding="2" cellspacing="2" cellspacing="2" width="100%"> Ctable cellpadding="2" cellspac	Example 1: (Tip) Column 1 Column 2 Example 2: (Tip) Column 1 Column 2 Example 3: (Tip) Column 1 Column 2 Row 2 Row 2
>	table data	Column 1	Column 1 Column 2
>	table header	<pre><div align="center"> Column 1 Column 2 Column 3 Column 3 Column 3</div></pre>	Colum Colum Colum n 1 n 2 n 3 Row 2 Row 2 Row 2 Row 3 Row 3 Row 3 Row 4 Row 4 Row 4

1			
		<pre> Row 4 Row 4 Row 4 Action Row 4</pre>	
<title></th><th>documen
t title</th><td><title>Title of your HTML page</title> <td>Title of your web page will be viewable in the title bar. (Tip)</td>	Title of your web page will be viewable in the title bar. (Tip)		
	table row	Column 1	Column 1 Column 2
<tt></tt>	teletype	<tt>Example</tt>	Example
<u></u>	underline	<u>Example</u>	<u>Example</u>
	unordere d list	Example 1: 	Example 1: • List item 1 • List item 2 Example 2: • List item 1 • List item 2 • List item 3 • List item 4