

# Probability

CSC 480: Artificial Intelligence, Spring 2026

## I Part : Uncertainty and Probability

## Contents

Q1: What is a random variable? What notation do we use to write the probability that random variable  $X$  takes value  $x$ ? What does the symbol  $\Omega$  denote?

<sup>1</sup>

|     |                                                       |   |
|-----|-------------------------------------------------------|---|
| I   | Part : Uncertainty and Probability .....              | 1 |
| II  | Part : Conditional Probability and Independence ..... | 4 |
| III | Part : Bayes Nets .....                               | 7 |

<sup>1</sup>AIMA Chapter 12.1 Page 406

Q2: State the two properties that any valid probability distribution must satisfy. Why are both necessary? <sup>2</sup>

<sup>2</sup>Course notes: 06-Probability, Page 2

Q3: A CSC 480 student logs every study session by day type  $D$  and type of work done/studied for  $T$ . The resulting joint distribution is partially filled in below:

| D       | T        | P(d, t) |
|---------|----------|---------|
| weekday | homework | 0.28    |
| weekday | exam     | 0.24    |
| weekday | project  | 0.16    |
| weekend | homework | 0.23    |
| weekend | exam     | 0.05    |
| weekend | project  | $p$     |

(a) What must  $p$  be? Why?

(b) Compute the full marginal distributions  $P(D)$  and  $P(T)$ .

(c) Compute  $P(\text{exam} \vee \text{project})$ , the probability a randomly chosen session involves either an exam or a project.<sup>3</sup>

<sup>3</sup>Note: that exam and project are mutually exclusive outcomes; how does this simplify the calculation compared to the general disjunction formula?

(d) Are  $D$  and  $T$  independent? Check using the formal definition for at least two outcome pairs and state your conclusion.

Q4: Write the general formula for computing the marginal distribution  $P(X = x)$  from a joint distribution  $P(X, Y)$ . Explain in your own words what “marginalizing out”  $Y$  means.

Q5: What is the difference between an *outcome* and an *event*? Write the formula<sup>4</sup> for computing the probability of an event  $E$  from a joint distribution.

<sup>4</sup>Course notes: 06-Probability, Page 3

Q6: Using the joint distribution below, compute the following:

| <b>X</b> | <b>Y</b> | <b>P(x, y)</b> |
|----------|----------|----------------|
| <i>a</i> | <i>c</i> | 0.2            |
| <i>a</i> | <i>d</i> | 0.3            |
| <i>b</i> | <i>c</i> | 0.4            |
| <i>b</i> | <i>d</i> | 0.1            |

(a)  $P(a, c)$

(b)  $P(a)$

(c)  $P(b \vee d)$

Q7: Derive a formula for  $P(E_1 \vee E_2)$  in terms of  $P(E_1)$ ,  $P(E_2)$ , and  $P(E_1 \wedge E_2)$ . Why would simply computing  $P(E_1) + P(E_2)$  give the wrong answer in general? Then extend your formula to  $P(E_1 \vee E_2 \vee E_3)$ .

Q8: When are two events  $E_1$  and  $E_2$  said to be *mutually exclusive*? How does mutual exclusivity simplify the formula from Q7?

Q9: Define independence between events  $E_1$  and  $E_2$ . Write the formal definition using joint probabilities. Then rewrite the definition equivalently using conditional probability.

## II Part : Conditional Probability and Independence

---

Q10: Define conditional probability  $P(a \mid b)$  and state the formula. Explain why we restrict the sample space to  $B$ , and why do we then normalize by  $P(b)$ ?

Q11: Using the joint distribution from Q3, compute  $P(\text{exam} \mid \text{weekday})$ , the probability that a session is exam-related, given that it falls on a weekday. Show your work using the conditional probability formula.

Q12: At the start of this unit's exam, professor Wright in all of his mischievous macinations, has devised a meta scheme. He has prepared three piles of exams, pile A, pile B, and pile C. One pile contains an easy version of the exam, with questions ripped right from the study guide; the other two contain a harder version, for which presumably very few of you will pass...

At the start of the class, students grab an exam from whichever pile they like and take them face down to their seats. You take from pile A and sit down with your mortified peers.

Sam, having taken all three exams to test them, knows which exam pile is which, and is torn. Not wanting to let the students all take the easy exam for free, but pitying the inevitable torment of the students, has announced that pile C is one of the *hard exam* piles.

You are allowed to get up and swap your exam for one from pile B if you so choose.

(a) Before the Sam's announcement, what is  $P(A \text{ is easy})$ ?<sup>5</sup>

<sup>5</sup>Each pile is equally likely to be the easy one.

(b) Use Bayes' Rule to compute  $P(A \text{ is easy} \mid \text{announces C})$  and  $P(B \text{ is easy} \mid \text{announces C})$ .

(c) Should you swap to pile B? By what factor does switching improve your odds of getting the easy exam?

Q13: Define *conditional independence* ( $A \perp B \mid C$ ). Write the formal condition both in terms of  $P(A \mid B, C)$  and in terms of  $P(A \wedge B \mid C)$ .

Q14: Explain the difference between general independence ( $A \perp B$ ) and conditional independence ( $A \perp B \mid C$ ).

(a)

For each case below, argue whether it is possible and give a brief example or counterexample:

(b)  $A$  and  $B$  are independent, but not conditionally independent given  $C$ .

(c)  $A$  and  $B$  are conditionally independent given  $C$ , but not generally independent.

## III Part : Bayes Nets

---