
Bar Plot of Top ORA Gene Ontologies in KO vs WT Condition 1 Differential Expression Analysis
phosphatidylinositol−mediated signaling
inositol lipid−mediated signaling
protein kinase B signaling
phosphatidylinositol 3−kinase signaling
regulation of membrane potential
syncytium formation
regulation of protein kinase B signaling
positive regulation of protein kinase B signaling
0
5
10
15
20
Count
p.adjust
2e−04
4e−04
6e−04
8e−04


Bar Plot of Top ORA Gene Ontologies in WT Condition 2 vs WT Condition 1 Differential Expression Analysis
positive regulation of cytokine production
leukocyte migration
positive regulation of response to external stimulus
negative regulation of immune system process
cell chemotaxis
leukocyte chemotaxis
response to virus
defense response to virus
0
50
100
150
Count
p.adjust
2.009232e−39
5.960925e−27
1.192185e−26
1.788277e−26
2.384370e−26


Bar Plot of Top ORA Gene Ontologies in KO Condition 2 vs KO Condition 1 Differential Expression Analysis
leukocyte migration
actin filament organization
positive regulation of response to external stimulus
positive regulation of cytokine production
cell chemotaxis
regulation of leukocyte migration
myeloid leukocyte migration
actin polymerization or depolymerization
0
25
50
75
100
Count
p.adjust
9.519426e−35
3.062481e−23
6.124962e−23
9.187443e−23
1.224992e−22


Dot Plot of Top GO GSEA Gene Sets in KO vs WT Condition 1 Differential Expression Analysis
RNA splicing
rRNA processing
regulation of translation
translation
ribosome biogenesis
peptide biosynthetic process
posttranscriptional regulation of gene expression
ncRNA processing
ribonucleoprotein complex biogenesis
ncRNA metabolic process
0.45
0.50
0.55
0.60
GeneRatio
Count
120
160
200
p.adjust
6e−05
4e−05
2e−05


Dot Plot of Top GO GSEA Gene Sets in KO vs WT Condition 2 Differential Expression Analysis
innate immune response
ribosome biogenesis
peptide biosynthetic process
ribonucleoprotein complex biogenesis
regulation of translation
translation
posttranscriptional regulation of gene expression
cellular response to cytokine stimulus
ribonucleoprotein complex assembly
sensory perception
0.35
0.40
0.45
0.50
GeneRatio
Count
100
150
200
p.adjust
0.0015
0.0010
0.0005


Dot Plot of Top GO GSEA Gene Sets in WT Condition 2 vs WT Condition 1 Differential Expression Analysis
leukocyte mediated cytotoxicity
cell killing
adaptive immune response
pattern recognition receptor signaling pathway
toll−like receptor signaling pathway
cell activation involved in immune response
positive regulation of cytokine production
response to molecule of bacterial origin
negative regulation of cytokine production
activation of immune response
0.30
0.35
0.40
0.45
GeneRatio
Count
50
75
100
125
p.adjust
1.029412e−09


Dot Plot of Top GO GSEA Gene Sets in KO Condition 2 vs WT Condition 1 Differential Expression Analysis
cell killing
cell activation involved in immune response
leukocyte activation involved in immune response
myeloid leukocyte activation
response to molecule of bacterial origin
activation of immune response
negative regulation of cytokine production
immune effector process
adaptive immune response
positive regulation of cytokine production
0.28
0.32
0.36
0.40
GeneRatio
Count
75
100
125
p.adjust
2.257692e−09