
Bar Plot of Top ORA Gene Ontologies in WT vs KO Condition 1 Differential Expression Analysis
phosphatidylinositol−mediated signaling
inositol lipid−mediated signaling
response to wounding
gliogenesis
syncytium formation
glial cell differentiation
phosphatidylinositol 3−kinase signaling
signal transduction by p53 class mediator
0
5
10
15
Count
p.adjust
0.0006
0.0008
0.0010
0.0012
0.0014
0.0016


Bar Plot of Top ORA Gene Ontologies in WT vs KO Condition 2 Differential Expression Analysis
pattern specification process
regionalization
anterior/posterior pattern specification
nerve development
neuromuscular process
intermediate filament cytoskeleton organization
intermediate filament−based process
0
5
10
15
20
Count
p.adjust
0.002
0.003


Bar Plot of Top ORA Gene Ontologies in WT Condition 1 vs WT Condition 2 Differential Expression Analysis
leukocyte migration
positive regulation of cytokine production
positive regulation of response to external stimulus
cell chemotaxis
leukocyte chemotaxis
negative regulation of immune system process
regulation of immune effector process
regulation of leukocyte migration
0
50
100
Count
p.adjust
1.811092e−40
3.468552e−26
6.937104e−26
1.040566e−25
1.387421e−25


Bar Plot of Top ORA Gene Ontologies in KO Condition 1 vs KO Condition 2 Differential Expression Analysis
leukocyte migration
positive regulation of response to external stimulus
positive regulation of cytokine production
regulation of actin cytoskeleton organization
cell chemotaxis
actin filament organization
regulation of actin filament−based process
leukocyte chemotaxis
0
25
50
75
100
Count
p.adjust
1.242912e−26
1.197708e−20
2.395414e−20
3.593121e−20
4.790828e−20


Dot Plot of Top GO GSEA Gene Sets in WT vs KO Condition 1 Differential Expression Analysis
RNA splicing
translation
peptide biosynthetic process
posttranscriptional regulation of gene expression
rRNA processing
ribosome biogenesis
ncRNA processing
ncRNA metabolic process
ribonucleoprotein complex biogenesis
adaptive immune response
0.3
0.4
0.5
0.6
GeneRatio
Count
100
150
200
p.adjust
3e−05
2e−05
1e−05


Dot Plot of Top GO GSEA Gene Sets in WT vs KO Condition 2 Differential Expression Analysis
energy derivation by oxidation of organic compounds
RNA splicing
posttranscriptional regulation of gene expression
regulation of translation
regulation of cellular amide metabolic process
mRNA processing
viral process
ribosome biogenesis
ribonucleoprotein complex biogenesis
innate immune response
0.40
0.45
0.50
GeneRatio
Count
125
150
175
200
225
p.adjust
4e−07
3e−07
2e−07
1e−07


Dot Plot of Top GO GSEA Gene Sets in WT Condition 1 vs WT Condition 2 Differential Expression Analysis
leukocyte mediated cytotoxicity
cell killing
adaptive immune response
pattern recognition receptor signaling pathway
toll−like receptor signaling pathway
response to molecule of bacterial origin
negative regulation of cytokine production
cell activation involved in immune response
positive regulation of cytokine production
activation of immune response
0.30
0.35
0.40
0.45
GeneRatio
Count
60
80
100
120
140
p.adjust
1.091228e−09


Dot Plot of Top GO GSEA Gene Sets in KO Condition 1 vs WT Condition 2 Differential Expression Analysis
leukocyte mediated immunity
phagocytosis
myeloid leukocyte activation
adaptive immune response
regulation of immune effector process
negative regulation of immune system process
leukocyte activation involved in immune response
positive regulation of cytokine production
immune response−regulating signaling pathway
activation of immune response
0.30
0.35
0.40
GeneRatio
Count
80
100
120
140
p.adjust
5.581818e−09