



log fold change
3
2
1
0
−1
−2
−3
5
10
50
100
500
1000
5000
10000
mean of normalized counts


Volcano plot of KO vs WT in Condition 2 interaction
−log10 Adjusted p−value
60
40
20
0
−20
−10
0
10
20
log2 Fold Change


atmap plot of Differentially−Expressed Genes with a < 0.1 Adjusted P−Value, KO 1 vs KO 2 Interaction
condition
genome
sample_names
group
2
1
0
−1
−2
condition
condition1
condition2
genome
KO
sample_names
HTS019_05_JH134.M_LU_S5_L001
HTS019_06_JH134.M_LB_S6_L001
HTS019_07_JH134.M_LR_S7_L001
HTS019_08_JH139.M_LU_S8_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001
HTS019_15_JH139.M_LB_S15_L001
HTS019_16_JH139.M_RU_S16_L001
group
group2
group4
HTS019_05_JH134.M_LU_S5_L001
HTS019_06_JH134.M_LB_S6_L001
HTS019_07_JH134.M_LR_S7_L001
HTS019_08_JH139.M_LU_S8_L001
HTS019_15_JH139.M_LB_S15_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001
HTS019_16_JH139.M_RU_S16_L001