



log fold change
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
10
50
100
500
1000
5000
10000
mean of normalized counts


Volcano plot of KO vs WT in Condition 1 interaction
−log10 Adjusted p−value
25
20
15
10
5
0
−20
−10
0
log2 Fold Change


p plot of Differentially−Expressed Genes with a < 0.1 Adjusted P−Value, KO vs WT in Condition 1 Interaction
condition
genome
sample_names
group
2
1
0
−1
−2
condition
condition1
genome
WT
KO
sample_names
HTS019_01_JH135.M_LU_S1_L001
HTS019_02_JH135.M_LB_S2_L001
HTS019_03_JH135.M_RU_S3_L001
HTS019_04_JH140.M_LB_S4_L001
HTS019_05_JH134.M_LU_S5_L001
HTS019_06_JH134.M_LB_S6_L001
HTS019_07_JH134.M_LR_S7_L001
HTS019_08_JH139.M_LU_S8_L001
group
group1
group2
HTS019_05_JH134.M_LU_S5_L001
HTS019_06_JH134.M_LB_S6_L001
HTS019_07_JH134.M_LR_S7_L001
HTS019_08_JH139.M_LU_S8_L001
HTS019_03_JH135.M_RU_S3_L001
HTS019_04_JH140.M_LB_S4_L001
HTS019_01_JH135.M_LU_S1_L001
HTS019_02_JH135.M_LB_S2_L001