



log fold change
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
10
50
100
500
1000
5000
10000
mean of normalized counts


Volcano plot of KO vs WT in Condition 2 interaction
−log10 Adjusted p−value
10.0
7.5
5.0
2.5
0.0
−20
−15
−10
−5
0
5
log2 Fold Change


plot of Differentially−Expressed Genes with a < 0.1 Adjusted P−Value, KO vs WT in Condition 2 Interaction
condition
genome
sample_names
group
2
1
0
−1
−2
condition
condition2
genome
WT
KO
sample_names
HTS019_09_JH133.M_LU_S9_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_12_JH140.M_RU_S12_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001
HTS019_16_JH139.M_RU_S16_L001
group
group3
group4
HTS019_16_JH139.M_RU_S16_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001
HTS019_09_JH133.M_LU_S9_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_12_JH140.M_RU_S12_L001