




log fold change
2
0
−2
5
10
50
100
500
1000
5000
10000
mean of normalized counts


Volcano plot of WT in Condition 2 vs WT in Condition 1
−log10 Adjusted p−value
75
50
25
0
0
10
20
log2 Fold Change


Heatmap plot of KO vs WT in Condition 2 Interaction
condition
genome
sample_names
group
2
1
0
−1
−2
condition
condition1
condition2
genome
WT
sample_names
HTS019_01_JH135.M_LU_S1_L001
HTS019_02_JH135.M_LB_S2_L001
HTS019_03_JH135.M_RU_S3_L001
HTS019_04_JH140.M_LB_S4_L001
HTS019_09_JH133.M_LU_S9_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_12_JH140.M_RU_S12_L001
group
group1
group3
HTS019_09_JH133.M_LU_S9_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_12_JH140.M_RU_S12_L001
HTS019_03_JH135.M_RU_S3_L001
HTS019_04_JH140.M_LB_S4_L001
HTS019_01_JH135.M_LU_S1_L001
HTS019_02_JH135.M_LB_S2_L001


Rn18s−rs5
normalized count
50000
20000
10000
5000
WT
KO
group