




log fold change
2
1
0
−1
−2
10
50
100
500
1000
5000
10000
mean of normalized counts


Volcano plot of KO vs WT in Condition 2 interaction
−log10 Adjusted p−value
6
4
2
0
−20
−10
0
log2 Fold Change


Heatmap plot of KO vs WT in Condition 2 Interaction
condition
genome
sample_names
group
2
1
0
−1
−2
condition
condition2
genome
WT
KO
sample_names
HTS019_09_JH133.M_LU_S9_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_12_JH140.M_RU_S12_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001
HTS019_15_JH139.M_LB_S15_L001
HTS019_16_JH139.M_RU_S16_L001
group
group3
group4
HTS019_09_JH133.M_LU_S9_L001
HTS019_12_JH140.M_RU_S12_L001
HTS019_10_JH133.M_LB_S10_L001
HTS019_11_JH140.M_LU_S11_L001
HTS019_15_JH139.M_LB_S15_L001
HTS019_16_JH139.M_RU_S16_L001
HTS019_13_JH133.M_RU_S13_L001
HTS019_14_JH133.M_RB_S14_L001


Rn18s−rs5
normalized count
50000
20000
10000
5000
WT
KO
group