
Dot Plot of Top KEGG Enriched Pathways in KO vs WT Condition 1 Differential Expression Analysis
activated
suppressed
Ribosome
Diabetic cardiomyopathy
Cell adhesion molecules
0.80
0.85
0.90
0.95
GeneRatio
Count
10
20
30
40
p.adjust
0.075
0.050
0.025


Dot Plot of Top KEGG Enriched Pathways in KO vs WT Condition 2 Differential Expression Analysis
suppressed
Coronavirus disease − COVID−19
Non−alcoholic fatty liver disease
Ribosome
Amyotrophic lateral sclerosis
Prion disease
Huntington disease
Diabetic cardiomyopathy
Parkinson disease
Alzheimer disease
Pathways of neurodegeneration − multiple diseases
0.80
0.85
0.90
0.95
GeneRatio
Count
20
25
30
35
40
45
p.adjust
0.0025
0.0020
0.0015
0.0010
0.0005


Dot Plot of Top KEGG Enriched Pathways in KO 2 vs KO 1 Differential Expression Analysis
activated
suppressed
Circadian rhythm
Hematopoietic cell lineage
Staphylococcus aureus infection
Longevity regulating pathway − multiple species
Endocrine resistance
Lysosome
B cell receptor signaling pathway
TGF−beta signaling pathway
Phagosome
Systemic lupus erythematosus
Tuberculosis
Neutrophil extracellular trap formation
Chemokine signaling pathway
Osteoclast differentiation
Breast cancer
Parathyroid hormone synthesis, secretion and action
cAMP signaling pathway
Estrogen signaling pathway
MAPK signaling pathway
Protein processing in endoplasmic reticulum
0.4
0.6
0.8
GeneRatio
Count
10
20
30
40
p.adjust
0.04
0.03
0.02
0.01