Keyboard Shortcuts Cheat Sheet

https://csci-1301.github.io/about#authors

May 22, 2024 (01:30:40 PM)

Contents

1 Foreword

This document contains useful keyboard shortcuts for different operating systems and IDEs. We use the following symbols:

Symbol	Common Name
⇧	Shift
⌥	Option (or Alt)
⌘	Command (or Cmd)
↵	(Carriage) Return

The sections labeled with the star symbol ("*") work generally everywhere, beyond your IDE.

More advanced shortcuts may be available to your particular IDE:

- For Visual Studio for Windows, refer to the documentation[1],
- For Visual Studio for MacOS, refer to the documentation[2]
- For Rider, refer to the documentation[3],

---

[1]https://docs.microsoft.com/en-us/visualstudio/ide/default-keyboard-shortcuts-in-visual-studio?view=vs-2019
[2]https://docs.microsoft.com/en-us/visualstudio/mac/keyboard-shortcuts?view=vsmac-2019
[3]https://www.jetbrains.com/help/rider/mastering_keyboard_shortcuts.html

- For MonoDevelop, you can refer to this cheatsheet[4] or directly access the key binding panel[5].

2 Useful Shortcuts

2.1 Build solution

OS	Keys
Linux	Ctrl + ⇧ + B
MacOS	⌘ + B
Windows	Ctrl + ⇧ + B

2.2 Exit any program*

OS	Keys
Linux	Alt + F4 or Ctrl + q
MacOS	⌘ + q
Windows	Alt + F4

2.3 Redo*

OS	Keys
Linux	Ctrl + y
MacOS	⌘ + y
Windows	Ctrl + y

2.4 Run/execute program

OS	Keys
Linux	Ctrl + F5
MacOS	F5 -or- ⌥ + ⌘ + ↵
Windows	Ctrl + F5

---

[4]https://shortcutworld.com/Xamarin-Studio/win/Xamarin-Studio-(MonoDevelop)_Shortcuts
[5]https://mhut.ch/journal/2011/02/05/monodevelop-tips-key-bindings

2.5 Save*

OS	Keys
Linux	Ctrl + s
MacOS	⌘ + s
Windows	Ctrl + s

2.6 Save All*

OS	Keys
Linux	Ctrl + ⇧ + s
MacOS	⌘ + ⇧ + s
Windows	Ctrl + ⇧ + s

2.7 Undo*

OS	Keys
Linux	Ctrl + z
MacOS	⌘ + z
Windows	Ctrl + z

2.8 Comment Code Selection

OS	Keys
Linux	Ctrl + k + c
MacOS	⌘ + k + c
Windows	Ctrl + k + c

2.9 Uncomment Code Selection

OS	Keys
Linux	Ctrl + k + u
MacOS	⌘ + k + u
Windows	Ctrl + k + u