FlexFit

Mansi Kandoi, Aryan Patel, Devarsh Joshi,
Mihir Ghosh, & Jolly Soni

Table of contents

Introduction

App Demonstration

UML, Board & Repo

Iteration 1 retrospective

Introduction

Brief overview of FlexFit, its purpose, and what the presentation will cover.

Live App Demonstration

UML

UML Class Diagram

- FlexFit Fitness Tracking Application Structure
- Shows relationships between core components of the app
- User Class – manages user details, authentication functions
- Workout Class – stores workout data, allows modifications
- Workout Catalog Class – filters workouts by type & difficulty
- Authentication Class – handles login, logout, password reset
- Centralized System – FlexFit Application links all modules



UML Class Diagram

- User Actions in FlexFit
- Authentication – Verifies user identity for access
- Workout Catalog – Enables users to browse workout options
- Workout – Stores detailed workout information
- UML Class Diagram Breakdown
- User → interacts with authentication system
- Authentication → verifies user credentials
- Workout Catalog → manages workout browsing & filtering
- Workout → contains workout details & modifications





UML Sequence Diagram

- User Interaction with System & Catalog
- User initiates login/signup request → system processes details
- System presents Home Page → user accesses catalog
- Catalog returns items → sends data to the system



- User Interaction with System & Catalog
- User initiates login/signup request → system processes details
- System presents Home Page → user accesses catalog
- Catalog returns items → sends data to the system





UML Sequence Diagram

Git Dashboard Screenshots







Project Screenshots

Burndown Charts



Iteration 1 - Mansi’s Burn Down Chart



Iteration 1 - Aryan’s Burn Down Chart



Iteration 1 - Devarsh’s Burn Down Chart



Iteration 1 - Mihir’s Burn Down Chart



Iteration 1 - Jolly’s Burn Down Chart



Iteration 1 - Team Burn Down Chart