

# Scala Type Hierarchy




- All objects share Any as their base types
- Classes extending AnyVal will be stored on the stack
  - \*Unless they are a state variable of an object
- Classes extending AnyRef will be stored on the heap

# Scala Type Hierarchy



- Classes you define extend AnyRef by default
- If you don't explicitly extend any class
  - It's the same as typing "extends AnyRef"

# Scala Type Hierarchy



These two classes are identical

```
abstract class PhysicsObject(var x: Double, var y: Double) {}
```


abstract class PhysicsObject(var x: Double, var y: Double) extends AnyRef {}

#### Recall Inheritance

- HealthPotion extendsGameObject
- GameObjectextendsPhysicsObject
- PhysicsObjectextendsAnyRef
- AnyRefextendsAny
- HealthPotion inherits the state and behavior of all 5 classes

```
abstract class PhysicsObject(var x: Double, var y: Double) {}
```

```
abstract class GameObject(var xObj: Double, var yObj: Double)
    extends PhysicsObject(xObj, yObj) {
    def objectMass(): Double
    override def toString: String = {
        "(" + this.x + ", " + this.y + "); mass: " + this.objectMass()
    }
}
```



#### Recall Inheritance


We call this an "is-a" relationship

- A HealthPotion is a
   GameObject
- A HealthPotion is a PhysicsObject
- A HealthPotion is an AnyRef
- A HealthPotion is an Any

```
abstract class PhysicsObject(var x: Double, var y: Double) {}
```

```
abstract class GameObject(var x0bj: Double, var y0bj: Double)
  extends PhysicsObject(x0bj, y0bj) {
  def objectMass(): Double

  override def toString: String = {
    "(" + this.x + ", " + this.y + "); mass: " + this.objectMass()
  }
}
```




If an object is a type

It can be stored in variables of that type

HealthPotion is 5 different types


- Polymorphism
  - Poly -> Many
  - Morph -> Forms
  - Polymorphism -> Many Forms

Can store objects in variables of any of their types



- All of these assignments are allowed
- HealthPotion has 5 different types!

```
val potion1: Any = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion2: AnyRef = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion3: PhysicsObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion4: GameObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion5: HealthPotion = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
```



If an object is a type

It can be stored in variables of that type

- HealthPotion has 5 different types
- Can store values in variables of any of their types

- This is polymorphism
  - What implications does this have?

```
val potion1: Any = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion2: AnyRef = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion3: PhysicsObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion4: GameObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion5: HealthPotion = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
```

- Can only access state and behavior of the variable type
- Defined distanceToPlayer in GameObject
- HealthPotion inherited distanceToPlayer when it extended GameObject
- PhysicsObject has no such method
  - Even when potion3 stores a reference to a HealthPotion object, it cannot access distanceToPlayer

```
val potion1: Any = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion2: AnyRef = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion3: PhysicsObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion4: GameObject = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
val potion5: HealthPotion = new HealthPotion(new PhysicsVector(0.0, 0.0), 6)
potion5.objectMass()
potion4.objectMass()
potion3.objectMass() // Does not compile
```

- Why use polymorphism if it restricts functionality?
  - Simplify other classes
- Player has 2 methods
  - One to use a dodgeball
  - One to use a potion
- Each item the Player can use will need another method in the Player class
- Tedious to expand the game

- Write functionality using the common base type
- The use method is part of GameObject
- Can't access any DodgeBall or HeathPotion specific functionality
  - Any state/behavior needed by Player must be in the GameObject class

- We can call useltem with any object that extends GameObject
- The useltem method will have different effects depending on the type of its parameter
  - Different implementations of "use" will be called

```
val ball: Ball = new Ball(0.0, 0.0, 5)
val potion: HealthPotion = new HealthPotion(0.0, 0.0, 5)

val player1: Player = new Player(0.0, 0.0, 20, 12)

player1.useItem(ball)
player1.useItem(potion)
```

- Adding new object types to our game does not require changing the Player class!
  - Test Player once
  - Without polymorphism we'd have to update and test the Player class for every new object type added to the game

```
val ball: Ball = new Ball(0.0, 0.0, 5)
val potion: HealthPotion = new HealthPotion(0.0, 0.0, 5)

val player1: Player = new Player(0.0, 0.0, 20, 12)

player1.useItem(ball)
player1.useItem(potion)
```

We can also make our player be a GameObject

- With polymorphism, we can mix types in data structures
  - Something we took for granted in Python/JavaScript
- Assume we have a physics engine that takes a List of PhysicsObjects
- If all our objects are PhysicsObjects, put them in a list and send them to the physics engine

```
val player: Player = new Player(0.0, 0.0, 10, 255)

val potion1: HealthPotion = new HealthPotion(-8.27, -3.58, 6)
val potion2: HealthPotion = new HealthPotion(-8.046, -2.128, 6)
val ball: DodgeBall = new DodgeBall(-2.28, 4.88, 2)

val gameObjects: List[PhysicsObject] = List(player, potion1, potion2, ball)

PhysicsEngine.doPhysics(gameObjects)
```