```
git clone <a href="https://github.com/CSE110-Dongyang-Huang/CSE110">https://github.com/CSE110-Dongyang-Huang/CSE110</a>
Cloning into 'CSE110'... remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
  # 24/09/2021
                        cd Local Repo/CSE110/
   24/09/2021
                        🎾 main 🕽 git branch add-read-me
      24/09/2021
                       O 09:40.57 ➤ Chome/mobaxterm/Desktop/Local_Repo/CSE110
                                                                                                        ₽ main
                                                                                                                    git checkout add-read-me
 Switched to branch 'add-read-me'
  # 24/09/2021
                       ② 09:41.39 ├── /home/mobaxterm/Desktop/Local Repo/CSE110 │ P add-read-me    vim README.md
  # 24/09/2021
                       № add-read-me
                                                                                                                             git add README.md
                                                                                                             git commit -m "Update readme file"
[add-read-me 6a1cb5f] Update readme file
 1 file changed, 2 insertions(+), 1 deletion(-)
                                                                                       add-read-me git push --set-upstream origin add-read-me
Username for 'https://github.com':
Password for 'https://CSE110-Dongyang-Huang@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 288 bytes | 96.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting: remote: https://github.com/CSE110-Dongyang-Huang/CSE110/pull/new/add-read-me
remote:
To <a href="https://github.com/CSE110-Dongyang-Huang/CSE110">https://github.com/CSE110-Dongyang-Huang/CSE110</a>
* [new branch] add-read-me -> add-read-me
Branch 'add-read-me' set up to track remote branch 'add-read-me' from 'origin'.
                       add-read-me -> add-read-me
```



