

CSE 489: Modern Networking Concepts

Programming Assignment 2 Report

Jonathan Choi | UBIT: jmchoi | UB# 50256079

James Holtzman | UBIT: jholtzma | UB# 50295824


Voltaire Vergara | UBIT: janvolta | UB# 50284048

ZeMing Zhang | UBIT: zemingzh | UB# 50273324


“I have read and understood the course’s academic”

Experiment #1

Window Size = 10



Window Size = 50



Alternating Bit Protocol:

ADVANCED TESTS:

```
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS: PASS
```

SANITY TESTS:

```
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:1.0, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:1.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
SANITY TESTS: PASS
```

Go-Back-N Protocol:

ADVANCED TESTS:

```
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS:  PASS
```

SANITY TESTS:

```
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:1.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:1.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
SANITY TESTS:  PASS
```

Selective Repeat Protocol:

ADVANCED TESTS:

```
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS: PASS
```

SANITY TESTS:

```
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:1.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
SANITY TESTS: PASS
```