

File Edit Search Run Compile Debug Project Options

[] LOC2.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
int i,j,k=0;
char a[20],b[20];
clrscr();
printf("Enter first string=");
scanf("%s",a);
printf("\nEnter second string=");
scanf("%s",b);
printf("\nConcatenated string=%s %s",a,b);
while(a[k]!='\0')
{k++}
j=k-1;
for(i=0;i<k;i++)
{b[i]=a[j];
j--;}
printf("\nReverse=%s",b);
getch();}
```

17:6

F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9

Enter first string=hello

Enter second string=vssut

Concatenated string=hello vssut

Reverse=tussv olleh

File Edit Search Run Compile Debug Project

LOC2.C

```
#include<stdio.h>
#include<conio.h>
void main()
{
    int i,j,k=0,l=0;
    clrscr();
    printf("Enter numbers=");
    scanf("%d",&j);
    for(i=1;i<=j;i++)
    {
        if(i%2==0)
            l=l+i;
        else
            k=k+i;
    }
    printf("\nSum of all odd numbers=%d",k);
    printf("\nSum of all even numbers=%d",l);
    getch();
}
```

1:1

F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10

Enter numbers=10

Sum of all odd numbers=25

Sum of all even numbers=30_

File Edit Search Run Compile Debug Project

[] LOC2.C

```
#include<stdio.h>
#include<conio.h>
#include<math.h>
int main()
{
    int i,j,k,l,m;
    clrscr();
    printf("Enter numbers=");
    scanf("%d",&i);
    k=i%10;
    l=(int)log10(i);
    j=(int)(i/pow(10,l));
    m=k;
    m *=(int)pow(10,l);
    m +=i%((int)pow(10,l));
    m -=k;
    m +=j;
    printf("\nAfter swapping=%d",m);
    return 0;
}
```

1:1

F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Comp

Enter numbers=12345

After swapping=52341_

File Edit Search Run Compile Debug Pro

[]

LOC2.C

```
#include<stdio.h>
#include<conio.h>
int main()
{
int i,n,n1=0,n2=1,n3;
clrscr();
printf("Enter a numbers=");
scanf("%d",&n);
printf("\n%d %d",n1,n2);
for(i=2;i<n;++i)
{
n3=n1+n2;
printf("%d",n3);
n1=n2;
n2=n3;
}
return 0;
}
```

18:1

F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 C

Enter a numbers=15

0 1 1 2 3 5 8 13 21 34 55 89 144 233 377_

File Edit Search Run Compile Debug Pro

LOC2.C

```
F[1]
int main()
{
int i,j,r,c,s,p,m;
clrscr();
printf("Enter number of rows=");
scanf("%d",&r);
printf("\nEnter number of column=");
scanf("%d",&c);
printf("\nEnter matrix elements=");
for(i=0;i<r;i++)
{for(j=0;j<c;j++)
printf("\nEnter element [%d %d]=",i+1,j+1);
scanf("%d",&m[i][j]);}
s=0;
p=1;
for(i=0;i<r;i++)
{for(j=0;j<c;j++)
{s+=m[i][j];
p*=m[i][j];}}
printf("\nSum=%d\nProduct=%d",s,p);
return 0;}
```

23:14

F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9

Enter number of rows=2

Enter number of column=2

Enter matrix elements=

Enter element=1 2 3 4

Enter element=5 6 7 8

Sum=6 8 10 12

Product=19 22 43 50

File Edit Search Run Compile Debug Proj.

LOC2.C

```
#include<stdio.h>
#include<conio.h>
int main()
{
    int i,j,k;
    clrscr();
    printf("Enter number of rows=");
    scanf("%d",&k);
    for(i=1;i<=k;i++)
    {
        for(j=1;j<=k;j++)
        {
            if(i==1 || i==k || j==1 || j==k)
                printf("* ");
            else
                printf(" ");
        }
        printf("\n");
    }
    return 0;
}
```

19:2

F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 C

Enter number of rows=5

```
* * * * *
*           *
*           *
*           *
*           *
* * * * *
```